

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 872 554 A2**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
21.10.1998 Bulletin 1998/43

(51) Int. Cl.⁶: **C12N 15/52**, C12P 23/00,
A23K 1/16, A23L 1/275,
C12N 1/21

(21) Application number: **97120324.5**

(22) Date of filing: **20.11.1997**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **02.12.1996 EP 96810839**

(71) Applicant:
**F. HOFFMANN-LA ROCHE AG
4070 Basel (CH)**

(72) Inventors:
• **Pasamontes, Luis
4632 Trimbach (CH)**

• **Tsygankov, Yuri,
State Scient. Cnt. of Russian Fed
Moscow 113545 (RU)**

(74) Representative: **Braun, Axel et al
F.Hoffmann-La Roche AG
Patent Department (PLP),
124 Grenzacherstrasse
4070 Basel (CH)**

Remarks:

The applicant has subsequently filed a sequence
listing and declared, that it includes no new matter.

(54) Improved fermentative carotenoid production

(57) The present invention is directed to processes
for the preparation of canthaxanthin, adonixanthin,
astaxanthin, a mixture of adonixanthin and astaxanthin
and zeaxanthin by a cell which has been transformed by
DNA sequences encoding the respective biosynthetic
enzymes of Flavobacterium and the gram negative bac-
terium E-396. Furthermore the present invention is
directed to a food or feed composition comprising one
or more of the aforementioned carotenoids.

EP 0 872 554 A2

Description

Over 600 different carotenoids have been described from carotenogenic organisms found among bacteria, yeast, fungi and plants. Currently only two of them, β -carotene and astaxanthin are commercially produced in microorganisms and used in the food and feed industry. β -carotene is obtained from algae and astaxanthin is produced in *Pfaffia* strains which have been generated by classical mutation. However, fermentation in *Pfaffia* has the disadvantage of long fermentation cycles and recovery from algae is cumbersome. Therefore it is desirable to develop production systems which have better industrial applicability, e.g. can be manipulated for increased titers and/or reduced fermentation times. Two such systems using the biosynthetic genes from *Erwinia herbicola* and *Erwinia uredovora* have already been described in WO 91/13078 and EP 393 690, respectively. Furthermore, three β -carotene ketolase genes (β -carotene β -4-oxygenase) of the marine bacteria *Agrobacterium aurantiacum* and *Alcaligenes* strain PC-1 (crtW) [Misawa, 1995, Biochem. Biophys. Res. Com. 209, 867-876][Misawa, 1995, J. Bacteriology 177, 6575-6584] and from the green algae *Haematococcus pluvialis* (bkt) [Lotan, 1995, FEBS Letters 364, 125-128][Kajiwara, 1995, Plant Mol. Biol. 29, 343-352] have been cloned. *E. coli* carrying either the carotenogenic genes (crtE, crtB, crtY and crtI) of *E. herbicola* [Hundle, 1994, MGG 245, 406-416] or of *E. uredovora* and complemented with the crtW gene of *A. aurantiacum* [Misawa, 1995] or the bkt gene of *H. pluvialis* [Lotan, 1995][Kajiwara, 1995] resulted in the accumulation of canthaxanthin (β , β -carotene-4,4'-dione), originating from the conversion of β -carotene, via the intermediate echinenone (β , β -carotene-4-one). Introduction of the above mentioned genes (crtW or bkt) into *E. coli* cells harbouring besides the carotenoid biosynthesis genes mentioned above also the crtZ gene of *E. uredovora* [Kajiwara, 1995][Misawa, 1995], resulted in both cases in the accumulation of astaxanthin (3,3'-dihydroxy- β , β -carotene-4,4'-dione). The results obtained with the bkt gene, are in contrast to the observation made by others [Lotan, 1995], who using the same experimental set-up, but introducing the *H. pluvialis* bkt gene in a zeaxanthin (β , β -carotene-3,3'-diol) synthesising *E. coli* host harbouring the carotenoid biosynthesis genes of *E. herbicola*, a close relative of the above mentioned *E. uredovora* strain, did not observe astaxanthin production.

Since there is a continuing need in even more optimized fermentation systems for industrial application it is therefore in the first instance an object of the present invention to provide a process for the preparation of canthaxanthin by culturing under suitable culture conditions a cell which is transformed by a DNA sequence comprising the following DNA sequences:

a) a DNA sequence which encodes the GGPP synthase of *Flavobacterium* sp. R1534 (crtE) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of *Flavobacterium* sp. R1534 (crtB) or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of *Flavobacterium* sp. R1534 (crtI) or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of *Flavobacterium* sp. R1534 (crtY) or a DNA sequence which is substantially homologous;

e) a DNA sequence which encodes the β -carotene β 4-oxygenase of the microorganism E-396 (FERM BP-4283) [crtW_{E396}] or a DNA sequence which is substantially homologous;

or a cell which is transformed by a vector comprising DNA sequences specified above under a) to e) and by isolating canthaxanthin from such cells or the culture medium by methods known in the art.

Furthermore it is in the second instance an object of the present invention to provide a process for the preparation of a mixture of adonixanthin and astaxanthin or adonixanthin or astaxanthin alone by a process as mentioned above characterized therein that in addition to the DNA sequences specified under a) to e) the following additional DNA sequence is present:

f) a DNA sequence which encodes the β -carotene hydroxylase of the microorganism E-396 (FERM BP-4283) [crtZ_{E396}] or a DNA sequence which is substantially homologous;

and the DNA sequence specified under e) is as specified above or the following sequence:

g) a DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crtW) or a DNA

sequence which is substantially homologous;

and isolating the desired mixture of adonixanthin and astaxanthin or adonixanthin or a astaxanthin alone from such cells of the culture medium and separating the desired mixture or carotenoids alone from other carotenoids which might be present by methods known in the art.

Furthermore it is an object of the present invention to provide a process for the preparation of zeaxanthin by a process as claimed in the first instance characterized therein that the DNA sequence as specified under e) is replaced by the DNA sequence as specified under f) in the second instance and by isolating zeaxanthin from the cell or the culture medium and separating it from other carotenoids which might be present by methods known in the art.

Furthermore it is an object of the present invention to provide a process for the production of adonixanthin by culturing under suitable culture conditions a cell which is transformed by a DNA sequence comprising the following heterologous DNA sequences:

a) a DNA sequence which encodes the GGPP synthase of the microorganism E-396 (FERM BP-4283) [crtE_{E396}] or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase the microorganism E-396 (FERM BP-4283) [crtB_{E396}] or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of the microorganism E-396 (FERM BP-4283) [crtI_{E396}] or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of the microorganism E-396 (FERM BP-4283) [crtY_{E396}] or a DNA sequence which is substantially homologous;

e) a DNA sequence which encodes the β -carotene hydroxylase of the microorganism E396 (FERM BP-4283) [crtZ_{E396}] or a DNA sequence which is substantially homologous; and

f) a DNA sequence which encodes the β -carotene β 4-oxygenase of the microorganism E396 (FERM BP-4283) [crtW_{E396}] or a DNA sequence which is substantially homologous;

and isolating adonixanthin from the cell or the culture medium and separating it from other carotenoids which might be present by methods known in the art.

Further it is an object of the present invention to provide a process as described above characterized therein that the transformed host cell is a prokaryotic host cell, like E. coli, Bacillus or Flavobacter and a process as described above characterized therein that the transformed host cell is a eukaryotic host cell, like yeast or a fungal cell.

Furthermore it is an object of the present invention to provide a DNA sequence comprising one or more DNA sequences selected from the group consisting of:

a) a DNA sequence which encodes the GGPP synthase of Flavobacterium sp. R1534 (crtE) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of Flavobacterium sp. R1534 (crtB) or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of Flavobacterium sp. R1534 (crtI) or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of Flavobacterium sp. R1534 (crtY) or a DNA sequence which is substantially homologous; and

e) a DNA sequence which encodes the β -carotene hydroxylase of Flavobacterium sp. R1534 (crtZ) or a DNA sequence which is substantially homologous.

It is also an object of the present invention to provide a vector comprising such DNA sequence, preferably in the form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed

by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable culture conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells or the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid or carotenoid mixture is added to food or feed.

Furthermore, a DNA sequence comprising the following DNA sequences is an object of the present invention:

a) a DNA sequence which encodes the GGPP synthase of *Flavobacterium* sp. R1534 (*crtE*) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of *Flavobacterium* sp. R1534 (*crtB*) or a DNA sequence which is substantially homologous; and

c) a DNA sequence which encodes the phytoene desaturase of *Flavobacterium* sp. R 1534 (*crtI*) or a DNA sequence which is substantially homologous.

It is also an object of the present invention to provide a vector comprising such DNA sequence, preferably in the form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells or the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of lycopene and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably lycopene or carotenoid mixture, preferably a lycopene comprising mixture is added to food or feed.

Furthermore a DNA sequence comprising the following DNA sequence is also an object of the present invention:

a) a DNA sequence which encodes the GGPP synthase of *Flavobacterium* sp. R1534 (*crtE*) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of *Flavobacterium* sp. R1534 (*crtB*) or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of *Flavobacterium* sp. R1534 (*crtI*) or a DNA sequence which is substantially homologous; and

d) a DNA sequence which encodes the lycopene cyclase of *Flavobacterium* sp. R1534 (*crtY*) or a DNA sequence which is substantially homologous.

It is also an object of the present invention to provide a vector comprising such DNA sequence, preferably in the form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells or the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of β -carotene and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably β -carotene or carotenoid mixture, preferably a β -carotene comprising mixture is added to food or feed.

Furthermore a cell which is transformed by the above mentioned DNA sequence comprising subsequences a) to d) or the vector comprising it and a second DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (*crtW*) or a DNA sequence which is substantially homologous or a second vector which comprises a DNA

sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crt W) or a DNA sequence which is substantially homologous; and a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such cell under suitable conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells or the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of echinenone and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably echinenone or carotenoid mixture, preferably an echinenone comprising mixture is added to food or feed.

Furthermore it is an object of the present invention to provide a DNA sequence as mentioned above comprising subsequences a) to d) and a DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crt W) or a DNA sequence which is substantially homologous and a vector comprising such DNA sequence, preferably in the form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable culture conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells of the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, especially such a process for the preparation of echinenone or canthaxanthin and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably echinenone or canthaxanthin or carotenoid mixture, preferably a echinenone or canthaxanthin containing mixture is added to food or feed.

Furthermore a DNA sequence comprising the following DNA sequences is also an object of the present invention:

a) a DNA sequence which encodes the GGPP synthase of *Flavobacterium* sp. R1534 (crtE) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of *Flavobacterium* sp. R1534 (crtB) or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of *Flavobacterium* sp. R1534 (crtI) or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of *Flavobacterium* sp. R1534 (crtY) or a DNA sequence which is substantially homologous; and

e) a DNA sequence which encodes the β -carotene hydroxylase of *Flavobacterium* sp. R1534 (crtZ) or a DNA sequence which is substantially homologous.

It is also an object of the present invention to provide a vector comprising such DNA sequence, preferably in the form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or mixture of carotenoids by culturing such a cell under suitable conditions and isolating the desired carotenoid or mixture of carotenoids from such cells of the culture medium and, in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of zeaxanthin and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably zeaxanthin or the carotenoid mixture, preferably a zeaxanthin containing mixture is added to food or feed.

Furthermore a DNA sequence as mentioned above comprising subsequences a) to e) and in addition a DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crt W) or a DNA sequence which is substantially homologous is an object of the present invention and to provide a vector comprising such DNA sequence, preferably in form of an expression vector. Furthermore it is an object of the present invention to provide a cell which is transformed by such DNA sequence or vector, preferably which is a prokaryotic cell and more preferably which is *E. coli* or a *Bacillus* strain. Such transformed cell which is an eukaryotic cell, preferably a yeast cell or a fungal cell, is also an object of the present invention. Finally the present invention concerns also a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable culture conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells of the culture medium and, in case only one carotenoid is desired

separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of zeaxanthin, adonixanthin or astaxanthin and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably zeaxanthin, adonixanthin or astaxanthin or carotenoid mixture, preferably a zeaxanthin, adonixanthin or astaxanthin containing mixture is added to food or feed.

Furthermore a cell which is transformed by the DNA sequence mentioned above comprising subsequences a) to e) or a vector comprising such DNA sequence and a second DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crt W) or a DNA sequence which is substantially homologous or a second vector which comprises a DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crt W) or a DNA sequence which is substantially homologous is also an object of the present invention and a process for the preparation of a desired carotenoid or a mixture of carotenoids by culturing such a cell under suitable conditions and isolating the desired carotenoid or a mixture of carotenoids from such cells or the culture medium, and in case only one carotenoid is desired separating it by methods known in the art from other carotenoids which might also be present, preferably such a process for the preparation of zeaxanthin or adonixanthin and a process for the preparation of a food or feed composition characterized therein that after such a process has been effected the carotenoid, preferably zeaxanthin or adonixanthin or carotenoid mixture, preferably a zeaxanthin or adonixanthin containing mixture is added to food or feed.

Furthermore it is an object of the present invention to provide the DNA sequences and vectors as specified before and a process for the preparation of a food or feed composition characterized therein that after a process as specified before has been effected the carotenoid prepared by such process is added to food or feed.

In this context it should be mentioned that the expression "a DNA sequence is substantially homologous" refers with respect to the crtE encoding DNA sequence to a DNA sequence which encodes an amino acid sequence which shows more than 45 %, preferably more than 60 % and more preferably more than 75 % and most preferably more than 90 % identical amino acids when compared to the amino acid sequence of crtE of *Flavobacterium* sp. 1534 and is the amino acid sequence of a polypeptide which shows the same type of enzymatic activity as the enzyme encoded by crtE of *Flavobacterium* sp. 1534. In analogy with respect to crtB this means more than 60 %, preferably more than 70 %, more preferably more than 80 % and most preferably more than 90 %; with respect to crtI this means more than 70 %, preferably more than 80 % and most preferably more than 90 %; with respect to crtY this means 55 %, preferably 70 %, more preferably 80 % and most preferably 90 %.

"DNA sequences which are substantially homologous" refer with respect to the crtW_{E396} encoding DNA sequence to a DNA sequence which encodes an amino acid sequence which shows more than 60%, preferably more than 75% and most preferably more than 90% identical amino acids when compared to the amino acid sequence of crtW of the microorganism E 396 (FERM BP-4283) and is the amino acid sequence of a polypeptide which shows the same type of enzymatic activity as the enzyme encoded by crtW of the microorganism E 396. In analogy with respect to crtZ_{E396} this means more than 75%, preferable more than 80% and most preferably more than 90%; with respect to crtE_{E396}, crtB_{E396}, crtI_{E396}, crtY_{E396} and crtZ_{E396} this means more than 80%, preferably more than 90% and most preferably 95%.

DNA sequences in form of genomic DNA, cDNA or synthetic DNA can be prepared as known in the art [see e.g. Sambrook et al., Molecular Cloning, Cold Spring Harbor Laboratory Press 1989] or, e.g. as specifically described in Examples 1, 2 or 7. In the context of the present invention it should be noted that all DNA sequences used for the process for production of carotenoids of the present invention encoding crt-gene products can also be prepared as synthetic DNA sequences according to known methods or in analogy to the method specifically described for crtW in Example 7.

The cloning of the DNA-sequences of the present invention from such genomic DNA can then be effected, e.g. by using the well known polymerase chain reaction (PCR) method. The principles of this method are outlined e.g. in PCR Protocols: A guide to Methods and Applications, Academic Press, Inc. (1990). PCR is an in vitro method for producing large amounts of a specific DNA of defined length and sequence from a mixture of different DNA-sequences. Thereby, PCR is based on the enzymatic amplification of the specific DNA fragment of interest which is flanked by two oligonucleotide primers which are specific for this sequence and which hybridize to the opposite strand of the target sequence. The primers are oriented with their 3' ends pointing toward each other. Repeated cycles of heat denaturation of the template, annealing of the primers to their complementary sequences and extension of the annealed primers with a DNA polymerase result in the amplification of the segment between the PCR primers. Since the extension product of each primer can serve as a template for the other, each cycle essentially doubles the amount of the DNA fragment produced in the previous cycle. By utilizing the thermostable Taq DNA polymerase, isolated from the thermophilic bacteria *Thermus aquaticus*, it has been possible to avoid denaturation of the polymerase which necessitated the addition of enzyme after each heat denaturation step. This development has led to the automation of PCR by a variety of simple temperature-cycling devices. In addition, the specificity of the amplification reaction is increased by allowing the use of higher temperatures for primer annealing and extension. The increased specificity improves the overall yield of amplified products by minimizing the competition by non-target fragments for enzyme and primers. In this way the specific sequence of interest is highly amplified and can be easily separated from the non-specific sequences by methods known in the

art, e.g. by separation on an agarose gel and cloned by methods known in the art using vectors as described e.g. by Holten and Graham in *Nucleic Acid Res.* **19**, 1156 (1991), Kovalic et. al. in *Nucleic Acid Res.* **19**, 4560 (1991), Marchuk et al. in *Nucleic Acid Res.* **19**, 1154 (1991) or Mead et al. in *Bio/Technology* **9**, 657-663 (1991).

The oligonucleotide primers used in the PCR procedure can be prepared as known in the art and described e.g. in Sambrook et al., s.a.

Amplified DNA-sequences can then be used to screen DNA libraries by methods known in the art (Sambrook et al., s.a.) or as specifically described in Examples 1 and 2.

Once complete DNA-sequences of the present invention have been obtained they can be used as a guideline to define new PCR primers for the cloning of substantially homologous DNA sequences from other sources. In addition they and such homologous DNA sequences can be integrated into vectors by methods known in the art and described e.g. in Sambrook et al. (s.a.) to express or overexpress the encoded polypeptide(s) in appropriate host systems. However, a man skilled in the art knows that also the DNA-sequences themselves can be used to transform the suitable host systems of the invention to get overexpression of the encoded polypeptide. Appropriate host systems are for example Bacteria e.g. *E. coli*, Bacilli as, e.g. *Bacillus subtilis* or *Flavobacter* strains. *E. coli*, which could be used are *E. coli* K12 strains e.g. M15 [described as DZ 291 by Villarejo et al. in *J. Bacteriol.* **120**, 466-474 (1974)], HB 101 [ATCC No. 33694] or *E. coli* SG13009 [Gottesman et al., *J. Bacteriol.* **148**, 265-273 (1981)]. Suitable *Flavobacter* strains can be obtained from any of the culture collections known to the man skilled in the art and listed, e.g. in the journal "Industrial Property" (January 1994, pgs 29-40), like the American Type Culture Collection (ATCC) or the Centraalbureau voor Schimmelkulturen (CBS) and are, e.g. *Flavobacterium* sp. R 1534 (ATCC No. 21588, classified as unknown bacterium; or as CBS 519.67) or all *Flavobacter* strains listed as CBS 517.67 to CBS 521.67 and CBS 523.67 to CBS 525.67, especially R 1533 (which is CBS 523.67 or ATCC 21081, classified as unknown bacterium; see also USP 3,841,967). Further *Flavobacter* strains are also described in WO 91/03571. Suitable eukaryotic host systems are for example fungi, like *Aspergilli* e.g. *Aspergillus niger* [ATCC 9142] or yeasts, like *Saccharomyces*, e.g. *Saccharomyces cerevisiae* or *Pichia*, like *pastoris*, all available from ATCC.

Suitable vectors which can be used for expression in *E. coli* are mentioned, e.g. by Sambrook et al. [s.a.] or by Fiers et al. in *Procd. 8th Int. Biotechnology Symposium* [Soc. Franc. de Microbiol., Paris (Durand et al., eds.), pp. 680-697 (1988)] or by Bujard et al. in *Methods in Enzymology*, eds. Wu and Grossmann, Academic Press, Inc. Vol. **155**, 416-433 (1987) and Stüber et al. in *Immunological Methods*, eds. Lefkovits and Pernis, Academic Press, Inc., Vol. IV, 121-152 (1987). Vectors which could be used for expression in Bacilli are known in the art and described, e.g. in EP 405 370, EP 635 572 *Procd. Nat. Acad. Sci. USA* **81**, 439 (1984) by Yansura and Henner, *Meth. Enzym.* **185**, 199-228 (1990) or EP 207 459. Vectors which can be used for expression in fungi are known in the art and described e.g. in EP 420 358 and for yeast in EP 183 070, EP 183 071, EP 248 227, EP 263 311. Vectors which can be used for expression in *Flavobacter* are known in the art and described in the Examples or, e.g. in *Plasmid Technology*, ed. by J. Grinstead and P.M. Bennett, Academic Press (1990).

Once such DNA-sequences have been expressed in an appropriate host cell in a suitable medium the carotenoids can be isolated either from the medium in the case they are secreted into the medium or from the host organism and, if necessary separated from other carotenoids if present in case one specific carotenoid is desired by methods known in the art (see e.g. *Carotenoids Vol IA: Isolation and Analysis*, G. Britton, S. Liaaen-Jensen, H. Pfander; 1995, Birkhäuser Verlag, Basel).

The carotenoids of the present invention can be used in a process for the preparation of food or feeds. A man skilled in the art is familiar with such process. Such compound foods or feeds can further comprise additives or components generally used for such purpose and known in the state of the art.

After the invention has been described in general hereinbefore, the following figures and examples are intended to illustrate details of the invention, without thereby limiting it in any matter.

Figure 1: The biosynthesis pathway for the formation of carotenoids of *Flavobacterium* sp. R1534 is illustrated explaining the enzymatic activities which are encoded by DNA sequences of the present invention.

Figure 2: Southern blot of genomic *Flavobacterium* sp. R1534 DNA digested with the restriction enzymes shown on top of each lane and hybridized with Probe 46F. The arrow indicated the isolated 2.4 kb *XhoI/PstI* fragment.

Figure 3: Southern blot of genomic *Flavobacterium* sp. R1534 DNA digested with *ClaI* or double digested with *ClaI* and *HindIII*. Blots shown in Panel A and B were hybridized to probe A or probe B, respectively (see examples). Both *ClaI/HindIII* fragments of 1.8 kb and 9.2 kb are indicated.

Figure 4: Southern blot of genomic *Flavobacterium* sp. R1534 DNA digested with the restriction enzymes shown on top of each lane and hybridized to probe C. The isolated 2.8 kb *Sa1I/HindIII* fragment is shown by the

arrow.

- 5 **Figure 5:** Southern blot of genomic *Flavobacterium* sp. R1534 DNA digested with the restriction enzymes shown on top of each lane and hybridized to probe D. The isolated BclI/SphI fragment of approx. 3 kb is shown by the arrow.
- 10 **Figure 6:** Physical map of the organization of the carotenoid biosynthesis cluster in *Flavobacterium* sp. R1534, deduced from the genomic clones obtained. The location of the probes used for the screening are shown as bars on the respective clones.
- 15 **Figure 7:** Nucleotide sequence of the *Flavobacterium* sp. R1534 carotenoid biosynthesis cluster and its flanking regions. The nucleotide sequence is numbered from the first nucleotide shown (see BamHI site of Fig. 6). The deduced amino acid sequence of the ORF's (orf-5, orf-1, crtE, crtB, crtI, crtY, crtZ and orf-16) are shown with the single-letter amino acid code. Arrow (-->) indicate the direction of the transcription; asterisks, stop codons.
- Figure 8:** Protein sequence of the GGPP synthase (crtE) of *Flavobacterium* sp. R1534 with a MW of 31331 Da.
- 20 **Figure 9:** Protein sequence of the prephytoene synthetase (crtB) of *Flavobacterium* sp. R1534 with a MW of 32615 Da.
- Figure 10:** Protein sequence of the phytoene desaturase (crtI) of *Flavobacterium* sp. R1534 with a MW of 54411 Da.
- 25 **Figure 11:** Protein sequence of the lycopene cyclase (crtY) of *Flavobacterium* sp. R1534 with a MW of 42368 Da.
- Figure 12:** Protein sequence of the β -carotene hydroxylase (crtZ) of *Flavobacterium* sp. R1534 with a MW of 19282 Da.
- 30 **Figure 13:** Recombinant plasmids containing deletions of the *Flavobacterium* sp. R1534 carotenoid biosynthesis gene cluster.
- 35 **Figure 14:** Primers used for PCR reactions. The underlined sequence is the recognition site of the indicated restriction enzyme. Small caps indicate nucleotides introduced by mutagenesis. Boxes show the artificial RBS which is recognized in *B. subtilis*. Small caps in bold show the location of the original adenine creating the translation start site (ATG) of the following gene (see original operon). All the ATG's of the original *Flavobacter* carotenoid biosynthetic genes had to be destroyed to not interfere with the rebuild transcription start site. Arrows indicate start and ends of the indicated *Flavobacterium* R1534 WT carotenoid genes.
- 40 **Figure 15:** Linkers used for the different constructions. The underlined sequence is the recognition site of the indicated restriction enzyme. Small caps indicate nucleotides introduced by synthetic primers. Boxes show the artificial RBS which is recognized in *B. subtilis*. Arrow indicate start and ends of the indicated *Flavobacterium* carotenoid genes.
- 45 **Figure 16:** Construction of plasmids pBIKS(+)-clone59-2, pLyco and pZea4.
- Figure 17:** Construction of plasmid p602CAR.
- 50 **Figure 18:** Construction of plasmids pBIKS(+)-CARVEG-E and p602 CARVEG-E.
- Figure 19:** Construction of plasmids pHP13-2CARZYIB-EINV and pHP13-2PN25ZYIB-EINV.
- Figure 20:** Construction of plasmid pXI12-ZYIB-EINVMUTRBS2C.
- 55 **Figure 21:** Northern blot analysis of *B. subtilis* strain BS1012::ZYIB-EINV4. Panel A: Schematic representation of a reciprocal integration of plasmid pXI12-ZYIB-EINV4 into the levan-sucrase gene of *B. subtilis*. Panel B: Northern blot obtained with probe A (PCR fragment which was obtained with CAR 51 and CAR 76 and

hybridizes to the 3' end of crtZ and the 5' end of crtY). Panel C: Northern blot obtained with probe B (BamHI-XhoI fragment isolated from plasmid pBIKS(+)-crtE/2 and hybridizing to the 5' part of the crtE gene).

5 **Figure 22:** Schematic representation of the integration sites of three transformed *Bacillus subtilis* strains: BS1012::SFCO, BS1012::SFCOCAT1 and BA1012::SFCONEO1. Amplification of the synthetic *Flavobacterium* carotenoid operon (SFCO) can only be obtained in those strains having amplifiable structures. Probe A was used to determine the copy number of the integrated SFCO. Erythromycin resistance gene (ermAM), chloramphenicol resistance gene (cat), neomycin resistance gene (neo), terminator of the cryT gene of *B. subtilis* (cryT), levan-sucrase gene (sac-B 5' and sac-B 3'), plasmid sequences of pXI12 (pXI12), promoter originating from site I of the veg promoter complex (PvegI).

Figure 23: Construction of plasmids pXI12-ZYIB-EINV4MUTRBS2CNEO and pXI12-ZYIB-EINV4MUTRBS2CCAT.

15 **Figure 24:** Complete nucleotide sequence of plasmid pZea4.

Figure 25: Synthetic crtW gene of *Alcaligenes* PC-1. The translated protein sequence is shown above the double stranded DNA sequence. The twelve oligonucleotides (crtW1-crtW12) used for the PCR synthesis are underlined.

20 **Figure 26:** Construction of plasmid pBIKS-crtEBIYZW. The HindIII-PmI fragment of pALTER-Ex2-crtW, carrying the synthetic crtW gene, was cloned into the HindIII and MluI (blunt) sites. PvegI and Ptac are the promoters used for the transcription of the two operons. The ColE1 replication origin of this plasmid is compatible with the p15A origin present in the pALTER-Ex2 constructs.

25 **Figure 27:** Relevant inserts of all plasmids constructed in Example 7. Disrupted genes are shown by //. Restriction sites: S=SacI, X=XbaI, H=HindIII, N=NsiI, Hp=HpaI, Nd=NdeI.

Figure 28: Reaction products (carotenoids) obtained from β -carotene by the process of the present invention.

30 **Example 1**

Materials and general methods used

35 **Bacterial strains and plasmids:** *Flavobacterium* sp. R1534 WT (ATCC 21588) was the DNA source for the genes cloned. Partial genomic libraries of *Flavobacterium* sp. R1534 WT DNA were constructed into the pBluescriptII+(KS) or (SK) vector (Stratagene, La Jolla, USA) and transformed into *E. coli* XL-1 blue (Stratagene) or JM109.

Media and growth conditions: Transformed *E. coli* were grown in Luria broth (LB) at 37°C with 100mg Ampicillin (Amp)/ml for selection. *Flavobacterium* sp. R1534 WT was grown at 27°C in medium containing 1% glucose, 1% tryptone (Difco Laboratories), 1% yeast extract (Difco), 0.5% MgSO₄ 7H₂O and 3% NaCl.

40 **Colony screening:** Screening of the *E. coli* transformants was done by PCR basically according to the method described by Zon et al. [Zon et al., BioTechniques 7, 696-698 (1989)] using the following primers:

Primer #7: 5'-CCTGGATGACGTGCTGGAATATTCC-3'

45 Primer #8: 5'-CAAGGCCAGATCGCAGGCG-3'

Genomic DNA: A 50 ml overnight culture of *Flavobacterium* sp. R1534 was centrifuged at 10,000 g for 10 minutes. The pellet was washed briefly with 10 ml of lysis buffer (50 mM EDTA, 0.1M NaCl pH7.5), resuspended in 4 ml of the same buffer supplemented with 10 mg of lysozyme and incubated at 37°C for 15 minutes. After addition of 0.3 ml of N-Lauroyl sarcosine (20%) the incubation at 37°C was continued for another 15 minutes before the extraction of the DNA with phenol, phenol/chloroform and chloroform. The DNA was ethanol precipitated at room temperature for 20 minutes in the presence of 0.3 M sodium acetate (pH 5.2), followed by centrifugation at 10,000 g for 15 minutes. The pellet was rinsed with 70% ethanol, dried and resuspended in 1 ml of TE (10 mM Tris, 1mM EDTA, pH 8.0).

55 All genomic DNA used in the southern blot analysis and cloning experiments was dialysed against H₂O for 48 hours, using collodion bags (Sartorius, Germany), ethanol precipitated in the presence of 0.3 M sodium acetate and resuspended in H₂O.

Probe labelling: DNA probes were labeled with (α - ³²P) dGTP (Amersham) by random-priming according to [Sambrook et al., s.a.].

Probes used to screen the mini-libraries: Probe 46F is a 119 bp fragment obtained by PCR using primer #7 and #8 and *Flavobacterium sp.* R1534 genomic DNA as template. This probe was proposed to be a fragment of the *Flavobacterium sp.* R1534 phytoene synthase (*crtB*) gene, since it shows significant homology to the phytoene synthase genes from other species (e.g. *E. uredovora*, *E. herbicola*). **Probe A** is a BstXI - PstI fragment of 184 bp originating from the right arm of the insert of clone 85. **Probe B** is a 397 bp XhoI - NotI fragment obtained from the left end of the insert of clone 85. **Probe C** is a 536 bp BglII - PstI fragment from the right end of the insert of clone 85. **Probe D** is a 376 bp KpnI - BstYI fragment isolated from the insert of clone 59. The localization of the individual probes is shown in figure 6.

Oligonucleotide synthesis: The oligonucleotides used for PCR reactions or for sequencing were synthesized with an Applied Biosystems 392 DNA synthesizer.

Southern blot analysis: For hybridization experiments *Flavobacterium sp.* R1534 genomic DNA (3 mg) was digested with the appropriate restriction enzymes and electrophoresed on a 0.75% agarose gel. The transfer to Zeta-Probe blotting membranes (BIO-RAD), was done as described [Southern, E.M., J. Mol. Biol. **98**, 503 (1975)]. Prehybridization and hybridization was in 7% SDS, 1% BSA (fraction V; Boehringer), 0.5M Na₂HPO₄, pH 7.2 at 65°C. After hybridization the membranes were washed twice for 5 minutes in 2x SSC, 1% SDS at room temperature and twice for 15 minutes in 0.1% SSC, 0.1% SDS at 65°C.

DNA sequence analysis: The sequence was determined by the dideoxy chain termination technique [Sanger et al., Proc. Natl. Acad. Sci. USA **74**, 5463-5467 (1977)] using the Sequenase Kit (United States Biochemical). Both strands were completely sequenced and the sequence analyzed using the GCG sequence analysis software package (Version 8.0) by Genetics Computer, Inc. [Devereux et al., Nucleic Acids. Res. **12**, 387-395 (1984)].

Analysis of carotenoids: *E. coli* XL-1 or JM109 cells (200 - 400 ml) carrying different plasmid constructs were grown for the times indicated in the text, usually 24 to 60 hours, in LB supplemented with 100mg Ampicillin/ml, in shake flasks at 37°C and 220 rpm.

The carotenoids present in the microorganisms were extracted with an adequate volume of acetone using a rotation homogenizer (Polytron, Kinematica AG, CH-Luzern). The homogenate was filtered through the sintered glass of a suction filter into a round bottom flask. The filtrate was evaporated by means of a rotation evaporator at 50°C using a water-jet vacuum. For the zeaxanthin detection the residue was dissolved in n-hexane/acetone (86:14) before analysis with a normalphase HPLC as described in [Weber, S. in Analytical Methods for Vitamins and Carotenoids in Feed, Keller, H.E., Editor, 83-85 (1988)]. For the detection of β -carotene and lycopene the evaporated extract was dissolved in n-hexane/acetone (99:1) and analysed by HPLC as described in [Hengartner et al., Helv. Chim. Acta **75**, 1848-1865 (1992)].

Example 2

Cloning of the *Flavobacterium sp.* R1534 carotenoid biosynthetic genes.

To identify and isolate DNA fragments carrying the genes of the carotenoid biosynthesis pathway, we used the DNA fragment 46F (see methods) to probe a Southern Blot carrying chromosomal DNA of *Flavobacterium sp.* R1534 digested with different restriction enzymes Fig. 2. The 2.4 kb XhoI/PstI fragment hybridizing to the probe seemed the most appropriate one to start with. Genomic *Flavobacterium sp.* R1534 DNA was digested with XhoI/PstI and run on a 1% agarose gel. According to a comigrating DNA marker, the region of about 2.4 kb was cut out of the gel and the DNA isolated. A XhoI/PstI mini library of *Flavobacterium sp.* R1534 genomic DNA was constructed into XhoI - PstI sites of pBluescriptIIKS(+). One hundred *E. coli* XL1 transformants were subsequently screened by PCR with primer #7 and primer #8, the same primers previously used to obtain the 119 bp fragment (46F). One positive transformant, named clone 85, was found. Sequencing of the insert revealed sequences not only homologous to the phytoene synthase (*crtB*) but also to the phytoene desaturase (*crtI*) of both *Erwinia* species *herbicola* and *uredovora*. Left and right hand genomic sequences of clone 85 were obtained by the same approach using probe A and probe B. *Flavobacterium sp.* R1534 genomic DNA was double digested with ClaI and HindIII and subjected to Southern analysis with probe A and probe B. With probe A a ClaI/HindIII fragment of approx. 1.8 kb was identified (Fig. 3A), isolated and subcloned into the ClaI/HindIII sites of pBluescriptIIKS (+). Screening of the *E. coli* XL1 transformants with probe A gave 6 positive clones. The insert of one of these positives, clone 43-3, was sequenced and showed homology to the N-terminus of *crtI* genes and to the C-terminus of *crtY* genes of both *Erwinia* species mentioned above. With probe B an approx. 9.2 kb ClaI/HindIII fragment was detected (Fig. 3B), isolated and subcloned into pBluescriptIIKS (+).

A screening of the transformants gave one positive, clone 51. Sequencing of the 5' and 3' of the insert, revealed that only the region close to the HindIII site showed relevant homology to genes of the carotenoid biosynthesis of the *Erwinia* species mentioned above (e.g. *crtB* gene and *crtE* gene). The sequence around the ClaI site showed no homology to known genes of the carotenoid biosynthesis pathway. Based on this information and to facilitate further sequencing and construction work, the 4.2 kb BamHI/HindIII fragment of clone 51 was subcloned into the respective sites of pBluescriptIIKS(+) resulting in clone 2. Sequencing of the insert of this clone confirmed the presence of genes homol-

ogous to *Erwinia* sp. crtB and crtE genes. These genes were located within 1.8 kb from the HindIII site. The remaining 2.4 kb of this insert had no homology to known carotenoid biosynthesis genes.

Additional genomic sequences downstream of the ClaI site were detected using probe C to hybridize to *Flavobacterium* sp. R1534 genomic DNA digested with different restriction enzymes (see figure 4).

A SalI/HindIII fragment of 2.8 kb identified by Southern analysis was isolated and subcloned into the HindIII/XhoI sites of pBluescriptIIKS (+). Screening of the *E. coli* XL1 transformants with probe A gave one positive clone named clone 59. The insert of this clone confirmed the sequence of clone 43-3 and contained in addition sequences homologous to the N-terminus of the crtY gene from other known lycopene cyclases. To obtain the putative missing crtZ gene a Sau3AI partial digestion library of *Flavobacterium* sp. R1534 was constructed into the BamHI site of pBluescriptIIKS(+). Screening of this library with probe D gave several positive clones. One transformant designated, clone 6a, had an insert of 4.9 kb. Sequencing of the insert revealed besides the already known sequences coding for crtB, crtI and crtY also the missing crtZ gene. Clone 7g was isolated from a mini library carrying BclI/SphI fragments of R1534 (Fig. 5) and screened with probe D. The insert size of clone 7g is approx. 3 kb.

The six independent inserts of the clones described above covering approx. 14 kb of the *Flavobacterium* sp. R1534 genome are compiled in Figure 6.


The determined sequence spanning from the BamHI site (position 1) to base pair 8625 is shown figure 7.

Putative protein coding regions of the cloned R1534 sequence.

Computer analysis using the CodonPreference program of the GCG package, which recognizes protein coding regions by virtue of the similarity of their codon usage to a given codon frequency table, revealed eight open reading frames (ORFs) encoding putative proteins: a partial ORF from 1 to 1165 (ORF-5) coding for a polypeptide larger than 41382 Da; an ORF coding for a polypeptide with a molecular weight of 40081 Da from 1180 to 2352 (ORF-1); an ORF coding for a polypeptide with a molecular weight of 31331 Da from 2521 to 3405 (crtE); an ORF coding for a polypeptide with a molecular weight of 32615 Da from 4316 to 3408 (crtB); an ORF coding for a polypeptide with a molecular weight of 54411 Da from 5797 to 4316 (crtI); an ORF coding for a polypeptide with a molecular weight of 42368 Da from 6942 to 5797 (crtY); an ORF coding for a polypeptide with a molecular weight of 19282 Da from 7448 to 6942 (crtZ); and an ORF coding for a polypeptide with a molecular weight of 19368 Da from 8315 to 7770 (ORF-16); ORF-1 and crtE have the opposite transcriptional orientation from the others (Fig. 6). The translation start sites of the ORFs crtI, crtY and crtZ could clearly be determined based on the appropriately located sequences homologous to the Shine/Dalgarno (S/D) [Shine and Dalgarno, Proc. Natl. Acad. Sci. USA 71, 1342-1346 (1974)] consensus sequence AGG--6-9N--ATG (Fig. 10) and the homology to the N-terminal sequences of the respective enzymes of *E. herbicola* and *E. uredoovora*. The translation of the ORF crtB could potentially start from three closely spaced codons ATG (4316), ATG (4241) and ATG (4211). The first one, although not having the best S/D sequence of the three, gives a translation product with the highest homology to the N-terminus of the *E. herbicola* and *E. uredoovora* crtB protein, and is therefore the most likely translation start site. The translation of ORF crtE could potentially start from five different start codons found within 150 bp : ATG (2389), ATG (2446), ATG (2473), ATG (2497) and ATG (2521). We believe that based on the following observations, the ATG (2521) is the most likely transcription start site of crtE: this ATG start codon is preceded by the best consensus S/D sequence of all five putative start sites mentioned; and the putative N-terminal amino acid sequence of the protein encoded has the highest homology to the N-terminus of the crtE enzymes of *E. herbicola* and *E. uredoovora*;

Characteristics of the crt translational initiation sites and gene products.

The translational start sites of the five carotenoid biosynthesis genes are shown below and the possible ribosome binding sites are underlined. The genes crtZ, crtY, crtI and crtB are grouped so tightly that the TGA stop codon of the anterior gene overlaps the ATG of the following gene. Only three of the five genes (crtI, crtY and crtZ) fit with the consensus for optimal S/D sequences. The boxed TGA sequence shows the stop codon of the anterior gene.



20 Amino acid sequences of individual *crt* genes of *Flavobacterium* sp. R1534.

All five ORFs of *Flavobacterium* sp. R1534 having homology to known carotenoid biosynthesis genes of other species are clustered in approx. 5.2 kb of the sequence (Fig. 7).

25 GGDP synthase (*crtE*)

The amino acid (aa) sequence of the geranylgeranyl pyrophosphate synthase (*crtE* gene product) consists of 295 aa and is shown in figure 8. This enzyme condenses farnesyl pyrophosphate and isopentenyl pyrophosphate in a 1' - 4.

30 Phytoene synthase (*crtB*)

This enzyme catalyzes two enzymatic steps. First it condenses in a head to head reaction two geranylgeranyl pyrophosphates (C20) to the C40 carotenoid prephytoene. Second it rearranges the cyclopropylring of prephytoene to phytoene. The 303 aa encoded by the *crtB* gene of *Flavobacterium* sp. R1534 is shown in figure 9.

35 Phytoene desaturase (*crtI*)

The phytoene desaturase of *Flavobacterium* sp. R1534 consisting of 494 aa, shown in figure 10, performs like the *crtI* enzyme of *E. herbicola* and *E. uredovora*, four desaturation steps, converting the non-coloured carotenoid phytoene to the red coloured lycopene. **Lycopene cyclase (*crtY*)**

The *crtY* gene product of *Flavobacterium* sp. R1534 is sufficient to introduce the b-ionone rings at both sides of lycopene to obtain β -carotene. The lycopene cyclase of *Flavobacterium* sp. R1534 consists of 382 aa (Fig. 11). **β -carotene hydroxylase (*crtZ*)**

The gene product of *crtZ* consisting of 169 aa (Fig. 12) and hydroxylates β -carotene to the xanthophyll zeaxanthin.

45 Putative enzymatic functions of the ORF's (orf-1, orf-5 and orf-16)

The orf-1 has at the aa level over 40% identity to acetoacetyl-CoA thiolases of different organisms (e.g. *Candida tropicalis*, human, rat). This gene is therefore most likely a putative acetoacetyl-CoA thiolase (acetyl-CoA acetyltransferase), which condenses two molecules of acetyl-CoA to Acetoacetyl-CoA. Condensation of acetoacetyl-CoA with a third acetyl-CoA by the HMG-CoA synthase forms β -hydroxy- β -methylglutaryl-CoA (HMG-CoA). This compound is part of the mevalonate pathway which produces besides sterols also numerous kinds of isoprenoids with diverse cellular functions. In bacteria and plants, the isoprenoid pathway is also able to synthesize some unique products like carotenoids, growth regulators (e.g. in plants gibberellins and abscisic acid) and secondary metabolites like phytoalexins [Riou et al., Gene 148, 293-297 (1994)].

The orf-5 has a low homology of approx. 30%, to the amino acid sequence of polyketide synthases from different streptomycetes (e.g. *S. violaceoruber*, *S. cinnamonensis*). These antibiotic synthesizing enzymes (polyketide synthases), have been classified into two groups. Type-I polyketide synthases are large multifunctional proteins, whereas type-II

polyketide synthases are multiprotein complexes composed of several individual proteins involved in the subreactions of the polyketide synthesis [Bibb, et al. *Gene* **142**, 31-39 (1994)].

The putative protein encoded by the orf-16 has at the aa level an identity of 42% when compared to the soluble hydrogenase subunit of *Anabaena cylindrica*.

Functional assignment of the ORF's (crtE, crtB, crtI, crtY and crtZ) to enzymatic activities of the carotenoid biosynthesis pathway.

The biochemical assignment of the gene products of the different ORF's were revealed by analyzing carotenoid accumulation in *E. coli* host strains that were transformed with deleted variants of the *Flavobacterium sp.* gene cluster and thus expressed not all of the crt genes (Fig. 13).

Three different plasmid were constructed: pLyco, p59-2 and pZea4. Plasmid p59-2 was obtained by subcloning the HindIII/BamHI fragment of clone 2 into the HindIII/BamHI sites of clone 59. p59-2 carries the ORF's of the crtE, crtB, crtI and crtY gene and should lead to the production of β -carotene. pLyco was obtained by deleting the KpnI/KpnI fragment, coding for approx. one half (N-terminus) of the crtY gene, from the p59-2 plasmid. *E. coli* cells transformed with pLyco, and therefore having a truncated non-functional crtY gene, should produce lycopene, the precursor of β -carotene. pZea4 was constructed by ligation of the AscI-SpeI fragment of p59-2, containing the crtE, crtB, crtI and most of the crtY gene with the AscI/XbaI fragment of clone 6a, containing the sequences to complete the crtY gene and the crtZ gene. pZea4 [for complete sequence see Fig. 24; nucleotides 1 to 683 result from pBluescriptIIKS(+), nucleotides 684 to 8961 from *Flavobacterium* R1534 WT genome, nucleotides 8962 to 11233 from pBluescriptIIKS(+)] has therefore all five ORF's of the zeaxanthin biosynthesis pathway. Plasmid pZea4 has been deposited on May 25, 1995 at the DSM-Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH (Germany) under accession No. DSM 10012. *E. coli* cells transformed with this latter plasmid should therefore produce zeaxanthin. For the detection of the carotenoid produced, transformants were grown for 48 hours in shake flasks and then subjected to carotenoid analysis as described in the methods section. Figure 13 summarizes the different inserts of the plasmids described above, and the main carotenoid detected in the cells.

As expected the pLyco carrying *E. coli* cells produced lycopene, those carrying p59-2 produced β -carotene (all-E,9-Z,13-Z) and the cells having the pZea4 construct produced zeaxanthin. This confirms that all the necessary genes of *Flavobacterium sp.* R1534 for the synthesis of zeaxanthin or their precursors (phytoene, lycopene and β -carotene) were cloned.

Example 3

Materials and methods used for expression of carotenoid synthesizing enzymes

Bacterial strains and plasmids: The vectors pBluescriptIIKS (+) or (-) (Stratagene, La Jolla, USA) and pUC18 [Vieira and Messing, *Gene* **19**, 259-268 (1982); Norrander et al., *Gene* **26**, 101-106 (1983)] were used for cloning in different *E. coli* strains, like XL-1 blue (Stratagene), TG1 or JM109. In all *B. subtilis* transformations, strain 1012 was used. Plasmids pHP13 [Haima et al., *Mol. Gen. Genet.* **209**, 335-342 (1987)] and p602/22 [LeGrice, S.F.J. in *Gene Expression Technology*, Goeddel, D.V., Editor, 201-214 (1990)] are Gram (+)/(-) shuttle vectors able to replicate in *B. subtilis* and *E. coli* cells. Plasmid p205 contains the vegI promoter cloned into the SmaI site of pUC18. Plasmid pXI12 is an integration vector for the constitutive expression of genes in *B. subtilis* [Haiker et al., in 7th Int. Symposium on the Genetics of Industrial Microorganisms, June 26-July 1, 1994. Montreal, Quebec, Canada (1994)]. Plasmid pBEST501 [Itaya et al., *Nucleic Acids Res.* **17** (11), 4410 (1989)] contains the neomycin resistance gene cassette originating from the plasmid pUB110 (GenBank entry: M19465) of *S. aureus* [McKenzie et al., *Plasmid* **15**, 93-103 (1986); McKenzie et al., *Plasmid* **17**, 83-84 (1987)]. This neomycin gene has been shown to work as a selection marker when present in a single copy in the genome of *B. subtilis*. Plasmid pC194 (ATCC 37034) (GenBank entry: L08860) originates from *S. aureus* [Horinouchi and Weisblum, *J. Bacteriol.* **150**, 815-825 (1982)] and contains the chloramphenicol acetyltransferase gene.

Media and growth conditions: *E. coli* were grown in Luria broth (LB) at 37°C with 100mg Ampicillin (Amp)/ml for selection. *B. subtilis* cells were grown in VY-medium supplemented with either erythromycin (1 mg/ml), neomycin (5-180 mg/ml) or chloramphenicol (10-80 mg/ml).

Transformation: *E. coli* transformations were done by electroporation using the Gene-pulser device of BIO-RAD (Hercules, CA, USA) with the following parameters (200 W, 250 mFD, 2.5V). *B. subtilis* transformations were done basically according to the standard procedure method 2.8 described by [Cutting and Vander Horn in *Molecular Biological Methods for Bacillus*, Harwood, C.R. and Cutting, S.M., Editor, John Wiley & Sons: Chichester, England. 61-74 (1990)].

Colony screening: Bacterial colony screening was done as described by [Zon et al., s.a.].

Oligonucleotide synthesis: The oligonucleotides used for PCR reactions or for sequencing were synthesized with

an Applied Biosystems 392 DNA synthesizer.

PCR reactions: The PCR reactions were performed using either the **UITma DNA polymerase** (Perkin Elmer Cetus) or the **Pfu Vent polymerase** (New England Biolabs) according to the manufacturers instructions. A typical 50 ml PCR reaction contained: 100ng of template DNA, 10 pM of each of the primers, all four dNTP's (final conc. 300 mM), **MgCl₂** (when UITma polymerase was used; final conc. 2 mM), 1x UITma reaction buffer or 1x Pfu buffer (supplied by the manufacturer). All components of the reaction with the exception of the DNA polymerase were incubated at 95°C for 2 min. followed by the cycles indicated in the respective section (see below). In all reactions a hot start was made, by adding the polymerase in the first round of the cycle during the 72°C elongation step. At the end of the PCR reaction an aliquot was analysed on 1% agarose gel, before extracting once with phenol/chloroform. The amplified fragment in the aqueous phase was precipitated with 1/10 of a 3M NaAcetate solution and two volumes of Ethanol. After centrifugation for 5 min. at 12000 rpm, the pellet was resuspended in an adequate volume of H₂O, typically 40 ml, before digestion with the indicated restriction enzymes was performed. After the digestion the mixture was separated on a 1% low melting point agarose. The PCR product of the expected size were excised from the agarose and purified using the glass beads method (GENECLEAN KIT, Bio 101, Vista CA, USA) when the fragments were above 400 bp or directly spun out of the gel when the fragments were shorter than 400 bp as described by [Heery et al., TIBS 6 (6), 173 (1990)].

Oligos used for gene amplification and site directed mutagenesis:

All PCR reactions performed to allow the construction of the different plasmids are described below. All the primers used are summarized in figure 14.

Primers #100 and #101 were used in a PCR reaction to amplify the complete crtE gene having a SpeI restriction site and an artificial ribosomal binding site (RBS) upstream of the transcription start site of this gene. At the 3' end of the amplified fragment, two unique restriction sites were introduced, an AvrII and a SmaI site, to facilitate the further cloning steps. The PCR reaction was done with UITma polymerase using the following conditions for the amplification: 5 cycles with the profile: 95°C, 1 min./ 60°C, 45 sec./ 72°C, 1 min. and 20 cycles with the profile: 95°C, 1 min./ 72°C, 1 min.. Plasmid pBIIKS(+)-clone2 served as template DNA. The final PCR product was digested with SpeI and SmaI and isolated using the GENECLEAN KIT. The size of the fragment was approx. 910 bp.

Primers #104 and #105 were used in a PCR reaction to amplify the crtZ gene from the translation start till the Sall restriction site, located in the coding sequence of this gene. At the 5' end of the crtZ gene an EcoRI, a synthetic RBS and a NdeI site was introduced. The PCR conditions were as described above. Plasmid pBIIKS(+)-clone 6a served as template DNA and the final PCR product was digested with EcoRI and Sall. Isolation of the fragment of approx. 480 bp was done with the GENECLEAN KIT.

Primers MUT1 and MUT5 were used to amplify the complete crtY gene. At the 5' end, the last 23 nucleotides of the crtZ gene including the Sall site are present, followed by an artificial RBS preceding the translation start site of the crtY gene. The artificial RBS created includes a PmlI restriction site. The 3' end of the amplified fragment contains 22 nucleotides of the crtI gene, preceded by an newly created artifial RBS which contains a MunI restriction site. The conditions used for the PCR reaction were as described above using the following cycling profile: 5 rounds of 95°C, 45 sec./ 60°C, 45 sec./ 72°C, 75 sec. followed by 22 cycles with the profile: 95°C, 45 sec./ 66°C, 45 sec./ 72°C, 75 sec.. Plasmid pXI12-ZYIB-EINV4 served as template for the Pfu Vent polymerase. The PCR product of 1225 bp was made blunt and cloned into the SmaI site of pUC18, using the Sure-Clone Kit (Pharmacia) according to the manufacturer.

Primers MUT2 and MUT6 were used to amplify the complete crtI gene. At the 5' the last 23 nucleotides of the crtY gene are present, followed by an artificial RBS which precedes the translation start site of the crtI gene. The new RBS created, includes a MunI restriction site. The 3' end of the amplified fragment contains the artificial RBS upstream of the crtB gene including a BamHI restriction site. The conditions used for the PCR reaction were basically as described above including the following cycling profile: 5 rounds of 95°C, 30 sec./ 60°C, 30 sec./ 72°C, 75 sec., followed by 25 cycles with the profile: 95°C, 30 sec./ 66°C, 30 sec./ 72°C, 75 sec.. Plasmid pXI12-ZYIB-EINV4 served as template for the Pfu Vent polymerase. For the further cloning steps the PCR product of 1541 bp was digested with MunI and BamHI.

Primers MUT3 and CAR17 were used to amplify the N-terminus of the crtB gene. At the 5' the last 28 nucleotides of the crtI gene are present followed by an artificial RBS, preceding the translation start site of the crtB gene. This new created RBS, includes a BamHI restriction site. The amplified fragment, named PCR-F contains also the HindIII restriction site located at the N-terminus of the crtB gene. The conditions used for the PCR reaction were as described elsewhere in the text, including the following cycling profile: 5 rounds of 95°C, 30 sec./ 58°C, 30 sec./ 72°C, 20 sec. followed by 25 cycles with the profile: 95°C, 30 sec./ 60°C, 30 sec./ 72°C, 20 sec.. Plasmid pXI12-ZYIB-EINV4 served as template for the Pfu Vent polymerase. The PCR product of approx. 160 bp was digested with BamHI and HindIII.

Olig s used to amplify the chloramphenicol resistance gene (cat):

Primers **CAT3** and **CAT4** were used to amplify the chloramphenicol resistance gene of pC194 (ATCC 37034) [Hori-

nouchi and Weisblum, s.a.] a R-plasmid found in *S. aureus*. The conditions used for the PCR reaction were as described previously including the following cycling profile: 5 rounds of 95°C, 60 sec./ 50°C, 60 sec./ 72°C, 2 min. followed by 20 cycles with the profile: 95°C, 60 sec./ 60°C, 60 sec./ 72°C, 2 min.. Plasmid pC198 served as template for the Pfu Vent polymerase. The PCR product of approx. 1050 bp was digested with EcoRI and AatII.

Oligos used to generate linkers: Linkers were obtained by adding 90 ng of each of the two corresponding primers into an Eppendorf tube. The mixture was dried in a speed vac and the pellet resuspended in 1x Ligation buffer (Boehringer, Mannheim, Germany). The solution was incubated at 50°C for 3 min. before cooling down to RT, to allow the primers to hybridize properly. The linker were now ready to be ligated into the appropriate sites. All the oligos used to generate linkers are shown in figure 15.

Primers **CS1** and **CS2** were used to form a linker containing the following restrictions sites HindIII, AflIII, ScaI, XbaI, Pml and EcoRI.

Primers **MUT7** and **MUT8** were used to form a linker containing the restriction sites Sall, AvrII, PmlI, MluI, MunI, BamHI, SphI and HindIII.

Primers **MUT9** and **MUT10** were used to introduce an artificial RBS upstream of crtY.

Primers **MUT11** and **MUT12** were used to introduce an artificial RBS upstream of crtE.

Isolation of RNA: Total RNA was prepared from log phase growing *B. subtilis* according to the method described by [Maes and Messens, Nucleic Acids Res. 20 (16), 4374 (1992)].

Northern Blot analysis: For hybridization experiments up to 30 mg of *B. subtilis* RNA was electrophoreses on a 1% agarose gel made up in 1x MOPS and 0.66 M formaldehyde. Transfer to Zeta-Probe blotting membranes (BIO-RAD), UV cross-linking, pre-hybridization and hybridization was done as described elsewhere in [Farrell, J.R.E., RNA Methodologies. A laboratory Guide for isolation and characterization. San Diego, USA: Academic Press (1993)]. The washing conditions used were: 2 x 20 min. in 2xSSPE/0.1% SDS followed by 1 x 20 min. in 0.1% SSPE/0.1% SDS at 65°C. Northern blots were then analyzed either by a Phosphorimager (Molecular Dynamics) or by autoradiography on X-ray films from Kodak.

Isolation of genomic DNA: *B. subtilis* genomic DNA was isolated from 25 ml overnight cultures according to the standard procedure method 2.6 described by [13].

Southern blot analysis: For hybridization experiments *B. subtilis* genomic DNA (3 mg) was digested with the appropriate restriction enzymes and electrophoresed on a 0.75% agarose gel. The transfer to Zeta-Probe blotting membranes (BIO-RAD), was done as described [Southern, E.M., s.a.]. Prehybridization and hybridization was in 7%SDS, 1% BSA (fraction V; Boehringer), 0.5M Na₂HPO₄, pH 7.2 at 65°C. After hybridization the membranes were washed twice for 5 min. in 2x SSC, 1% SDS at room temperature and twice for 15 min. in 0.1% SSC, 0.1% SDS at 65°C. Southern blots were then analyzed either by a Phosphorimager (Molecular Dynamics) or by autoradiography on X-ray films from Kodak.

DNA sequence analysis: The sequence was determined by the dideoxy chain termination technique [Sanger et al., s.a.] using the Sequenase Kit Version 1.0 (United States Biochemical). Sequence analysis were done using the GCG sequence analysis software package (Version 8.0) by Genetics Computer, Inc. [Devereux et al., s.a.].

Gene amplification in *B. subtilis*: To amplify the copy number of the SFCO in *B. subtilis* transformants, a single colony was inoculated in 15 ml VY-medium supplemented with 1.5 % glucose and 0.02 mg chloramphenicol or neomycin/ml, dependend on the antibiotic resistance gene present in the amplifiable structure (see results and discussion). The next day 750 ml of this culture were used to inoculate 13 ml VY-medium containing 1.5% glucose supplemented with (60, 80, 120 and 150 mg/ml) for the cat resistant mutants, or 160 mg/ml and 180 mg/ml for the neomycin resistant mutants). The cultures were grown overnight and the next day 50 ml of different dilutions (1: 20, 1:400, 1: 8000, 1: 160'000) were plated on VY agar plates with the appropriate antibiotic concentration. Large single colonies were then further analyzed to determine the number of copies and the amount of carotenoids produced.

Analysis of carotenoids: *E. coli* or *B. subtilis* transformants (200 - 400 ml) were grown for the times indicated in the text, usually 24 to 72 hours, in LB-medium or VY-medium, respectively, supplemented with antibiotics, in shake flasks at 37° C and 220 rpm.

The carotenoids produced by the microorganisms were extracted with an adequate volume of acetone using a rotation homogenizer (Polytron, Kinematica AG, CH-Luzern). The homogenate was filtered through the sintered glass of a suction filter into a round bottom flask. The filtrate was evaporated by means of a rotation evaporator at 50° C using a water-jet vacuum. For the zeaxanthin detection the residue was dissolved in n-hexane/acetone (86:14) before analysis with a normalphase HPLC as described in [Weber, S., s.a.]. For the detection of β -carotene and lycopene the evaporated extract was dissolved in n-hexane/acetone (99:1) and analysed by HPLC as described in Hengartner et al., s.a.].

Example 4**Carotenoid production in *E. coli***

The biochemical assignment of the gene products of the different open reading frames (ORF's) of the carotenoid biosynthesis cluster of *Flavobacterium sp.* were revealed by analyzing the carotenoid accumulation in *E. coli* host strains, transformed with plasmids carrying deletions of the *Flavobacterium sp.* gene cluster, and thus lacking some of the crt gene products. Similar functional assays in *E. coli* have been described by other authors [Misawa et al., s.a.; Perry et al., J. Bacteriol., 168, 607-612 (1986); Hundle, et al., Molecular and General Genetics 254 (4), 406-416 (1994)].

Three different plasmid pLyco, pBIIKS(+)-clone59-2 and pZea4 were constructed from the three genomic isolates pBIIKS(+)-clone2, pBIIKS(+)-clone59 and pBIIKS(+)-clone6a (see figure 16).

Plasmid pBIIKS(+)-clone59-2 was obtained by subcloning the HindIII/BamHI fragment of pBIIKS(+)-clone 2 into the HindIII/BamHI sites of pBIIKS(+)-clone59. The resulting plasmid pBIIKS(+)-clone59-2 carries the complete ORF's of the crtE, crtB, crtI and crtY gene and should lead to the production of β -carotene. pLyco was obtained by deleting the KpnI/KpnI fragment, coding for approx. one half (N-terminus) of the crtY gene, from the plasmid pBIIKS(+)-clone59-2. *E. coli* cells transformed with pLyco, and therefore having a truncated non-functional crtY gene, should produce lycopene, the precursor of β -carotene. pZea4 was constructed by ligation of the AscI-SpeI fragment of pBIIKS(+)-clone59-2, containing the crtE, crtB, crtI and most of the crtY gene with the AscI/XbaI fragment of clone 6a, containing the crtZ gene and sequences to complete the truncated crtY gene mentioned above. pZea4 has therefore all five ORF's of the zeaxanthin biosynthesis pathway. *E. coli* cells transformed with this latter plasmid should therefore produce zeaxanthin. For the detection of the carotenoid produced, transformants were grown for 43 hours in shake flasks and then subjected to carotenoid analysis as described in the methods section. Figure 16 summarizes the construction of the plasmids described above.

As expected the pLyco carrying *E. coli* cells produced lycopene, those carrying pBIIKS(+)-clone59-2 produced β -carotene (all-E,9-Z,13-Z) and the cells having the pZea4 construct produced zeaxanthin. This confirms that we have cloned all the necessary genes of *Flavobacterium sp.* R1534 for the synthesis of zeaxanthin or their precursors (phytoene, lycopene and β -carotene). The production levels obtained are shown in table 1.

plasmid	host	zeaxanthin	β -carotene	lycopene
pLyco	<i>E. coli</i> JM109	ND	ND	0.05%
pBIIKS(+)-clone59-2	"	ND	0.03%	ND
pZea4	"	0.033%	0.0009%	ND

Table 1: Carotenoid content of *E. coli* transformants, carrying the plasmids pLyco, pBIIKS(+)-clone59-2 and pZea4, after 43 hours of culture in shake flasks. The values indicated show the carotenoid content in % of the total dry cell mass (200 ml). ND = not detectable.

Examples 5**Carotenoid production in *B. subtilis***

In a first approach to produce carotenoids in *B. subtilis*, we cloned the carotenoid biosynthesis genes of *Flavobacterium* into the Gram (+)/(-) shuttle vectors p602/22, a derivative of p602/20 [LeGrice, S.F.J., s.a.]. The assembling of the final construct p602-CARVEG-E, begins with a triple ligation of fragments PvuII-AvrII of pZea4(del654-

3028) and the AvrII-EcoRI fragment from plasmid pBIKS(+)-clone6a, into the EcoRI and ScaI sites of the vector p602/22. The plasmid pZea4(del654-3028) had been obtained by digesting pZea4 with SacI and EspI. The protruding and recessed ends were made blunt with Klenow enzyme and religated. Construct pZea4(del654-3028) lacks most of the sequence upstream of crtE gene, which are not needed for the carotenoid biosynthesis. The plasmid p602-CAR has approx. 6.7 kb of genomic *Flavobacterium R1534* DNA containing besides all five carotenoid genes (approx. 4.9 kb), additional genomic DNA of 1.2 kb, located upstream of the crtZ translation start site and further 200 bp, located upstream of crtE transcription start. The crtZ, crtY, crtI and crtB genes were cloned downstream of the P_{N25/0} promoter, a regulatable *E. coli* bacteriophage T5 promoter derivative, fused to a lac operator element, which is functional in *B. subtilis* [LeGrice, S.F.J., s.a.]. It is obvious that in the p602CAR construct, the distance of over 1200 bp between the P_{N25/0} promoter and the transcription start site of crtZ is not optimal and will be improved at a later stage. An outline of the p602CAR construction is shown in figure 17. To ensure transcription of the crtE gene in *B. subtilis*, the vegI promoter [Moran et al., Mol. Gen. Genet. 186, 339-346 (1982); LeGrice et al., Mol. Gen. Genet. 204, 229-236 (1986)] was introduced upstream of this gene, resulting in the plasmid construct p602-CARVEG-E. The vegI promoter, which originates from site of the veg promoter complex described by [LeGrice et al., s.a.] has been shown to be functional in *E. coli* [Moran et al., s.a.]. To obtain this new construct, the plasmid p602CAR was digested with Sall and HindIII, and the fragment containing the complete crtE gene and most of the crtB coding sequence, was subcloned into the XhoI and HindIII sites of plasmid p205. The resulting plasmid p205CAR contains the crtE gene just downstream of the PvegI promoter. To reconstitute the carotenoid gene cluster of *Flavobacterium sp.* the following three pieces were isolated: PmeI/HindIII fragment of p205CAR, the HincII/XbaI fragment and the EcoRI/HindIII fragment of p602CAR and ligated into the EcoRI and XbaI sites of pBluescriptIIKS(+), resulting in the construct pBIKS(+)-CARVEG-E. Isolation of the EcoRI-XbaI fragment of this latter plasmid and ligation into the EcoRI and XbaI sites of p602/22 gives a plasmid similar to p602CAR but having the crtE gene driven by the PvegI promoter. All the construction steps to get the plasmid p602CARVEG-E are outlined in figure 18. *E. coli* TG1 cells transformed with this plasmid synthesized zeaxanthin. In contrast *B. subtilis* strain 1012 transformed with the same constructs did not produce any carotenoids. Analysis of several zeaxanthin negative *B. subtilis* transformants always revealed, that the transformed plasmids had undergone severe deletions. This instability could be due to the large size of the constructs.

In order to obtain a stable construct in *B. subtilis*, the carotenoid genes were cloned into the Gram (+)/(-) shuttle vector pHP13 constructed by [Haima et al., s.a.]. The stability problems were thought to be omitted by 1) reducing the size of the cloned insert which carries the carotenoid genes and 2) reversing the orientation of the crtE gene and thus only requiring one promoter for the expression of all five genes, instead of two, like in the previous constructs. Furthermore, the ability of cells transformed by such a plasmid carrying the synthetic *Flavobacterium* carotenoid operon (SFCO), to produce carotenoids, would answer the question if a modular approach is feasible. Figure 19 summarizes all the construction steps and intermediate plasmids made to get the final construct pHP13-2PNZYIB-EINV. Briefly: To facilitate the following constructions, a vector pHP13-2 was made, by introducing a synthetic linker obtained with primer CS1 and CS2, between the HindIII and EcoRI sites of the shuttle vector pHP13. The intermediate construct pHP13-2CARVEG-E was constructed by subcloning the AflII-XbaI fragment of p602CARVEG-E into the AflII and XbaI sites of pHP13-2. The next step consisted in the inversion of crtE gene, by removing XbaI and AvrII fragment containing the original crtE gene and replacing it with the XbaI-AvrII fragment of plasmid pBIKS(+)-PCRRBSctE. The resulting plasmid was named pHP13-2CARZYIB-EINV and represented the first construction with a functional SFCO. The intermediate construct pBIKS(+)-PCRRBSctE mentioned above, was obtained by digesting the PCR product generated with primers #100 and #101 with SpeI and SmaI and ligating into the SpeI and SmaI sites of pBluescriptIIKS(+). In order to get the crtZ transcription start close to the promoter P_{N25/0} a triple ligation was done with the BamHI-Sall fragment of pHP13-2CARZYIB-EINV (contains four of the five carotenoid genes), the BamHI-EcoRI fragment of the same plasmid containing the P_{N25/0} promoter and the EcoRI-Sall fragment of pBIKS(+)-PCRRBSctZ, having most of the crtZ gene preceded by a synthetic RBS. The aforementioned plasmid pBIKS(+)-PCRRBSctZ was obtained by digesting the PCR product amplified with primers #104 and #105 with EcoRI and Sall and ligating into the EcoRI and Sall sites of pBluescriptIIKS(+). In the resulting vector pHP13-2PN25ZYIB-EINV, the SFCO is driven by the bacteriophage T5 promoter P_{N25/0}, which should be constitutively expressed, due to the absence of a functional lac repressor in the construct [Peschke and Beuk, J. Mol. Biol. 186, 547-555 (1985)]. *E. coli* TG1 cells transformed with this construct produced zeaxanthin. Nevertheless, when this plasmid was transformed into *B. subtilis*, no carotenoid production could be detected. Analysis of the plasmids of these transformants showed severe deletions, pointing towards instability problems, similar to the observations made with the aforementioned plasmids.

Examples 6

Chromosome Integration Constructs

Due to the instability observed with the previous constructs we decided to integrate the carotenoid biosynthesis

genes of *Flavobacterium* sp. into the genome of *B. subtilis* using the integration/expression vector pX112. This vector allows the constitutive expression of whole operons after integration into the levan-sucrase gene (*sacB*) of the *B. subtilis* genome. The constitutive expression is driven by the *vegI* promoter and results in medium level expression. The plasmid pX112-ZYIB-EINV4 containing the synthetic *Flavobacterium* carotenoid operon (SFCO) was constructed as follows: the *NdeI*-*HincII* fragment of pBIISK(+)-PCRRBS_{crtZ} was cloned into the *NdeI* and *SmaI* sites of pX112 and the resulting plasmid was named pX112-PCR_{crtZ}. In the next step, the *BstEII*-*PmeI* fragment of pHP13-2PN25ZYIB-EINV was ligated to the *BstEII*-*PmeI* fragment of pX112-PCR_{crtZ} (see figure 20). *B. subtilis* transformed with the resulting construct pX112-ZYIB-EINV4 can integrate the CAR genes either via a Campbell type reaction or via a reciprocal recombination. One transformant, BS1012::ZYIB-EINV4, having a reciprocal recombination of the carotenoid biosynthesis genes into the levan-sucrase gene was further analyzed (figure 21). Although this strain did not synthesize carotenoids, RNA analysis by Northern blots showed the presence of specific polycistronic mRNA's of 5.4 kb and 4.2 kb when hybridized to probe A (see figure 21, panel B). Whereas the larger mRNA has the expected message size, the origin of the shorter mRNA was unclear. Hybridization of the same Northern blot to probe B only detected the large mRNA fragment, pointing towards a premature termination of the transcription at the end of the *crtB* gene. The presence of a termination signal at this location would make sense, since in the original operon organisation in the *Flavobacterium* sp. R1534 genome, the *crtE* and the *crtB* genes are facing each other. With this constellation a transcription termination signal at the 5' end of *crtB* would make sense, in order to avoid the synthesis of anti-sense RNA which could interfere with the mRNA transcript of the *crtE* gene. Since this region has been changed considerably with respect to the wild type situation, the sequences constituting this terminator may also have been altered resulting in a "leaky" terminator. Western blot analysis using antisera against the different crt enzymes of the carotenoid pathway, pointed towards the possibility that the ribosomal binding sites might be responsible for the lack of carotenoid synthesis. Out of the five genes introduced only the product of *crtZ*, the β -carotene hydroxylase was detectable. This is the only gene preceded by a RBS site, originating from the pX112 vector, known to be functional in *B. subtilis*. Base pairing interactions between a mRNA's Shine-Dalgarno sequence [Shine and Delagarno, s. a.] and the 16S rRNA, which permits the ribosome to select the proper initiation site, have been proposed by [McLaughlin et al., J. Biol. Chem. 256, 11283-11291 (1981)] to be much more stable in Gram-positive organisms (*B. subtilis*) than in Gram-negative organisms (*E. coli*). In order to obtain highly stable complexes we exchanged the RBS sites of the Gram-negative *Flavobacterium* sp., preceding each of the genes *crtY*, *crtI*, *crtB* and *crtE*, with synthetic RBS's which were designed complementary to the 3' end of the *B. subtilis* 16S rRNA (see table 2). This exchange should allow an effective translation initiation of the different carotenoid genes in *B. subtilis*. The strategy chosen to construct this pX112-ZYIB-EINV4MUTRBS2C, containing all four altered sites is summarized in figure 20. In order to facilitate the further cloning steps in pBluescriptIIKS(+), additional restriction sites were introduced using the linker obtained with primer MUT7 and MUT8, cloned between the *Sall* and *HindIII* sites of said vector. The new resulting construct pBIISK(+)-LINKER78 had the following restriction sites introduced: *AvrII*, *PmlI*, *MunI*, *BamHI* and *SphI*. The general approach chosen to create the synthetic RBS's upstream of the different carotenoid genes, was done using a combination of PCR based mutagenesis, where the genes were reconstructed using defined primers carrying the modified RBS sites, or using synthetic linkers having such sequences. Reconstitution of the RBS preceding the *crtI* and *crtB* genes was done by amplifying the *crtI* gene with the primers MUT2 and MUT6, which include the appropriate altered RBS sites. The PCR-I fragment obtained was digested with *MunI* and *BamHI* and ligated into the *MunI* and *BamHI* sites of pBIISK(+)-LINKER78. The resulting intermediate construct was named pBIISK(+)-LINKER78PCR_I. Reconstitution of the RBS preceding the *crtB* gene was done using a small PCR fragment obtained with primer MUT3, carrying the altered RBS site upstream of *crtB*, and primer CAR17. The amplified PCR-F fragment was digested with *BamHI* and *HindIII* and sub cloned into the *BamHI* and *HindIII* sites of pBIISK(+)-LINKER78, resulting in the construct pBIISK(+)-LINKER78PCR_F. The PCR-I fragment was cut out of pBIISK(+)-LINKER78PCR_I with *BamHI* and *SapI* and ligated into the *BamHI* and *SapI* sites of pBIISK(+)-LINKER78PCR_F. The resulting plasmid pBIISK(+)-LINKER78PCR_{FI} has the PCR-I fragment fused to the PCR-F fragment. This construct was cut with *Sall* and *PmlI* and a synthetic linker obtained by annealing of primer MUT9 and MUT10 was introduced. This latter step was done to facilitate the upcoming replacement of the original *Flavobacterium* RBS in the above mentioned construct. The resulting plasmid was named pBIISK(+)-LINKER78PCR_{FIA}. Assembling of the synthetic RBS's preceding the *crtY* and *crtI* genes was done by PCR, using primers MUT1 and MUT5. The amplified fragment PCR-G was made blunt end before cloning into the *SmaI* site of pUC18, resulting in construct pUC18-PCR-G. The next step was the cloning of the PCR-G fragment between the PCR-A and PCR-I fragments. For this purpose the PCR-G was isolated from pUC18-PCR-G by digesting with *MunI* and *PmlI* and ligated into the *MunI* and *PmlI* sites of pBIISK(+)-LINKER78PCR_{FIA}. This construct contains all four fragments, PCR-F, PCR-I, PCR-G and PCR-A, assembled adjacent to each other and containing three of the four artificial RBS sites (*crtY*, *crtI* and *crtB*). The exchange of the *Flavobacterium* RBS's preceding the genes *crtY*, *crtI* and *crtB* by synthetic ones, was done by replacing the *HindIII*-*Sall* fragment of plasmid pX112-ZYIB-EINV4 with the *HindIII*-*Sall* fragment of plasmid pBIISK(+)-LINKER78PCR_{FIGA}. The resulting plasmid pX112-ZYIB-EINV4 MUTRBS2C was subsequently transformed into *E. coli* TG1 cells and *B. subtilis* 1012. The production of zeaxanthin by these cells confirmed that the PCR amplified genes were functional. The *B.*

subtilis strain obtained was named BS1012::SFCO1. The last *Flavobacterium* RBS to be exchanged was the one preceding the crtE gene. This was done using a linker obtained using primer MUT11 and MUT12. The wild type RBS was removed from pXI12-ZYIB-EINV4MUTRBS with NdeI and SpeI and the above mentioned linker was inserted. In the construct pXI12-ZYIB-EINV4MUTRBS2C all *Flavobacterium* RBS's have been replaced by synthetic RBS's of the consensus sequence AAAGGAGG- 7-8 N -ATG (see table 2). *E. coli* TG1 cells transformed with this construct showed that also this last RBS replacement had not interfered

Table 2

<u>mRNA</u>	<u>nucleotide sequence</u>
crtZ	AAAGGAGGGUUC <u>AU</u> AUGAGC
crtY	AAAGGAGGACACGUG <u>AU</u> AUGAGC
crtI	AAAGGAGGCAAUUGAG <u>AU</u> AGU
crtB	AAAGGAGGAUCCAAU <u>CA</u> AUGACC
crtE	AAAGGAGGGUUCU <u>CU</u> AUGACG
<i>B. subtilis</i>	16S rRNA 3'-UCUUUCCUCCACUAG
<i>E. coli</i>	16S rRNA 3'-AUUCCUCCACUAG

Table 2: Nucleotide sequences of the synthetic ribosome binding sites in the constructs pXI12-ZYIB-EINV4MUTRBS2C, pXI12-ZYIB-EINV4MUTRBS2CCAT and pXI12-ZYIB-EINV4MUTRBS2CNEO. Nucleotides of the Shine-Dalgarno sequence preceding the individual carotenoid genes which are complementary to the 3' ends of the 16S rRNA of *B. subtilis* are shown in bold. The 3' ends of the 16S rRNA of *E. coli* is also shown as comparison. The underlined AUG is the translation start site of the mentioned gene.

with the ability to produce zeaxanthin. All the regions containing the newly introduced synthetic RBS's were confirmed by sequencing. *B. subtilis* cells were transformed with plasmid pXI12-ZYIB-EINV4MUTRBS2 and one transformant having integrated the SFCO by reciprocal recombination, into the levan-sucrase gene of the chromosome, was selected. This strain was named BS1012::SFCO2. Analysis of the carotenoid production of this strain show that the amounts zeaxanthin produced is approx. 40% of the zeaxanthin produced by *E. coli* cells transformed with the plasmid used to get the *B. subtilis* transformant. Similar was the observation when comparing the BS1012::SFCO1 strain with its *E. coli* counter part (30%). Although the *E. coli* cells have 18 times more carotenoid genes, the carotenoid production

is only a factor of 2-3 times higher. More drastic was the difference observed in the carotenoid contents, between *E. coli* cells carrying the pZea4 construct in about 200 copies and the *E. coli* carrying the plasmid pX112-ZYIB-EINV4MUTRBS2C in 18 copies. The first transformant produced 48x more zeaxanthin than the latter one. This difference seen can not only be attributed to the roughly 11 times more carotenoid biosynthesis genes present in these transformants. Contributing to this difference is probably also the suboptimal performance of the newly constructed SFCO, in which the overlapping genes of the wild type *Flavobacterium* operon were separated to introduce the synthetic RBS's. This could have resulted in a lower translation efficiency of the rebuild synthetic operon (e.g. due to elimination of putative translational coupling effects, present in the wild type operon).

In order to increase the carotenoid production, two new constructs were made, pX112-ZYIB-EINV4MUTRBS2CNEO and pX112-ZYIB-EINV4 MUTRBS2CCAT, which after the integration of the SFCO into the *levan-sucrase* site of the chromosome, generate strains with an amplifiable structure as described by [Janniere et al., Gene 40, 47-55 (1985)]. Plasmid pX112-ZYIB-EINV4MUTRBS2CNEO has been deposited on May 25, 1995 at the DSM-Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH (Germany) under accession No. DSM 10013. Such amplifiable structures, when linked to a resistance marker (e.g. chloramphenicol, neomycin, tetracycline), can be amplified to 20-50 copies per chromosome. The amplifiable structure consist of the SFCO, the resistance gene and the pX112 sequence, flanked by direct repeats of the *sac-B* 3' gene (see figure 22). New strains having elevated numbers of the SFCO could now be obtained by selecting for transformants with increased level of resistance to the antibiotic. To construct plasmid pX112-ZYIB-EINV4MUTRBS2CNEO, the neomycin resistance gene was isolated from plasmid pBEST501 with PstI and SmaI and subcloned into the PstI and EcoO1091 sites of the pUC18 vector. The resulting construct was named pUC18-Neo. To get the final construct, the PmeI - AatII fragment of plasmid pX112-ZYIB-EINV4MUTRBS2C was replaced with the SmaI-AatII fragment of pUC18-Neo, containing the neomycin resistance gene. Plasmid pX112-ZYIB-EINV4MUTRBS2CCAT was obtained as follows: the chloramphenicol resistance gene of pC194 was isolated by PCR using the primer pair cat3 and cat4. The fragment was digested with EcoRI and AatII and subcloned into the EcoRI and AatII sites of pUC18. The resulting plasmid was named pUC18-CAT. The final vector was obtained by replacing the PmeI-AatII fragment of pX112-ZYIB-EINV4MUTRBS2C with the EcoRI-AatII fragment of pUC18-CAT, carrying the chloramphenicol resistance gene. Figure 23 summarizes the different steps to obtain aforementioned constructs. Both plasmids were transformed into *B. subtilis* strain 1012, and transformants resulting from a Campbell-type integration were selected. Two strains BS1012::SFCONEO1 and BS1012::SFCOCAT1 were chosen for further amplification. Individual colonies of both strains were independently amplified by growing them in different concentrations of antibiotics as described in the methods section. For the cat gene carrying strain, the chloramphenicol concentrations were 60, 80, 120 and 150 mg/ml. For the neo gene carrying strain, the neomycin concentrations were 160 and 180 mg/ml. In both strains only strains with minor amplifications of the SFCO's were obtained. In daughter strains generated from strain BS1012::SFCONEO1, the resistance to higher neomycin concentrations correlated with the increase in the number of SFCO's in the chromosome and with higher levels of carotenoids produced by these cells. A different result was obtained with daughter strains obtained from strain BS1012::SFCOCAT1. In these strains an increase up to 150 mg chloramphenicol/ml resulted, as expected, in a higher number of SFCO copies in the chromosome.

Example 7

Construction of CrtW containing plasmids and use for carotenoid production

Polymerase chain reaction based gene synthesis. The nucleotide sequence of the artificial crtW gene, encoding the β -carotene β -4-oxygenase of *Alcaligenes* strain PC-1, was obtained by back translating the amino acid sequence outlined in [Misawa, 1995], using the BackTranslate program of the GCG Wisconsin Sequence Analysis Package, Version 8.0 (Genetics Computer Group, Madison, WI, USA) and a codon frequency reference table of *E. coli* (supplied by the Bach Translate Program). The synthetic gene consisting of 726 nucleotides was constructed basically according to the method described by [Ye, 1992]. The sequence of the 12 oligonucleotides (crtW1 - crtW12) required for the synthesis are shown in Figure 25. Briefly, the long oligonucleotides were designed to have short overlaps of 15-20 bases, serving as primers for the extension of the oligonucleotides. After four cycles a few copies of the full length gene should be present which is then amplified by the two terminal oligonucleotides crtW15 and crtW26. The sequences for these two short oligonucleotides are for the forward primer crtW15 (5'-TATATCTAGAcataTCCGGTTCGTAAACCGG-3') and for the reverse primer crtW26 (5'-TATAGaattccacgtTCA AGCACGACCACCGGTTTACG-3'), where the sequences matching the DNA templates are underlined. Small cap letters show the introduced restriction sites (*Nde*I for the forward primer and *Eco*RI and *Pml*I for the reverse primer) for the latter cloning into the pALTER-Ex2 expression vector.

Polymerase chain reaction. All twelve long oligonucleotides (crtW1-crtW12; 7 nM each) and both terminal primers (crtW15 and crtW26; 0.1 mM each) were mixed and added to a PCR reaction mix containing Expand™ High Fidelity polymerase (Boehringer, Mannheim) (3.5 units) and dNTP's (100 mM each). The PCR reaction was run for 30 cycles

with the following profile: 94 °C for 1 min, 50 °C for 2 min and 72 °C for 3 min. The PCR reaction was separated on a 1% agarose gel, and the band of approx. 700 bp was excised and purified using the glass beads method (GeneClean Kit, Bio101, Vista, CA, USA). The fragment was subsequently cloned into the *Sma*I site of plasmid pUC18, using the Sure-Clone Kit (Pharmacia, Uppsala, Sweden). The sequence of the resulting *crtW* synthetic gene was verified by sequencing with the Sequenase Kit Version 1.0 (United States Biochemical, Cleveland, OH, USA). The *crtW* gene constructed by this method was found to contain minor errors, which were subsequently corrected by site-directed mutagenesis.

Construction of plasmids. Plasmid pBIIKS(+)-CARVEG-E (see also Example 5) (Figure 26) contains the carotenoid biosynthesis genes (*crtE*, *crtB*, *crtY*, *crtI* and *crtZ*) of the Gram (-) bacterium *Flavobacterium* sp. strain R1534 WT (ATCC 21588) [Pasamontes, 1995 #732] cloned into a modified pBluescript II KS(+) vector (Stratagene, La Jolla, USA) carrying site I of the *B. subtilis* veg promoter [LeGrice, 1986 #806]. This constitutive promoter has been shown to be functional in *E. coli*. Transformants of *E. coli* strain TG1 carrying plasmid pBIIKS(+)-CARVEG-E synthesise zeaxanthin. Plasmid pALTER-Ex2-*crtW* was constructed by cloning the *Nde*I - *Eco*RI restricted fragment of the synthetic *crtW* gene into the corresponding sites of plasmid pALTER-Ex2 (Promega, Madison, WI). Plasmid pALTER-Ex2 is a low copy plasmid with the p15a origin of replication, which allows it to be maintained with ColE1 vectors in the same host. Plasmid pBIIKS-*crtEBIYZW* (Figure 26) was obtained by cloning the *Hind*III-*Pml*I fragment of pALTER-Ex2-*crtW* into the *Hind*III and the blunt end made *Mlu*I site obtained by a fill in reaction with Klenow enzyme, as described elsewhere in [Sambrook, 1989 #505]. Inactivation of the *crtZ* gene was done by deleting a 285 bp *Nsi*I-*Nsi*I fragment, followed by a fill in reaction and religation, resulting in plasmid pBIIKS-*crtEBIY*[DZW]. Plasmid pBIIKS-*crtEBIY*[DZW] carrying the non-functional genes *crtW* and *crtZ*, was constructed by digesting the plasmid pBIIKS-*crtEBIY*[DZW] with *Nde*I and *Hpa*I, and subsequent self religation of the plasmid after filling in the sites with Klenow enzyme. *E. coli* transformed with this plasmid had a yellow-orange colour due to the accumulation of β -carotene. Plasmid pBIIKS-*crtEBIYZ*[DW] has a truncated *crtW* gene obtained by deleting the *Nde*I - *Hpa*I fragment in plasmid pBIIKS-*crtEBIYZW* as outlined above. Plasmids pALTER-Ex2-*crtEBIY*[DZW] and pALTER-Ex2-*crtEBIYZ*[DW], were obtained by isolating the *Bam*HI-*Xba*I fragment from pBIIKS-*crtEBIY*[DZW] and pBIIKS-*crtEBIYZ*[DW], respectively and cloning them into the *Bam*HI and *Xba*I sites of pALTER-Ex2. The plasmid pBIIKS-*crtW* was constructed by digesting pBIIKS-*crtEBIYZW* with *Nsi*I and *Sac*I, and self-religating the plasmid after recessing the DNA overhangs with Klenow enzyme. Figure 27 compiles the relevant inserts of all the plasmids used in this paper.

Carotenoid analysis. *E. coli* TG-1 transformants carrying the different plasmid constructs were grown for 20 hours in Luria-Broth medium supplemented with antibiotics (ampicillin 100 mg/ml, tetracyclin 12.5 mg/ml) in shake flasks at 37°C and 220 rpm. Carotenoids were extracted from the cells with acetone. The acetone was removed in vacuo and the residue was re dissolved in toluene. The coloured solutions were subjected to high-performance liquid chromatography (HPLC) analysis which was performed on a Hewlett-Packard series 1050 instrument. The carotenoids were separated on a silica column Nucleosil Si - 100, 200 x 4 mm, 3m. The solvent system included two solvents: hexane (A) and hexane/THF, 1:1 (B). A linear gradient was applied running from 13 to 50 % (B) within 15 minutes. The flow rate was 1.5 ml/min. Peaks were detected at 450 nm by a photo diode array detector. The individual carotenoid pigments were identified by their absorption spectra and typical retention times as compared to reference samples of chemically pure carotenoids, prepared by chemical synthesis and characterised by NMR, MS and UV-Spectra. HPLC analysis of the pigments isolated from *E. coli* cells transformed with plasmid pBIIKS-*crtEBIYZW*, carrying besides the carotenoid biosynthesis genes of *Flavobacterium* sp. strain R1534, also the *crtW* gene encoding the β -carotene ketolase of *Alcaligenes* PC-1 [Misawa, 1995 #670] gave the following major peaks identified as: β -cryptoxanthin, astaxanthin, adonixanthin and zeaxanthin, based on the retention times and on the comparison of the absorbance spectra to given reference samples of chemically pure carotenoids. The relative amount (area percent) of the accumulated pigment in the *E. coli* transformant carrying pBIIKS-*crtEBIYZW* is shown in Table 3 ["CRX": cryptoxanthin; "ASX": astaxanthin; "ADX": adonixanthin; "ZXN": zeaxanthin; "ECM": echinenone; "MECH": 3-hydroxyechinenone, "CXN": cantaxanthin]. The Σ of the peak areas of all identified carotenoids was defined as 100%. Numbers shown in Table 3 represent the average value of four independent cultures for each transformant. In contrast to the aforementioned results, *E. coli* transformants carrying the same genes but on two plasmids namely, pBIIKS-*crtEBIYZ*[DW] and pALTER-Ex2-*crtW*, showed a drastical drop in adonixanthin and a complete lack of astaxanthin pigments (Table 3), whereas the relative amount of zeaxanthin (%) had increased. Echinenone, hydroxyechinenone and canthaxanthin levels remained unchanged compared to the transformants carrying all the *crt* genes on the same plasmid (pBIIKS-*crtEBIYZW*). Plasmid pBIIKS-*crtEBIYZ*[DW] is a high copy plasmid carrying the functional genes of *crtE*, *crtB*, *crtY*, *crtI*, *crtZ* of *Flavobacterium* sp. strain R1534 and a truncated, non-functional version of the *crtW* gene, whereas the functional copy of the *crtW* gene is located on the low copy plasmid pALTER-Ex2-*crtW*. To analyze the effect of overexpression of the *crtW* gene with respect to the *crtZ* gene, *E. coli* cells were co-transformed with plasmid pBIIKS-*crtW* carrying the *crtW* gene on the high copy plasmid pBIIKS-*crtW* and the low copy construct pALTER-Ex2-*crtEBIYZ*[DW], encoding the *Flavobacterium* *crt* genes. Pigment analysis of these transformants by HPLC monitored the presence of β -carotene, cryptoxanthin, astaxanthin, adonixanthin, zeaxanthin, 3-hydroxyechinenone and minute traces of echinenone and canthaxanthin (Table 3).

Transformants harbouring the crtW gene on the low copy plasmid pALTER-Ex2-crtW and the genes crtE, crtB, crtY and crtI on the high copy plasmid pBIIKS-crtEBIY[DZW] expressed only minor amounts of canthaxanthin (6 %) but high levels of echinenone (94%), whereas cells carrying the crtW gene on the high copy plasmid pBIIKS-crtW and the other crt genes on the low copy construct pALTER-Ex2-crtEBIY[DZW], had 78.6 % and 21.4 % of echinenone and canthaxanthin, respectively (Table 3).

Table 3

plasmids	CRX	ASX	ADX	ZXN	ECH	HECH	CXN
pBIIKS-crtEBIYZW	1.1	2.0	44.2	52.4	< 1	< 1	< 1
pBIIKS-crtEBIYZ[ΔW] + pALTER-Ex2-crtW	2.2	-	25.4	72.4	< 1	< 1	< 1
pBIIKS-crtEBIY[ΔZ]W	-	-	-	-	66.5	-	33.5
pBIIKS-crtEBIY[ΔZW] + pBIIKS-crtW	-	-	-	-	94	-	6

Example 8

Selective carotenoid production by using the crtW and crtZ genes of the Gram negative bacterium E-396.

In this section we describe *E. coli* transformants which accumulate only one (canthaxanthin) or two main carotenoids (astaxanthin, adonixanthin) and minor amounts of adonirubin, rather than the complex variety of carotenoids seen in most carotenoid producing bacteria [Yokoyama et al., Biosci. Biotechnol. Biochem. 58:1842-1844 (1994)] and some of the *E. coli* transformants shown in Table 3. The ability to construct strains producing only one carotenoid is a major step towards a successful biotechnological carotenoid production process. This increase in the accumulation of individual carotenoids accompanied by a decrease of the intermediates, was obtained by replacing the crtZ of *Flavobacterium* R1534 and/or the synthetic crtW gene (see example 5) by their homologous genes originating from the astaxanthin producing Gram negative bacterium E-396 (FERM BP-4283) [Tsubokura et al., EP-application 0 635 576 A1]. Both genes, crtW_{E396} and crtZ_{E396}, were isolated and used to construct new plasmids as outlined below.

Isolation of a putative fragment of the crtW gene of strain E-396 by the polymerase chain reaction. Based on protein sequence comparison of the crtW enzymes of *Agrobacterium aurantiacum*, *Alcaligenes PC-1* (WO95/18220) [Misaawa et al., J.Bacteriol. 177: 6575-6584 (1995)] and *Haematococcus pluvialis* [Kajiwara et al., Plant Mol. Biol. 29:343-352 (1995)] [Lotan et al., FEBS letters, 364:125-128 (1995)], two regions named I and II, having high amino acid conservation and located approx. 140 amino acids apart, were identified and chosen to design the degenerate PCR primers shown below. The N-terminal peptide HDAMHG (region I) was used to design the two 17-mer degenerate primer sequences crtW100 and crtW101:

crtW100: 5'-CA(C/T)GA(C/T)GC(A/C)ATGCA(C/T)GG-3'

crtW101: 5'-CA(C/T)GA(C/T)GC(G/T)ATGCA(C/T)GG-3'

The C-terminal peptide H(W/H)EHH(R/L) corresponding to region II was used design the two 17-mer degenerate primer with the antisense sequences crtW105 and crtW106:

crtW105: 5'-AG(G/A)TG(G/A)TG(T/C)TC(G/A)TG(G/A)TG-3'

crtW106: 5'-AG(G/A)TG(G/A)TG(T/C)TCCCA(G/A)TG-3'

Polymerase chain reaction. PCR was performed using the GeneAmp Kit (Perkin Elmer Cetus) according to the manufacturer's instructions. The different PCR reactions contained combinations of the degenerate primers (crtW100/crtW105 or crtW100/crtW106 or crtW101/crtW105 or crtW101/crtW106) at a final concentration of 50 pM each, together with genomic DNA of the bacterium E-396 (200 ng) and 2.5 units of Taq polymerase. In total 35 cycles of PCR were performed with the following cycle profile: 95 °C for 30 sec, 55 °C for 30 sec, 72 °C for 30 sec. PCR reactions made with the following primer combinations crtW100/crtW105 and crtW101/crtW105 gave PCR amplification products of approx. 500 bp which were in accordance with the expected fragment size. The 500 bp fragment, JAPclone8, obtained in the PCR reaction using primers crtW101 and crtW105 was excised from an 1.5% agarose gel and purified using the GENECLEAN Kit and subsequently cloned into the SmaI site of pUC18 using the Sure-Clone Kit,

according to the manufacturer's instructions. The resulting plasmid was named pUC18-JAPclone8 and the insert was sequenced. Comparison of the determined sequence to the crtW gene of *Agrobacterium aurantiacum* (GenBank accession n° D58420) published by Misawa *et al.* in 1995 (WO95/18220) showed 96% identity at the nucleotide sequence level, indicating that both organisms might be closely related.

Isolation of the crt cluster of the strain E-396. Genomic DNA of E-396 was digested overnight with different combinations of restrictions enzymes and separated by agarose gel electrophoresis before transferring the resulting fragments by Southern blotting onto a nitrocellulose membrane. The blot was hybridised with a ³²P labelled 334 bp fragment obtained by digesting the aforementioned PCR fragment JAPclone8 with *Bss*HI and *Mlu*I. An approx. 9.4kb *Eco*RI/*Bam*HI fragment hybridizing to the probe was identified as the most appropriate for cloning since it is long enough to potentially carry the complete crt cluster. The fragment was isolated and cloned into the *Eco*RI and *Bam*HI sites of pBluescriptIIKS resulting in plasmid pJAPCL544 (Fig. 29). Based on the sequence of the PCR fragment JAPclone8, two primers were synthesized to obtain more sequence information left and right hand of this fragment. Fig. 30 shows the sequence obtained containing the crtW_{E396} (from nucleotide 40 to 768) and crtZ_{E396} (from nucleotide 765 to 1253) genes of the bacterium E-396. The nucleotide sequence of the crtW_{E396} gene is shown in Fig. 31 and the encoded amino acid sequence in Fig. 32. The nucleotide sequence of the crtZ_{E396} gene is shown in Fig. 33 and the corresponding amino acid sequence in Fig. 34. Comparison to the crtW_{E396} gene of E-396 to the crtW gene of *A. aurantiacum* showed 97 % identity at the nucleotide level and 99 % identity at the amino acid level. For the crtZ gene the values were 98 % and 99 %, respectively.

Construction of plasmids: Both genes, crtW_{E396} and crtZ_{E396}, which are adjacent in the genome of E-393, were isolated by PCR using primer crtW107 and crtW108 and the ExpandTM High Fidelity PCR system of Boehringer Mannheim, according to the manufacturer's recommendations. To facilitate the subsequent cloning steps (see section below) the primer crt107 (5'-ATCATATGAGCGCACATGCCCTGCCCAAGGC-3') contains an artificial *Nde*I site (underlined sequence) spanning the ATG start codon of the crtW_{E396} gene and the reverse primer crtW108 (5'-ATCTCGAGT-CACGTGCGCTCCTGCGCCTCGGCC-3') has an *Xho*I site (underlined sequence) just downstream of the TGA stop codon of the crtZ_{E396} gene. The final PCR reaction mix had 10 pM of each primer, 2.5 mg genomic DNA of the bacterium E-396 and 3.5 units of the TaqDNA/Pwo DNA polymerase mix. In total 35 cycles were performed with the following cycle profile: 95 °C, 1 min; 60 °C, 1 min; 72 °C 1min 30 sec. The PCR product of approx. 1250bp was isolated from the 1% agarose gel and purified using GENECLEAN before ligation into the *Sma*I site pUC18 using the Sure-Clone Kit. The resulting construct was named pUC18-E396crtWZPCR (Fig. 35). The functionality of both genes was tested as follows. The crtW_{E396} and crtZ_{E396} gene were isolated from plasmid pUC18-E396crtWZPCR with *Nde*I and *Xho*I and cloned into the *Nde*I and *Sal*I site of plasmid pBIKS-crtEBIYZW resulting in plasmid pBIKS-crtEBIY[E396WZ] (Fig. 36). *E. coli* TG1 cells transformed with this plasmid produced astaxanthin, adonixanthin and adonirubin but no zeaxanthin (Table 4).

Plasmid pBIKS-crtEBIY[E396W]DZ has a truncated non-functional crtZ gene. Fig. 37 outlines the construction of this plasmid. The PCR reaction was run as outlined elsewhere in the text using primers crtW113/crtW114 and 200 ng of plasmid pUC18-JAPclone8 as template using 20 cycles with the following protocol: 95 °C, 45 sec/ 62 °C, 20 sec/ 72 °C, 20 sec)

primer crtW113 (5'-ATATACATATGGTGTCCCCCTTGGTGCGGGTGC-3')

primer crtW114 (5'-TATGGATCCGACGCGTTCCTCGGACCGCCACAATGC-3')

The resulting 150 bp fragment was digested with *Bam*HI and *Nde*I and cloned into the corresponding sites of pBIISK(+)-PCRRBSctZ resulting in the construct pBIISK(+)-PCRRBSctZ-2. The final plasmid carrying the genes crtE, crtB, crtI, crtY of *Flavobacterium*, the crtW_{E396} gene of E-396 and a truncated non-functional crtZ gene of *Flavobacterium* was obtained by isolating the *Mlu*I/*Nru*I fragment (280 bp) of pBIISK(+)-PCRRBSctZ-2 and cloning it, into the *Mlu*I/*Pml*I sites of plasmid pBIKS-crtEBIY[E396WZ]. *E. coli* cells transformed with this plasmid produced 100% canthaxanthin (Table 4; "CRX": cryptoxanthin; "ASX": astaxanthin; "ADX": adonixanthin; "ZXN": zeaxanthin; "ECH": echinenone; "HECH": 3-hydroxyechinenone; "CXN": canthaxanthin; "BCA": β-carotene; "ADR": adonirubin; Numbers indicate the % of the individual carotenoid of the total carotenoids produced in the cell.).

Table 4

plasmid	CRX	ASX	ADX	ZXN	ECH	HECH	CXN	BCA	ADR
pBIKSctEBIYZW	1.1	2.0	44.2	52.4	<1	<1	<1		
pBIKS-crtEBIY[E396WZ]		74.4	19.8						5.8

Table 4 (continued)

plasmid	CRX	ASX	ADX	ZXN	ECH	HECH	CXN	BCA	ADR
pBIKS-crtEBIY[E396W] Δ Z							100		

The results of *E. coli* transformants carrying pBIKScrtEBIYZW (see example 7) are also shown in Table 4 to indicate the dramatic effect of the new genes crtW_{E396} and crtZ_{E396} on the carotenoids produced in these new transformants.

Example 9

Cloning of the remaining crt genes of the Gram negative bacterium E-396.

TG1 *E. coli* transformants carrying the pJAPCL544 plasmid did not produce detectable quantities of carotenoids (results not shown). Sequence analysis and comparison of the 3' (*Bam*HI site) of the insert of plasmid pJAPCL544, to the crt cluster of *Flavobacterium* R1534 showed that only part of the C-terminus of the crtE gene was present. This result explained the lack of carotenoid production in the aforementioned transformants. To isolate the missing N-terminal part of the gene, genomic DNA of E-396 was digested by 6 restriction enzymes in different combinations: *Eco*RI, *Bam*HI, *Pst*I, *Sac*I, *Sph*I and *Xba*I and transferred by the Southern blot technique to nitrocellulose. Hybridization of this membrane with the ³²P radio-labelled probe (a 463 bp *Pst*I-*Bam*HI fragment originating from the 3' end of the insert of pJAPCL544 (Fig. 29) highlighted a ~1300 bp-long *Pst*I-*Pst*I fragment. This fragment was isolated and cloned into the *Pst*I site of pBSIIKS(+) resulting in plasmid pBSIIKS-#1296. The sequence of the insert is shown in Fig. 38 (small cap letters refer to new sequence obtained. Capital letters show the sequence also present in the 3' of the insert of plasmid pJAPCL544). The complete crtE gene has therefore a length of 882 bp (see Fig. 39) and encodes a GGPP synthase of 294 amino acids (Fig. 40). The crtE enzyme has 38 % identity with the crtE amino acid sequence of *Erwinia herbicola* and 66 % with *Flavobacterium* R1534 WT.

Construction of plasmids. To have a plasmid carrying the complete crt cluster of E-396, the 4.7 kb *Mlu*I/*Bam*HI fragment encoding the genes crtW, crtZ, crtY, crtI and crtB was isolated from pJAPCL544 and cloned into the *Mlu*I/*Bam*HI sites of pUC18-E396crtWZPCR (see example 8). The new construct was named pE396CARcrtW-B (Fig. 41) and lacked the N-terminus of the crtE gene. The missing C-terminal part of the crtE gene was then introduced by ligation of the aforementioned *Pst*I fragment of pBSIIKS-#1296 between the *Pst*I sites of pE396CARcrtW-B. The resulting plasmid was named pE396CARcrtW-E (Fig. 41). The carotenoid distribution of the *E. coli* transformants carrying aforementioned plasmid were: adonixanthin (65%), astaxanthin (8%) and zeaxanthin (3%). The % indicated reflects the proportion of the total amount of carotenoid produced in the cell.

Example 10

Astaxanthin and adonixanthin production in *Flavobacterium* R1534

Among bacteria *Flavobacterium* may represent the best source for the development of a fermentative production process for 3R, 3R' zeaxanthin. Derivatives of *Flavobacterium* sp. strain R1534, obtained by classical mutagenesis have attracted in the past two decades wide interest for the development of a large scale fermentative production of zeaxanthin, although with little success. Cloning of the carotenoid biosynthesis genes of this organism, as outlined in example 2, may allow replacement of the classical mutagenesis approach by a more rational one, using molecular tools to amplify the copy number of relevant genes, deregulate their expression and eliminate bottlenecks in the carotenoid biosynthesis pathway. Furthermore, the introduction of additional heterologous genes (e.g. crtW) will result in the production of carotenoids normally not synthesised by this bacterium (astaxanthin, adonirubin, adonixanthin, canthaxanthin, echinenone). The construction of such recombinant *Flavobacterium* R1534 strains producing astaxanthin and adonixanthin will be outlined below.

Gene transfer into *Flavobacterium* sp.

Plasmid transfer by conjugative mobilization. For the conjugational crosses we constructed plasmid pRSF1010-Amp^r, a derivative of the small (8.9 kb) broad host range plasmid RSF1010 (IncQ incompatibility group) [Guerry et al., J. Bacteriol. 117:619-630 (1974)] and used *E. coli* S17-1 as the mobilizing strain [Priefer et al., J. Bacteriol. 163:324-330 (1985)]. In general any of the IncQ plasmids (e.g. RSF1010, R300B, R1162) may be mobilized into rifampicin resistant *Flavobacterium* if the transfer functions are provided by plasmids of the IncP1 group (e.g. R1, R751).

Rifampicin resistant (Rif^r) *Flavobacterium* R1534 cells were obtained by selection on 100 mg rifampicin/ml. One resistant colony was picked and a stock culture was made. The conjugation protocol was as follows:

Day 1:

- grow 3 ml culture of *Flavobacterium* R1534 Rif^r for 24 hours at 30 °C in Flavobacter medium (F-medium) (see example 1)
- 5 - grow 3 ml mobilizing *E. coli* strain carrying the mobilizable plasmid O/N at 37 °C in LB medium. (e.g *E. coli* S17-1 carrying pRSF1010-Amp^r or *E. coli* TG-1 cells carrying R751 and pRSF1010-Amp^r)

Day 2:

- 10 - pellet 1 ml of the *Flavobacterium* R1534 Rif^r cells and resuspend in 1ml of fresh F-medium.
- pellet 1 ml of *E. coli* cells (see above) and resuspend in 1 ml of LB medium.
- donor and recipient cells are then mixed in a ratio of 1:1 and 1: 10 in an Eppendorf tube and 30 ml are then applied onto a nitrocellulose filter plated on agar plates containing F-medium and incubated O/N at 30°C.
- 15

Day 3:

- 20 - the conjugational mixtures were washed off with F-medium and plated on F-medium containing 100 mg rifampicin and 100 mg ampicillin/ml for selection of transconjugants and inhibition of the donor cells.

Day 6-8:

- 25 - Arising clones are plated once more on F-medium containing 100 mgRif and 100 mg Amp/ml before analysis.

Plasmid transfer by electroporation. The protocol for the eletroporation is as follows:

1. add 10 ml of O/N culture of *Flavobacterium* sp. R1534 into 500 ml F-medium and incubate at 30°C until OD600=0.8-0.1
- 30 2. harvest cells by centrifugation at 4000g at 4°C for 10 min.
3. wash cells in equal volume of ice-cold deionized water (2 times)
- 35 4. resuspend bacterial pellet in 1 ml ice-cold deionized water
5. take 50 ml of cells for electroporation with 0.1 mg of plasmid DNA
6. electroporation was done using field strengths between 15 and 25 kV/cm and 1-3 ms.
- 40 7. after electroporation cells were immediately diluted in 1 ml of F-medium and incubated for 2 hours at 30°C at 180 rpm before plating on F-medium plates containing the respective selective antibioticum.

Plasmid constructions: Plasmid pRSF101-Amp^r was obtained by cloning the Amp^r gene of pBR322 between the 45 *EcoRI/NotI* sites of RSF1010. The Amp^r gene originates from pBR322 and was isolated by PCR using primers AmpR1 and AmpR2 as shown in Fig. 42.

AmpR1:
5'-TATATCGGCCGACTAGTAAGCTTCAAAAAGGATCTTCACCTAG-3' the underlined sequence contains the introduced restriction sites for *EagI*, *SpeI* and *HindIII* to facilitate subsequent constructions.

AmpR2:
5'-ATATGAATTCAATAATATTGAAAAAGGAAG-3' the underlined sequence corresponds to an introduced *EcoRI* restriction site to facilitate cloning into RSF1010 (see Fig. 42).

55 The PCR reaction mix had 10 pM of each primer (AmpR1/AmpR2), 0.5 mg plasmid pBR322 and 3.5 units of the TaqDNA/Pwo DNA polymerase mix. In total 35 amplification cycles were made with the profile: 95 °C, 45 sec; 59 °C, 45 sec, 72 °C, 1 min. The PCR product of approx. 950 was extracted once with phenol/chloroform and precipitated with 0.3

M NaAcetate and 2 vol. Ethanol. The pellet was resuspended in H₂O and digested with *EcoRI* and *EagI* O/N. The digestion was separated by electrophoresis and the fragment isolated from the 1% agarose gel and purified using GENECLAN before ligation into the *EcoRI* and *NotI* sites of RSF1010. The resulting plasmid was named pRSF1010-Amp^r (Fig. 42).

Plasmid RSF1010-Amp^r-crt1 was obtained by isolating the *HindIII/NotI* fragment of pBIIKS-crtEBIY[E396WZ] and cloning it between the *HindIII/EagI* sites of RSF1010-Amp^r (Fig. 43). The resulting plasmid RSF1010-Amp^r-crt1 carries crtW_{E396}, crtZ_{E396}, crtY genes and the N-terminus of the crtI gene (non-functional). Plasmid RSF1010-Amp^r-crt2 carrying a complete crt cluster composed of the genes crtW_{E396} and crtZ_{E396} of E-396 and the crtY, crtI, crtB and crtE of *Flavobacterium* R1534 was obtained by isolating the large *HindIII/XbaI* fragment of pBIIKS-crtEBIY[E396WZ] and cloning it into the *SpeI/HindIII* sites of RSF1010-Amp^r (Fig. 43).

Flavobacterium R1534 transformants carrying either plasmid RSF1010-Amp^r, Plasmid RSF1010-Amp^r-crt1 or Plasmid RSF1010-Amp^r-crt2 were obtained by conjugation as outlined above using *E. coli* S17-1 as mobilizing strain.

Comparison of the carotenoid production of two *Flavobacterium* transformants. Overnight cultures of the individual transformants were diluted into 20 ml fresh F-medium to have a final starting OD₆₀₀ of 0.4. Cells were harvested after growing for 48 hours at 30 °C and carotenoid contents were analysed as outlined in example 7. Table 5 shows the result of the three control cultures *Flavobacterium* [R1534 WT], [R1534 WT Rif^r] (rifampicin resistant) and [R1534WT Rif^r RSF1010-Amp^r] (carries the RSF1010-Amp^r plasmid) and the two transformants [R1534 WT RSF1010-Amp^r-crt1] and [R1534 WT RSF1010-Amp^r-crt2]. Both latter transformants are able to synthesise astaxanthin and adonixanthin but little zeaxanthin. Most interesting is the [R1534 WT RSF1010-Amp^r-crt2] *Flavobacterium* transformant which produces approx. 4 times more carotenoids than the R1534 WT. This increase in total carotenoid production is most likely due to the increase of the number of carotenoid biosynthesis clusters present in these cell (e.g. corresponds to the total copy number of plasmids in the cell).

Table 5

Transformant	carotenoids % of total dry weight	total carotenoid content in % of dry weight
R1534 WT	0.039% β-Carotin 0.001% β-Cryptoxanthin 0.018% Zeaxanthin	0.06%
R1534 Rif ^r	0.036% β-Carotin 0.002% β-Cryptoxanthin 0.022% Zeaxanthin	0.06%
R1534 Rif ^r [RSF1010-Amp ^r]	0.021% β-Carotin 0.002% β-Cryptoxanthin 0.032% Zeaxanthin	0.065%
R1534 Rif ^r [RSF1010-Amp ^r -crt1]	0.022% Astaxanthin 0.075% Adonixanthin 0.004% Zeaxanthin	0.1%
R1534 Rif ^r [RSF1010-Amp ^r -crt2]	0.132% β-Carotin 0.006% Echinenon 0.004% Hydroxyechinenon 0.003% β-Cryptoxanthin 0.044% Astaxanthin 0.039% Adonixanthin 0.007% Zeaxanthin	0.235%

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

(A) NAME: F.HOFFMANN-LA ROCHE AG
 (B) STREET: GRENZACHERSTRASSE 124
 (C) CITY: BASLE
 (D) STATE: BS
 (E) COUNTRY: SWITZERLAND
 (F) POSTAL CODE (ZIP): CH - 4002
 (G) TELEPHONE: 061 - 688 2505
 (H) TELEFAX: 061 688 1395
 (I) TELEX: 962292/965542 hlr ch

(ii) TITLE OF INVENTION: Improved fermentative carotenoid production

(iii) NUMBER OF SEQUENCES: 17

(iv) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
 (B) COMPUTER: IBM PC compatible
 (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(v) CURRENT APPLICATION DATA:

APPLICATION NUMBER: EP 97120324.5

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 729 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

ATGAGCGCAC ATGCCCTGCC CAAGGCAGAT CTGACCGCCA CCAGTTTGAT CGTCTCGGGC	60
GGCATCATCG CCGCGTGGCT GGCCCTGCAT GTGCATGCGC TGTGGTTTCT GGACGCGGCG	120
GCGCATCCCA TCCTGGCGGT CGCGAATTC CTGGGGCTGA CCTGGCTGTC GGTGGTCTG	180
TTCATCATCG CGCATGACGC GATGCATGGG TCGGTCGTGC CGGGGCGCCC GCGCGCCAAT	240
GCGGCGATGG GCCAGCTTGT CCTGTGGCTG TATGCCGGAT TTTCTGGCG CAAGATGATC	300
GTCAAGCACA TGGCCCATCA TCGCCATGCC GGAACCGACG ACGACCCAGA TTTCGACCAT	360
GGCGGCCCCG TCCGCTGGTA CGCCCGCTTC ATCGGCACCT ATTTGGGCTG GCGCGAGGGG	420
CTGCTGCTGC CCGTCATCGT GACGGTCTAT GCGCTGATGT TGGGGGATCG CTGGATGTAC	480
GTGGTCTTCT GGCCGTGGCC GTCGATCCTG GCGTCGATCC AGCTGTTCGT GTTCGGCATC	540
TGGCTGCCGC ACCGCCCCGG CCACGACGCG TTCCCGGACC GCCACAATGC GCGGTCGTG	600
CGGATCAGCG ACCCCGTGTC GCTGTGACG TGCTTTCAC TGGCGGTTA TCATCACGAA	660
CACCACCTGC ACCCGACGGT GCCTTGGTGG CGCCTGCCCA GCACCCGCAC CAAGGGGGAC	720
ACCGCATGA	729

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 242 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

```

Met Ser Ala His Ala Leu Pro Lys Ala Asp Leu Thr Ala Thr Ser Leu
1          5          10          15
Ile Val Ser Gly Gly Ile Ile Ala Ala Trp Leu Ala Leu His Val His
20          25          30
Ala Leu Trp Phe Leu Asp Ala Ala His Pro Ile Leu Ala Val Ala
35          40          45
Asn Phe Leu Gly Leu Thr Trp Leu Ser Val Gly Leu Phe Ile Ile Ala
50          55          60
His Asp Ala Met His Gly Ser Val Val Pro Gly Arg Pro Arg Ala Asn
65          70          75          80
Ala Ala Met Gly Gln Leu Val Leu Trp Leu Tyr Ala Gly Phe Ser Trp
85          90          95
Arg Lys Met Ile Val Lys His Met Ala His His Arg His Ala Gly Thr
100          105          110
Asp Asp Asp Pro Asp Phe Asp His Gly Gly Pro Val Arg Trp Tyr Ala
115          120          125
Arg Phe Ile Gly Thr Tyr Phe Gly Trp Arg Glu Gly Leu Leu Leu Pro
130          135          140
Val Ile Val Thr Val Tyr Ala Leu Met Leu Gly Asp Arg Trp Met Tyr
145          150          155          160
Val Val Phe Trp Pro Leu Pro Ser Ile Leu Ala Ser Ile Gln Leu Phe
165          170          175
Val Phe Gly Ile Trp Leu Pro His Arg Pro Gly His Asp Ala Phe Pro
180          185          190
Asp Arg His Asn Ala Arg Ser Ser Arg Ile Ser Asp Pro Val Ser Leu
195          200          205
Leu Thr Cys Phe His Phe Gly Gly Tyr His His Glu His His Leu His
210          215          220
Pro Thr Val Pro Trp Trp Arg Leu Pro Ser Thr Arg Thr Lys Gly Asp
225          230          235          240
Thr Ala

```

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 486 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

ATGACCAATT TCCTGATCGT CGTCGCCACC GTGCTGGTGA TGGAGCTGAC GGCCTATTCC 60
 GTCCACCGCT GGATCATGCA CGGCCCTTG GGCTGGGGCT GGCACAAGTC CCACCACGAG 120
 GAACACGACC ACGCGCTGGA AAAGAACGAC CTGTACGGCC TGGTCTTTGC GGTGATCGCC 180
 ACGGTGCTGT TCACGGTGGG CTGGATCTGG GCACCGGTCC TGTGGTGGAT CGCCTTGGGC 240
 ATGACCGTCT ACGGGCTGAT CTATTTCTGC CTGCATGACG GGCTGGTGCA TCAGCGCTGG 300
 CCGTTCCGCT ATATCCCTCG CAAGGGCTAT GCCAGACGCC TGTATCAGGC CCACCGCCTG 360
 CACCACGCGG TCGAGGGGCG CGACCATTGC GTCAGCTTCG GCTTCATCTA TGCGCCGCCG 420
 GTCGACAAGC TGAAGCAGGA CCTGAAGACG TCGGGCGTGC TGCGGGCCGA GGCGCAGGAG 480
 CGCACG 486

20

(2) INFORMATION FOR SEQ ID NO: 4:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 162 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

25

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Thr Asn Phe Leu Ile Val Val Ala Thr Val Leu Val Met Glu Leu 30
 1 5 10 15
 Thr Ala Tyr Ser Val His Arg Trp Ile Met His Gly Pro Leu Gly Trp
 20 25 30
 Gly Trp His Lys Ser His His Glu Glu His Asp His Ala Leu Glu Lys 35
 35 40 45
 Asn Asp Leu Tyr Gly Leu Val Phe Ala Val Ile Ala Thr Val Leu Phe
 50 55 60
 Thr Val Gly Trp Ile Trp Ala Pro Val Leu Trp Trp Ile Ala Leu Gly 40
 65 70 75 80
 Met Thr Val Tyr Gly Leu Ile Tyr Phe Val Leu His Asp Gly Leu Val
 85 90 95
 His Gln Arg Trp Pro Phe Arg Tyr Ile Pro Arg Lys Gly Tyr Ala Arg 45
 100 105 110
 Arg Leu Tyr Gln Ala His Arg Leu His His Ala Val Glu Gly Arg Asp 50
 115 120 125
 His Cys Val Ser Phe Gly Phe Ile Tyr Ala Pro Pro Val Asp Lys Leu
 130 135 140
 Lys Gln Asp Leu Lys Thr Ser Gly Val Leu Arg Ala Glu Ala Gln Glu 55
 145 150 155 160
 Arg Thr

55

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 882 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```

ATGAGACGAG ACGTCAACCC GATCCACGCC ACCCTTCTGC AGACCAGACT TGAGGAGATC      60
GCCCAGGGAT TCGGTGCCGT GTCGCAGCCG CTCGGCCCGG CCATGAGCCA TGGCGCGCTG      120
TCGTGCGGCA AGCGTTTCCG CGGCATGCTG ATGCTGCTTG CGGCAGAAGC CTCGGGCGGG      180
GTCTGCGACA CGATCGTCGA CGCCGCCTGC GCGGTCGAGA TGGTGCATGC CGCATCGCTG      240
ATCTTCGACG ACCTGCCCTG CATGGACGAT GCCGGGCTGC GCCGCGGCCA GCCCGCGACC      300
CATGTGGCGC ATGGCGAAAG CCGCGCCGTG CTAGGCGGCA TCGCCCTGAT CACCGAGGCG      360
ATGGCCCTGC TGGCCGGTGC GCGCGGCGCG TCGGGCACGG TCGGGCGCA GCTGGTGC GG      420
ATCCTGTCGC GGTCCCTGGG GCCGCAGGGC CTGTGCGCCG GCCAGGACCT GGACCTGCAC      480
GCGGCCAAGA ACGGCGCGGG GGTCAACAG GAACAGGACC TGAAGACCGG CGTGCTGTTC      540
ATCGCCGGGC TGGAGATGCT GGCCGTGATC AAGGAGTTCG ACGCCGAGGA GCAGACTCAG      600
ATGATCGACT TTGGCCGTCA GCTGGGCCGG GTGTTCCAGT CCTATGACGA CCTGCTGGAC      660
GTTGTGGGCG ACCAGGCGGC GCTTGGCAAG GATACCGGTC GCGATGCGGC GGCCCCCGGC      720
CCGCGGCGCG GCCTTCTGGC CGTGTCAGAC CTGCAGAACG TGTCCCGTCA CTATGAGGCC      780
AGCCGCGCCC AGCTGGACGC GATGCTGCGC AGCAAGCGCC TTCAGGCTCC GGAAATCGCG      840
GCCCTGCTGG AACGGGTTCT GCCCTACGCC GCGCGCGCCT AG                        882

```

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 293 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

```

Met Arg Arg Asp Val Asn Pro Ile His Ala Thr Leu Leu Gln Thr Arg
 1             5             10             15
Leu Glu Glu Ile Ala Gln Gly Phe Gly Ala Val Ser Gln Pro Leu Gly
          20          25          30
Pro Ala Met Ser His Gly Ala Leu Ser Ser Gly Lys Arg Phe Arg Gly
          35          40          45
Met Leu Met Leu Leu Ala Ala Glu Ala Ser Gly Gly Val Cys Asp Thr

```

	50	55	60
	Ile Val Asp Ala Ala Cys	Ala Val Glu Met	Val His Ala Ala Ser Leu
	65	70	75 80
5	Ile Phe Asp Asp Leu	Pro Cys Met Asp	Asp Ala Gly Leu Arg Arg Gly
	85	90	95
	Gln Pro Ala Thr His Val	Ala His Gly Glu Ser Arg	Ala Val Leu Gly
	100	105	110
10	Gly Ile Ala Leu Ile Thr	Glu Ala Met Ala Leu Leu	Ala Gly Ala Arg
	115	120	125
	Gly Ala Ser Gly Thr Val	Arg Ala Gln Leu Val Arg	Ile Leu Ser Arg
	130	135	140
15	Ser Leu Gly Pro Gln Gly	Leu Cys Ala Gly Gln Asp	Leu Asp Leu His
	145	150	155 160
	Ala Ala Lys Asn Gly Ala	Gly Val Glu Gln Gln Asp	Leu Lys Thr
	165	170	175
	Gly Val Leu Phe Ile Ala	Gly Leu Glu Met Leu Ala	Val Ile Lys Glu
	180	185	190
20	Phe Asp Ala Glu Glu Gln	Thr Gln Met Ile Asp Phe	Gly Arg Gln Leu
	195	200	205
	Gly Arg Val Phe Gln Ser	Tyr Asp Asp Leu Leu Asp	Val Val Gly Asp
	210	215	220
25	Gln Ala Ala Leu Gly Lys	Asp Thr Gly Arg Asp	Ala Ala Ala Pro Gly
	225	230	235 240
	Pro Arg Arg Gly Leu Leu	Ala Val Ser Asp Leu Gln	Asn Val Ser Arg
	245	250	255
30	His Tyr Glu Ala Ser Arg	Ala Gln Leu Asp Ala Met	Leu Arg Ser Lys
	260	265	270
	Arg Leu Gln Ala Pro Glu	Ile Ala Leu Leu Glu Arg	Val Leu Pro
	275	280	285
35	Tyr Ala Ala Arg Ala		
	290		

(2) INFORMATION FOR SEQ ID NO: 7:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 295 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

	Met Thr Pro Lys Gln Gln Phe Pro Leu Arg Asp Leu Val Glu Ile Arg
	1 5 10 15
	Leu Ala Gln Ile Ser Gly Gln Phe Gly Val Val Ser Ala Pro Leu Gly
	20 25 30
	Ala Ala Met Ser Asp Ala Ala Leu Ser Pro Gly Lys Arg Phe Arg Ala
	35 40 45

5 Val Leu Met Leu Met Val Ala Glu Ser Ser Gly Gly Val Cys Asp Ala
 50 55 60
 Met Val Asp Ala Ala Cys Ala Val Glu Met Val His Ala Ala Ser Leu
 65 70 75 80
 Ile Phe Asp Asp Met Pro Cys Met Asp Asp Ala Arg Thr Arg Arg Gly
 85 90 95
 10 Gln Pro Ala Thr His Val Ala His Gly Glu Gly Arg Ala Val Leu Ala
 100 105 110
 Gly Ile Ala Leu Ile Thr Glu Ala Met Arg Ile Leu Gly Glu Ala Arg
 115 120 125
 Gly Ala Thr Pro Asp Gln Arg Ala Arg Leu Val Ala Ser Met Ser Arg
 130 135 140
 15 Ala Met Gly Pro Val Gly Leu Cys Ala Gly Gln Asp Leu Asp Leu His
 145 150 155 160
 Ala Pro Lys Asp Ala Ala Gly Ile Glu Arg Glu Gln Asp Leu Lys Thr
 165 170 175
 20 Gly Val Leu Phe Val Ala Gly Leu Glu Met Leu Ser Ile Ile Lys Gly
 180 185 190
 Leu Asp Lys Ala Glu Thr Glu Gln Leu Met Ala Phe Gly Arg Gln Leu
 195 200 205
 Gly Arg Val Phe Gln Ser Tyr Asp Asp Leu Leu Asp Val Ile Gly Asp
 210 215 220
 25 Lys Ala Ser Thr Gly Lys Asp Thr Ala Arg Asp Thr Ala Ala Pro Gly
 225 230 235 240
 Pro Lys Gly Gly Leu Met Ala Val Gly Gln Met Gly Asp Val Ala Gln
 245 250 255
 30 His Tyr Arg Ala Ser Arg Ala Gln Leu Asp Glu Leu Met Arg Thr Arg
 260 265 270
 Leu Phe Arg Gly Gly Gln Ile Ala Asp Leu Leu Ala Arg Val Leu Pro
 275 280 285
 His Asp Ile Arg Arg Ser Ala
 290 295

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 888 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

45 ATGACGCCCA AGCAGCAATT CCCCTACGC GATCTGGTCG AGATCAGGCT GGCGCAGATC 60
 TCGGGCCAGT TCGGCGTGGT CTCGGCCCCG CTCGGCGCGG CCATGAGCGA TGCCGCCCTG 120
 TCCCCCGGCA AACGCTTTCG CGCCGTGCTG ATGCTGATGG TCGCCGAAAG CTCGGGCGGG 180
 50 GTCTGCGATG CGATGGTCGA TGCCGCCCTG GCGGTCGAGA TGGTCCATGC CGCATCGCTG 240
 ATCTTCGACG ACATGCCCTG CATGGACGAT GCCAGGACCC GTCGCGGTCA GCCCGCCACC 300

CATGTCGCCC ATGGCGAGGG GCGCGCGGTG CTTGCGGGCA TCGCCCTGAT CACCGAGGCC 360
 ATGGCGATT TGGGCGAGGC GCGCGGCGCG ACGCCGGATC AGCGCGCAAG GCTGGTCGCA 420
 5 TCCATGTGCG GCGCGATGGG ACCGGTGGGG CTGTGCGCAG GGCAGGATCT GGACCTGCAC 480
 GCCCCAAGG ACGCCGCCCG GATCGAACGT GAACAGGACC TCAAGACCGG CGTGCTGTTC 540
 GTCGCGGGCC TCGAGATGCT GTCCATTATT AAGGGTCTGG ACAAGGCCGA GACCGAGCAG 600
 10 CTCATGGCCT TCGGGCGTCA GCTTGGTGGG GTCTTCCAGT CCTATGACGA CCTGCTGGAC 660
 GTGATCGGCG ACAAGGCCAG CACCGGCAAG GATACGGCGC GCGACACCGC CGCCCCGGC 720
 CCAAGGGCG CCGTCATGCC CCGCGACAG ATGGCGGCG TGGCGCAGCA TTACCGCGCC 780
 AGCCGCGCGC AACTGGACGA GCTGATGCGC ACCCGGCTGT TCCGCGGGGG GCAGATCGC 840
 15 GACCTGTGG CCCGCGTGCT GCCGCATGAC ATCCGCGCA GCGCCTAG 888

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 303 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

Met Thr Asp Leu Thr Ala Thr Ser Glu Ala Ala Ile Ala Gln Gly Ser
 1 5 10 15
 30 Gln Ser Phe Ala Gln Ala Ala Lys Leu Met Pro Pro Gly Ile Arg Glu
 20 25 30
 Asp Thr Val Met Leu Tyr Ala Trp Cys Arg His Ala Asp Val Ile
 35 40 45
 35 Asp Gly Gln Val Met Gly Ser Ala Pro Glu Ala Gly Asp Pro Gln
 50 55 60
 Ala Arg Leu Gly Ala Leu Arg Ala Asp Thr Leu Ala Ala Leu His Glu
 65 70 75 80
 Asp Gly Pro Met Ser Pro Pro Phe Ala Ala Leu Arg Gln Val Ala Arg
 85 90 95
 40 Arg His Asp Phe Pro Asp Leu Trp Pro Met Asp Leu Ile Glu Gly Phe
 100 105 110
 Ala Met Asp Val Ala Asp Arg Glu Tyr Arg Ser Leu Asp Asp Val Leu
 115 120 125
 45 Glu Tyr Ser Tyr His Val Ala Gly Val Val Gly Val Met Met Ala Arg
 130 135 140
 Val Met Gly Val Gln Asp Asp Ala Val Leu Asp Arg Ala Cys Asp Leu
 145 150 155 160
 50 Gly Leu Ala Phe Gln Leu Thr Asn Ile Ala Arg Asp Val Ile Asp Asp
 165 170 175
 Ala Ala Ile Gly Arg Cys Tyr Leu Pro Ala Asp Trp Leu Ala Glu Ala
 180 185 190

Gly Ala Thr Val Glu Gly Pro Val Pro Ser Asp Ala Leu Tyr Ser Val
 195 200 205
 5 Ile Ile Arg Leu Leu Asp Ala Ala Glu Pro Tyr Tyr Ala Ser Ala Arg
 210 215 220
 Gln Gly Leu Pro His Leu Pro Pro Arg Cys Ala Trp Ser Ile Ala Ala
 225 230 235 240
 10 Ala Leu Arg Ile Tyr Arg Ala Ile Gly Thr Arg Ile Arg Gln Gly Gly
 245 250 255
 Pro Glu Ala Tyr Arg Gln Arg Ile Ser Thr Ser Lys Ala Ala Lys Ile
 260 265 270
 Gly Leu Leu Ala Arg Gly Gly Leu Asp Ala Ala Ala Ser Arg Leu Arg
 15 275 280 285
 Gly Gly Glu Ile Ser Arg Asp Gly Leu Trp Thr Arg Pro Arg Ala
 290 295 300

(2) INFORMATION FOR SEQ ID NO: 10:

20 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 908 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

25 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

30 ATGACCGATC TGACGGCGAC TTCCGAAGCG GCCATCGCGC AGGGTTCGCA AAGCTTCGCG 60
 CAGGCGGCCA AGCTGATGCC GCCCGGCATC CGCGAGGATA CGGTCATGCT CTATGCCTGG 120
 TGCAGGCATG CGGATGACGT GATCGACGGG CAGGTGATGG GTTCTGCCCC CGAGGCGGGC 180
 GGCACCCAC AGGCGCGGCT GGGGGCGCTG CGCGCCGACA CGCTGGCCGC GCTGCACGAG 240
 35 GACGCCCCGA TGTCGCCGCC CTTCGCGGCG CTGCGCCAGG TCGCCCGGCG GCATGATTTC 300
 CCGGACCTTT GGCCGATGGA CCTGATCGAG GGTTCGCGA TGGATGTCGC GGATCGCGAA 360
 TACCGCAGCC TGGATGACGT GCTGGAATAT TCCTACCACG TCGCGGGGGT CGTGGGCGTG 420
 40 ATGATGGCGC GGGTGATGGG CGTGCAGGAC GATGCGGTGC TGGATCGCGC CTGCGATCTG 480
 GGCTTTCGCT TCCAGCTGAC GAACATCGCT CGCGACGTGA TCGACGATGC CGCCATCGGG 540
 CGCTGCTATC TGCCTGCCGA CTGGCTGGCC GAGGCGGGGG CGACGGTTGA GGGTCCGGTG 600
 CCTTCGGACG CGCTCTATTC CGTCATCATC CGCCTGCTTG ACGCGGCCGA GCCCTATTAT 660
 45 GCCTCGGCGC GGCAGGGGCT TCCGCATCTG CCGCCGCGCT GCGCGTGGTC GATCGCCGCC 720
 GCGCTGCGTA TCTATCGCGC AATCGGGACG CGCATCCGGC AGGGTGGCCC CGAGGCCTAT 780
 CGCCAGCGGA TCAGCACGTC GAAGGCTGCC AAGATCGGGC TTCTGGCGCG CGGAGGCTTG 840
 50 GACGCGGCCG CATCGCGCCT GCGCGCGGCG GAAATCAGCC GCGACGGCCT GTGGACCCGA 900
 CCGCGCGC 908

55

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 494 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

```

Met Ser Ser Ala Ile Val Ile Gly Ala Gly Phe Gly Gly Leu Ala Leu
 1           5           10
Ala Ile Arg Leu Gln Ser Ala Gly Ile Ala Thr Thr Ile Val Glu Ala
15           20           25           30
Arg Asp Lys Pro Gly Gly Arg Ala Tyr Val Trp Asn Asp Gln Gly His
35           40           45
Val Phe Asp Ala Gly Pro Thr Val Val Thr Asp Pro Asp Ser Leu Arg
20           50           55           60
Glu Leu Trp Ala Leu Ser Gly Gln Pro Met Glu Arg Asp Val Thr Leu
65           70           75           80
Leu Pro Val Ser Pro Phe Tyr Arg Leu Thr Trp Ala Asp Gly Arg Ser
85           90           95
Phe Glu Tyr Val Asn Asp Asp Asp Glu Leu Ile Arg Gln Val Ala Ser
100          105          110
Phe Asn Pro Ala Asp Val Asp Gly Tyr Arg Arg Phe His Asp Tyr Ala
115          120          125
Glu Glu Val Tyr Arg Glu Gly Tyr Leu Lys Leu Gly Thr Thr Pro Phe
130          135          140
Leu Lys Leu Gly Gln Met Leu Asn Ala Ala Pro Ala Leu Met Arg Leu
145          150          155          160
Gln Ala Tyr Arg Ser Val His Ser Met Val Ala Arg Phe Ile Gln Asp
165          170          175
Pro His Leu Arg Gln Ala Phe Ser Phe His Thr Leu Leu Val Gly Gly
180          185          190
Asn Pro Phe Ser Thr Ser Ser Ile Tyr Ala Leu Ile His Ala Leu Glu
195          200          205
Arg Arg Gly Gly Val Trp Phe Ala Lys Gly Gly Thr Asn Gln Leu Val
210          215          220
Ala Gly Met Val Ala Leu Phe Thr Arg Leu Tyr Tyr Thr Leu Leu Leu
225          230          235          240
Asn Ala Arg Val Thr Arg Ile Asp Thr Glu Gly Asp Arg Ala Thr Gly
245          250          255
Val Thr Leu Leu Asp Gly Arg Gln Leu Arg Ala Asp Thr Val Ala Ser
260          265          270
Asn Gly Asp Val Met His Ser Tyr Arg Asp Leu Leu Gly His Thr Arg
275          280          285
Arg Gly Arg Thr Lys Ala Ala Ile Leu Asn Arg Gln Arg Trp Ser Met
290          295          300

```

5 Ser Leu Phe Val Leu His Phe Gly Leu Ser Lys Arg Pro Glu Asn Leu
 305 310 315 320
 Ala His His Ser Val Ile Phe Gly Pro Arg Tyr Lys Gly Leu Val Asn
 325 330 335
 Glu Ile Phe Asn Gly Pro Arg Leu Pro Asp Asp Phe Ser Met Tyr Leu
 340 345 350
 10 His Ser Pro Cys Val Thr Asp Pro Ser Leu Ala Pro Glu Gly Met Ser
 355 360 365
 Thr His Tyr Val Leu Ala Pro Val Pro His Leu Gly Arg Ala Asp Val
 370 375 380
 Asp Trp Glu Ala Glu Ala Pro Gly Tyr Ala Glu Arg Ile Phe Glu Glu
 385 390 395 400
 15 Leu Glu Arg Arg Ala Ile Pro Asp Leu Arg Lys His Leu Thr Val Ser
 405 410 415
 Arg Ile Phe Ser Pro Ala Asp Phe Ser Thr Glu Leu Ser Ala His His
 420 425 430
 20 Gly Ser Ala Phe Ser Val Glu Pro Ile Leu Thr Gln Ser Ala Trp Phe
 435 440 445
 Arg Pro His Asn Arg Asp Arg Ala Ile Pro Asn Phe Tyr Ile Val Gly
 450 455 460
 25 Ala Gly Thr His Pro Gly Ala Gly Ile Pro Gly Val Val Gly Ser Ala
 465 470 475 480
 Lys Ala Thr Ala Gln Val Met Leu Ser Asp Leu Ala Val Ala
 485 490

(2) INFORMATION FOR SEQ ID NO: 12:

30 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1482 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

ATGAGTTCGG CCATCGTCAT CGGCGCAGGT TTCGGCGGGC TTGCGCTTGC CATCCGCCTG 60
 CAATCGGCCG GCATCGCGAC CACCATCGTC GAGGCCCGCG ACAAGCCCGG CGGCCGCGCC 120
 40 TATGTCTGGA ACGATCAGGG CCACGTCTTC GATGCAGGCC CGACGGTCGT GACCGACCCC 180
 GACAGCCTGC GAGAGCTGTG GGCCCTCAGC GGCCAACCGA TGGAGCGTGA CGTGACGCTG 240
 CTGCCGGTCT CGCCCTTCTA CCGGCTGACA TGGGCGGACG GCCGCAGCTT CGAATACGTG 300
 45 AACGACGACG ACGAGCTGAT CCGCCAGGTC GCCTCCTTCA ATCCCGCCGA TGTCGATGGC 360
 TATCGCCGCT TCCACGATTA CGCCGAGGAG GTCTATCGCG AGGGGTATCT GAAGCTGGGG 420
 ACCACGCCCT TCCTGAAGCT GGGCCAGATG CTGAACGCCG CGCCGGCGCT GATGCGCCTG 480
 CAGGCATACC GCTCGGTCCA CAGCATGGTG GCGCGCTTCA TCCAGGACCC GCATCTGCGG 540
 50 CAGGCCTTCT CGTCCACAC GCTGCTGGTC GCGGGGAACC CGTTTTCGAC CAGCTCGATC 600
 TATGCGCTGA TCCATGCGCT GGAACGGCGC GCGGCGTCT GGTTCGCCAA GGGCGGCACC 660

55

AACCAGCTGG TCGCGGGCAT GGTCGCCCTG TTCGAGCGTC TTGGCGGCAC GCTGCTGCTG 720
 AATGCCCCGCG TCACGCGGAT CGACACCGAG GGCGATCGCG CCACGGGCGT CACGCTGCTG 780
 5 GACGGGCGGC AGTTGCGCGC GGATACGGTG GCCAGCAACG GCGACGTGAT GCACAGCTAT 840
 CGCGACCTGC TGGGCCATAC CCGCCGCGGG CGCACCAAGG CCGCGATCCT GAACCGGCAG 900
 CGCTGGTCGA TGTCGCTGTT CGTGCTGCAT TTCGGCCTGT CCAAGCGCCC CGAGAACCTG 960
 10 GCCCACCACA GCGTCATCTT CGGCCCGCGC TACAAGGGGC TGGTGAACGA GATCTTCAAC 1020
 GGGCCACGCC TGCCGGACGA TTTCTCGATG TATCTGCATT CGCCCTGCGT GACCGATCCC 1080
 AGCCTGGCCC CCGAGGGGAT GTCCACGCAT TACGTCCTTG CGCCCGTTCC GCATCTGGGC 1140
 CCGGCGGCGC TCGATTCGGA AGCUGAGGCU CUGGCTATG CUGAGGCGAT CTTGAGGAA 1200
 15 CTGGAGCGCC GCGCCATCCC CGACCTGCGC AAGCACCTGA CCGTCAGCCG CATCTTCAGC 1260
 CCCGCCGATT TCAGCACCGA ACTGTCGGCC CATCACGGCA GCGCCTTCTC GGTCGAGCCG 1320
 ATCTTGACGC AATCCGCCTG GTTCGCGCCG CATAACCGCG ACCGCGCGAT CCCGAACCTC 1380
 20 TACATCGTGG GGGCGGGCAC GCATCCGGGT GCGGGCATCC CGGGTGTCGT TGGCAGCGCC 1440
 AAGGCCACGG CGCAGGTCAT GCTGTCGGAC CTGGCCGTCG CA 1482

(2) INFORMATION FOR SEQ ID NO: 13:

25 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 382 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

Met Ser His Asp Leu Leu Ile Ala Gly Ala Gly Leu Ser Gly Ala Leu
 1 5 10 15
 35 Ile Ala Leu Ala Val Arg Asp Arg Arg Pro Asp Ala Arg Ile Val Met
 20 25 30
 Leu Asp Ala Arg Ser Gly Pro Ser Asp Gln His Thr Trp Ser Cys His
 35 40 45
 40 Asp Thr Asp Leu Ser Pro Glu Trp Leu Ala Arg Leu Ser Pro Ile Arg
 50 55 60
 Arg Gly Glu Trp Thr Asp Gln Glu Val Ala Phe Pro Asp His Ser Arg
 65 70 75 80
 Arg Leu Thr Thr Gly Tyr Gly Ser Ile Glu Ala Gly Ala Leu Ile Gly
 85 90 95
 45 Leu Leu Gln Gly Val Asp Leu Arg Trp Asn Thr His Val Ala Thr Leu
 100 105 110
 Asp Asp Thr Gly Ala Thr Leu Thr Asp Gly Ser Arg Ile Glu Ala Ala
 115 120 125
 50 Cys Val Ile Asp Ala Arg Gly Ala Val Glu Thr Pro His Leu Thr Val
 130 135 140
 Gly Phe Gln Lys Phe Val Gly Val Glu Ile Glu Thr Asp Ala Pro His

55

145 150 155 160
 Gly Val Glu Arg Pro Met Ile Met Asp Ala Thr Val Pro Gln Met Asp
 5 165 170 175
 Gly Tyr Arg Phe Ile Tyr Leu Leu Pro Phe Ser Pro Thr Arg Ile Leu
 180 185 190
 Ile Glu Asp Thr Arg Tyr Ser Asp Gly Gly Asp Leu Asp Asp Gly Ala
 195 200 205
 10 Leu Ala Gln Ala Ser Leu Asp Tyr Ala Ala Arg Arg Gly Trp Thr Gly
 210 215 220
 Gln Glu Met Arg Arg Glu Arg Gly Ile Leu Pro Ile Ala Leu Ala His
 225 230 235 240
 15 Asp Ala Ile Gly Phe Trp Arg Asp His Ala Gln Gly Ala Val Pro Val
 245 250 255
 Gly Leu Gly Ala Gly Leu Phe His Pro Val Thr Gly Tyr Ser Leu Pro
 260 265 270
 Tyr Ala Ala Gln Val Ala Asp Ala Ile Ala Ala Arg Asp Leu Thr Thr
 275 280 285
 20 Ala Ser Ala Arg Arg Ala Val Arg Gly Trp Ala Ile Asp Arg Ala Asp
 290 295 300
 Arg Asp Arg Phe Leu Arg Leu Leu Asn Arg Met Leu Phe Arg Gly Cys
 305 310 315 320
 25 Pro Pro Asp Arg Arg Tyr Arg Leu Leu Gln Arg Phe Tyr Arg Leu Pro
 325 330 335
 Gln Pro Leu Ile Glu Arg Phe Tyr Ala Gly Arg Leu Thr Leu Ala Asp
 340 345 350
 Arg Leu Arg Ile Val Thr Gly Arg Pro Pro Ile Pro Leu Ser Gln Ala
 355 360 365
 30 Val Arg Cys Leu Pro Glu Arg Pro Leu Leu Gln Glu Arg Ala
 370 375 380

(2) INFORMATION FOR SEQ ID NO: 14:

35 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1149 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear

40 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

45 ATGAGCCATG ATCTGCTGAT CGCGGGCGCG GGGCTGTCCG GTGCGCTGAT CGCGCTTGCC 60
 GTTCGCGACC GCAGACCGGA TGC GCGCATC GTGATGCTCG ACGCGCGGTC CGGCCCTCG 120
 GACCAGCACA CCTGGTCCTG CCACGACACG GATCTTTCGC CCGAATGGCT GGCGCGCCTG 180
 TCGCCCATTC GTCGCGGCGA ATGGACGGAT CAGGAGGTCG CGTTTCCCGA CCATTCGCGC 240
 CGCCTGACGA CAGGCTATGG CTCGATCGAG GCGGGCGCGC TGATCGGGCT GCTGCAGGGT 300
 50 GTCGATCTGC GGTGGAATAC GCATGTCGCG ACGCTGGACG ATACCGGCGC GACGCTGACG 360
 GACGGCTCGC GGATCGAGGC TGCCTGCGTG ATCGACGCCC GTGGTGCCGT CGAGACCCCG 420

CACCTGACCG TGGGTTTCCA GAAATTCGTG GCGCTCGAGA TCGAGACCGA CGCCCCCAT 480
 GCGCTCGAGC GCCCATGAT CATGGACGCG ACCGTTCCGC AGATGGACGG GTACCGCTTC 540
 5 ATCTATCTGC TGCCCTTCAG TCCACCCGCG ATCCTGATCG AGGATACGCG CTACAGCGAC 600
 GCGGCGCATC TGGACGATGG CGCGCTGGCG CAGGCGTCGC TGGACTATGC CGCCAGGCGG 660
 GGCTGGACCG GGCAGGAGAT GCGGCGCGAA AGGGGCATCC TGCCCATCGC GCTGGCCCAT 720
 10 GACGCCATAG GCTTCTGGCG CGACCACGCG CAGGGGGCGG TGCCGGTTGG GCTGGGGGCA 780
 GGGCTGTTC ACCCCGTCAC CGGATATTCG CTGCCCTATG CCGCGCAGGT CGCGGATGCC 840
 ATCGCGGCGC GCGACCTGAC GACCGCGTCC GCCCGTCGCG CGGTGCGCGG CTGGGCCATC 900
 GATCGCGCGG ATCGCGACCG CTTCTGCGG CTGCTGAACC GGATGCTGTT CCGCGGCTGC 960
 15 CCGCCCGACC GTCGCTATCG CTTGCTGCAG CGGTTCTACC GCCTGCCGCA GCCGCTGATC 1020
 GAGCGCTTCT ATGCCGGGCG CCTGACATTG GCCGACCGGC TTCGCATCGT CACCGGACGC 1080
 CCGCCCATTC CGCTGTGCGA GGCCGTGCGC TGCCTGCCCG AACGCCCCCT GCTGCAGGAG 1140
 20 AGAGCATGA 1149

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 169 amino acids
 (B) TYPE: amino acid
 25 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

Met Ser Thr Trp Ala Ala Ile Leu Thr Val Ile Leu Thr Val Ala Ala
 1 5 10 15
 Met Glu Leu Thr Ala Tyr Ser Val His Arg Trp Ile Met His Gly Pro
 20 25 30
 35 Leu Gly Trp Gly Trp His Lys Ser His His Asp Glu Asp His Asp His
 35 40 45
 Ala Leu Glu Lys Asn Asp Leu Tyr Gly Val Ile Phe Ala Val Ile Ser
 50 55 60
 40 Ile Val Leu Phe Ala Ile Gly Ala Met Gly Ser Asp Leu Ala Trp Trp
 65 70 75 80
 Leu Ala Val Gly Val Thr Cys Tyr Gly Leu Ile Tyr Tyr Phe Leu His
 85 90 95
 45 Asp Gly Leu Val His Gly Arg Trp Pro Phe Arg Tyr Val Pro Lys Arg
 100 105 110
 Gly Tyr Leu Arg Arg Val Tyr Gln Ala His Arg Met His His Ala Val
 115 120 125
 His Gly Arg Glu Asn Cys Val Ser Phe Gly Phe Ile Trp Ala Pro Ser
 130 135 140
 50 Val Asp Ser Leu Lys Ala Glu Leu Lys Arg Ser Gly Ala Leu Leu Lys
 145 150 155 160

55

Asp Arg Glu Gly Ala Asp Arg Asn Thr
165

5 (2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 506 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

15	ATGAGCACTT GGGCCGCAAT CCTGACCGTC ATCCTGACCG TCGCCGCGAT GGAGCTGACG	60
	GCCTACTCCG TCCATCGGTG GATCATGCAT GGCCCCCTGG GCTGGGGCTG GCATAAATCG	120
	CACCACGACG AGGATCACGA CCACGCGCTC GAGAAGAACG ACCTCTATGG CGTCATCTTC	180
20	GCGGTAATCT CGATCGTGCT GTTCGCGATC GGCGCGATGG GGTGCGATCT GGCCTGGTGG	240
	CTGGCGGTGG GGGTCACCTG CTACGGGCTG ATCTACTATT TCCTGCATGA CGGCTTGGTG	300
	CATGGGCGCT GGCCGTTCGG CTATGTCCCC AAGCGCGGCT ATCTTCGTCTG CGTCTACCAG	360
	GCACACAGGA TGCATCACGC GGTCCATGGC CGCGAGAACT GCGTCAGCTT CGGTTTCATC	420
25	TGGGCGCCCT CGGTCGACAG CCTCAAGGCA GAGCTGAAAC GCTCGGGCGC GCTGCTGAAG	480
	GACCGCGAAG GGGCGGATCG CAATAC	506

(2) INFORMATION FOR SEQ ID NO: 17:

30 (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 726 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

	ATGTCCGGTC GTAAACCGGG TACCACCGGT GACACCATCG TTAACCTGGG TCTGACCGCT	60
40	GCTATCCTGC TGTGCTGGCT GGTTCGTCAC GCTTTCACCC TGTGGCTGCT GGACGCTGCT	120
	GCTCACCCGC TGCTGGCTGT TCTGTGCCCTG GCTGGTCTGA CCTGGCTGTC CGTTGGTCTG	180
	TTCATCATCG CTCACGACGC TATGCACGGT TCCGTTGTTC CGGGTCGTCC GCGGGCTAAC	240
	GCTGCTATCG GTCAGCTGGC TCTGTGGCTG TACGCTGGTT TCTCCTGGCC GAAACTGATC	300
45	GCTAAACACA TGACCCACCA CCGTCACGCT GGTACCGACA ACGACCCGGA CTTCGGTCAC	360
	GGTGGTCCGG TTCGTTGGTA CGGTTCCCTC GTTCCACCT ACTTCGGTTG GCGTGAAGGT	420
	CTGCTGCTGC CGGTTATCGT TACCACCTAC GCTCTGATCC TGGGTGACCG TTGGATGTAC	480
50	GTTATCTTCT GGCCGGTTCC GGCTGTTCTG GCTTCCATCC AGATCTTCGT TTTCGGTACC	540
	TGGCTGCCGC ACCGTCGGG TCACGACGAC TTCCCGGACC GTCACAACGC TCGTTCCACC	600
	GGTATCGGTG ACCCGCTGTC CCTGCTGACC TGCTTCCACT TCGGTGGTTA CCACCACGAA	660

55

CACCACCTGC ACCCGCACGT TCCGTGGTGG CGTCTGCCGC GTACCCGTAA AACCGGTGGT 720
 5 CGTGCT 726

Claims

1. A process for the preparation of canthaxanthin by culturing under suitable culture conditions a cell which is transformed by a DNA sequence comprising the following DNA sequences:

a) a DNA sequence which encodes the GGPP synthase of *Flavobacterium* sp. R1534 (crtE) or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of *Flavobacterium* sp. R1534 (crtB) or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of *Flavobacterium* sp. R1534 (crtI) or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of *Flavobacterium* sp. R1534 (crtY) or a DNA sequence which is substantially homologous;

e) a DNA sequence which encodes the β -carotene β 4-oxygenase of the microorganism E-396 (FERM BP-4283) [crtW_{E396}] or a DNA sequence which is substantially homologous;

or a cell which is transformed by a vector comprising DNA sequences specified above under a) to e) and by isolating canthaxanthin from such cells or the culture medium by methods known in the art.

2. A process for the preparation of a mixture of adonixanthin and astaxanthin or adonixanthin or astaxanthin alone by a process as claimed in claim 1 characterized therein that in addition to the DNA sequences specified in claim 1 under a) to e) the following additional DNA sequence is present:

f) a DNA sequence which encodes the β -carotene hydroxylase of the microorganism E-396 (FERM BP-4283) [crtZ_{E396}] or a DNA sequence which is substantially homologous;

and the DNA sequence specified under e) of claim 1 is as specified in claim 1 or the following sequence:

g) a DNA sequence which encodes the β -carotene β 4-oxygenase of *Alcaligenes* strain PC-1 (crtW) or a DNA sequence which is substantially homologous;

and isolating the desired mixture of adonixanthin and astaxanthin or adonixanthin or a astaxanthin alone from such cells of the culture medium and separating the desired mixture or carotenoids alone from other carotenoids which might be present by methods known in the art.

3. A process for the preparation of zeaxanthin by a process as claimed in claim 1 characterized therein that the DNA sequence as specified under e) is replaced by the DNA sequence as specified under f) in claim 2 and by isolating zeaxanthin from the cell or the culture medium and separating it from other carotenoids which might be present by methods known in the art.

4. A process for the production of adonixanthin by culturing under suitable culture conditions a cell which is transformed by a DNA sequence comprising the following heterologous DNA sequences:

a) a DNA sequence which encodes the GGPP synthase of the microorganism E-396 (FERM BP-4283)

[crtE_{E396}] or a DNA sequence which is substantially homologous;

b) a DNA sequence which encodes the prephytoene synthase of the microorganism E-396 (FERM BP-4283) [crtB_{E396}] or a DNA sequence which is substantially homologous;

c) a DNA sequence which encodes the phytoene desaturase of the microorganism E-396 (FERM BP-4283) [crtI_{E396}] or a DNA sequence which is substantially homologous;

d) a DNA sequence which encodes the lycopene cyclase of the microorganism E-396 (FERM BP-4283) [crtY_{E396}] or a DNA sequence which is substantially homologous;

e) a DNA sequence which encodes the β -carotene hydroxylase of the microorganism E396 (FERM BP-4283) [crtZ_{E396}] or a DNA sequence which is substantially homologous; and

f) a DNA sequence which encodes the β -carotene β 4-oxygenase of the microorganism E396 (FERM BP-4283) [crtW_{E396}] or a DNA sequence which is substantially homologous;

and isolating adonixanthin from the cell or the culture medium and separating it from other carotenoids which might be present by methods known in the art.

5. A process for the preparation of a food or feed composition characterized therein that after a process as claimed in any one of claims 1 to 4 has been effected the carotenoid or carotenoid mixture is added to food or feed.
6. A process as claimed in any one of claims 1 to 5 characterized therein that the transformed host cell is a prokaryotic host cell, like E. coli, Bacillus or Flavobacter.
7. A process as claimed in any one of claims 1 to 5 characterized therein that the transformed host cell is a eukaryotic host cell, like yeast or a fungal cell.

Fig. 1





Fig. 2

Fig. 3





Fig. 4

Fig. 5




Fig. 6




Fig. 7/1

```

1  GATTCGGGGCTGCGCGTTGGGATCAGCGAGCGCGCCCTTCCGATCGGTC
50  CTTAGCGCGGACCGCGGAGCGCTAGTGGTCGGCGGAGCGCTAGCCAG
orf-5 --> D P R L A V R D Q Q P P L R I G Q

101  AGCATCATCCGATGACCGGACGGCAGCGACGACGGAGCGCGCGCCGACATC
150  TCGTAGTAGCGGTACTTGGCGTCGGCTGCTGGCTCGCGCGCGGCTCTAG
H H P H E P Q R T T Q R A P Q I

201  GCGCGGCTCCAGCAGCGCATCGCGCATCATCGGAGGCGCCCGCGGCGCA
250  CCGCGCAGGTGGTGGCTAGCGGTAGTAGCGCTTCGCGGCGCGCGCT
G R V Q H G M R H H R E G P R R H

301  TCGCGCGGCTGGCGCATTCGCGAGAACTGCGACGCTGCGCGCTGCGGAGG
350  ACCCGCGCAGCGGTAGGGCTTCTTGAAGCGTGGGACAGCGGACGCGTTCC
G A R A H S E E L A A C P L R K V

401  TCGCGCGGCTGCGCGCATTCGCGAGAACTGCGACGCTGCGCGCTGCGGAGG
450  ACCCGCGCAGCGGTAGGGCTTCTTGAAGCGTGGGACAGCGGACGCGTTCC
T G A A S G L G A A S A R M L A Q

501  TCGCGCGGCTGCGCGCATTCGCGAGAACTGCGACGCTGCGCGCTGCGGAGG
550  ACCCGCGCAGCGGTAGGGCTTCTTGAAGCGTGGGACAGCGGACGCGTTCC
G G A K V V L A D L A E P K D A

601  TCGCGCGGCTGCGCGCATTCGCGAGAACTGCGACGCTGCGCGCTGCGGAGG
650  ACCCGCGCAGCGGTAGGGCTTCTTGAAGCGTGGGACAGCGGACGCGTTCC
P E R G A V H A A C D V T D A T A A

```

Fig. 7/2

601	GCAGACGGCCATCGCGCTGGCGACGACCGCTTGGGAGGCTGGACGGCC	650	901	CGTGGGGGCGATGACCGCTCCGATGCGCCCGCGACCTTGGCGCGACGGCA	950
	CGTCTCGCGCTAGCGGACCGCTGGCTGGCGAAGCGCTCGACCTGGCGG			GCACGCGCGCTACTGCGACCGCTACCGGGCGCTGGACCGCGCGCTGCGGT	
	Q T A I A L A T D R F G R L D G L			V A G M T L P M A R D L A R H G I	
651	TTGTGACCTGGCGCGCATCGCGCGCGCGGACCGATGCTGGCGCGCGAC	700	951	TCCGCTCATGACCATCGCGCGCGCGCATCTTCCGCAACCGCGATGCTGGAG	1000
	AACACTTGACGGCGCGCTAGCGCGCGCGCTTGGCTAGCAGCCCGCGCGT			AGGCGCACTACTGCTAGCGCGCGCGCTAGACGGCGTGGGCTAGACCTC	
	V N C A G I A P A E R M L G R D			R V M T I A P G I F R T P M L E	
701	GGCGCGCATGGACTGCACACCTTTGGCGGTGGCTCAGCATCAACCTGAT	750	1001	GGCTCCCGCGACGACGTTTCAGGACACCGCTGGCGCGCGCGGTGCCCTTCCC	1050
	CCCGCGTACCTGACCTGTGCAACGGCGACCGCAGTGGCTAGTTGGACTA			CCGACGGCGCTCTCGACAGCTCTGTGGACCCCGCGCGCGCGGGAAGGG	
	G P H G L D S F A R A V T I N L I			G L P Q D V Q O S L G A A V P F P	
751	CGGACCTTCACATGGCGCGCGCTTGCACCGCGACCGGATGGCGCGGACG	800	1051	CTCGCGCGCTGGGACGCGCTCGGAAATACCGCGCGCTTTGCACCAATCA	1100
	GGCTCGAAGTTGTACCGCGCGGACCGTGGCTGGCTACCGCGCGCTTGC			GAGCGCGACCGCTCTGGGAGCGCTTATCGCGCGGACACCTGCTAGT	
	G S F N M A R L A A E A M A R N E			S R L G E P S E Y A A L L H H I I	
801	AGCGCTCGCGCGCGCGTGGCGGTGATCGTCACACGCGCGCTCGATCGCG	850	1101	TCCGACCCCATCGTGAACGCGAGGCTCATCCGCTCGACGCGCGCTTC	1150
	TGGGCAAGCGCGCGCTCGACCGCATAGCACTTGTGGCGGAGCTAGCGG			AGCGTTGGGTAGCACTTGCCTCTCCAGTAGCGGAGCTGCCGCTAAC	
	P V R G E R G V I V N T A S I A			A N P M L N G E V I R L D G A L	
851	GGCAGACGGACAGATCGACAGCTGGCTATGGCGCGCGGACGAGCGGG	900	1151	CGCATGGCGCGCGAGTGAAGGCGCTTTCATGCAACCGCATGCTCATCACC	1200
	CGCTCTGCTGCTGTAGCGCTGTCCAGCGGATACCGCGCTGTTCCGCGC			GCGTACCGGGGTTCACTTCTCCGCAAGTACCTGGGCTAGCACTAGTGG	
	A Q D G Q I G Q V A Y A A S K A G			R M A P K *	
				M D P I V I T	
				orf-1 -->	

Fig. 7/3

1201	GGCGCATGGGCAACCCGATGGGGGCAATTCAGGGGCACTTGGCGGAT -----+-----+-----+-----+-----+-----+ CCGCGCTACCGGTGGGGCTACCCCGGTAGCTCCCGTAGAACGGGCGTA -----+-----+-----+-----+-----+-----+ G A N R T P M G A F Q G D L A A M	1250	1501	GTCTGCCCGGGGATGGAGAGCATGTGGAAGCGCCCTACTCTGCTGCC -----+-----+-----+-----+-----+-----+ CAGCAGCGCGCGCCCTACTCTCTCTACAGCTTGGGGGGATGGACGACGG -----+-----+-----+-----+-----+-----+ V V A G G M E S M S N A P Y L L P	1550
1251	GGATGCCCGGACCTTGGCGCGGACCGGATCGGGCGCGCGCTGAAGGGC -----+-----+-----+-----+-----+-----+ CCTACGGGGCTGGGAACCGCGCTCCCGTAGCGCGCGGGCGGACCTTGGCGG -----+-----+-----+-----+-----+-----+ D A P T L G A D A I R A A L N G L	1300	1551	CAAGGGCGCGGTCCGGGATGGGCAATGGGCAATGACCGGTGCTGCTGATCA -----+-----+-----+-----+-----+-----+ GTTCCGCGCGGACCGCGCTACCGGTACCGGTACTGGGACACGACCTAGTGT -----+-----+-----+-----+-----+-----+ K A R S G M R M G H D R V L D H M	1600
1301	TGTGCCCGACATGGTGACGAGGTGCTGATGGGCTGGGCTGCTGCCCGG -----+-----+-----+-----+-----+-----+ ACAAGGGGCTGTACCACTGCTGCAAGACTACCGGACGAGGAGCGGGGCG -----+-----+-----+-----+-----+-----+ S P D M V D E V L M G C V L A A	1350	1601	TCTTCCTCGACGGGTGGAGGACCGCTATGACAGCGCGCGCTGATGGGC -----+-----+-----+-----+-----+-----+ ACAAGGAGCTGCCCAACCTCTCTCGGATACCTGTTCCCGCGGACTACCGG -----+-----+-----+-----+-----+-----+ F L D G L E D A Y D K G R L M G	1650
1351	GGCAAGGTCAAGCAACGGACGTCAGCGCGGGGCTTGGCGCGGACTGCC -----+-----+-----+-----+-----+-----+ CGGTGCCAGTCCGTGGCGGTGGAGTCGGCGCGCGGAGACCGCGGCTGACGG -----+-----+-----+-----+-----+-----+ C Q G Q A P A R Q A A L G A G L P	1400	1651	ACCTTGCGCGAGGATTCGGCGCGCGGATCAAGGTTTCAACCGGAGGCGCA -----+-----+-----+-----+-----+-----+ TGGAAAGCGGCTCCTAACCGCGCGCGCTAGTCCCAAGTGGCGCGCTCCGCGT -----+-----+-----+-----+-----+-----+ T F A E D C A G D H G F T R E A Q	1700
1401	CGCTCGACGGGACCAACCATCAAGAGATGTGGGATGGGGATCA -----+-----+-----+-----+-----+-----+ CGACAGCTGCCCGTCCGTGGTAGTTGCTCTACACCGCTAGCCCGTACT -----+-----+-----+-----+-----+-----+ L S T G T T T I N E M C G S G M K	1450	1701	GGAAGACTATGGGCTGACAGCGCTGGCGCGCGCGGAGGAGCGGATCGCCA -----+-----+-----+-----+-----+-----+ CCTGCTGATACCGCATCTGCTCGGACCGGGCGGGGCTCTGCGGTACGCGT -----+-----+-----+-----+-----+-----+ D D Y A L T S L A R A Q D A I A S	1750
1451	AGCGCGCATGCTGGGCAATGACCTGATCGCGCGGGGATCGCGCGGATC -----+-----+-----+-----+-----+-----+ TCCGGCGCTACGACCGGCTACTGACTAGCGCGCGCGCTAGCGCGCGGTAG -----+-----+-----+-----+-----+-----+ A A M L G H D L I A A G S A G I	1500	1751	GGGTGCTTTCGGCGCGGATGCGCGCGCTGACCGGTCAACCGACCGCAAG -----+-----+-----+-----+-----+-----+ CGCCAGCGGAGCGGGGCTCTAGCGCGCGGCACTGGCACTGCGGTGCGTTC -----+-----+-----+-----+-----+-----+ G A F A A E I A P V T V T A R K	1800

Fig. 7/4

1801	GTGAGACACCGTCGATACCGACGAGATGCCCGCGACGCCGCCGCCGA CACCTGTGGCAGCTATGGCTGCTCTACGGGCGGTTCCGGCGGGCT V Q T T V D T D E M P G K A R P E	1850	TACGACCTGTTGAGGTGAACGAGCATTTGGCGTGTCTGCCATGATGGC ATGCTGGACAGCTCCACTGCTCTCGGTAGCGGCGACGACGGGTACTAGCG Y D L F E V N E A F A V V A M I A	2101	2150
1901	GAAATCCGCCATCTGAAGCCCGCTTCCGTGACGGTGGACGGTCAAGG CTTCTAGGGGTAGACTTCGGCGGAGGCACTGCCACCGGTGCCAGTCCC K I P R L K P A F R D G G T V T A	1900	GATGAGGAGCTTGGCTGCCACACAGATGCCACGACATCAACGGCGGG CTACTTCTCGAACCGGACGGTGTCTAGCGTCTTGTAGTTGCCGCCG M K E L G L P H D A T N I N G G A	2151	2200
1951	CGCGAACAGCTGCTCGATCTCGGACGGGCGGGCGGCTGTGATGATG GCGCTTCTGAGACAGCTAGACCTGCCCGCGCGCGGACCACTACTAC A N S S S I S D G A A A L V M M	1950	CCTGCCGCTTGGGCATCCCATCGCGCGGTGGGGCGCGCATCATGTGTC GGACGGCGGAACCGGTAGGTAGCGCGGCGGCGCGCGCGCGGTACTACGAG C A L G H P I G A S G A R I M V	2201	2250
2001	CGCCAGTCCGACGGCGGAGAGCTGGGCGCTGACGCCGATGCGCGGATCAT GCGGTCAAGCTCGGCTCTTCGACCGCGGACTGGGCTAGCGCGGCGCTAGTA R Q S Q A E K L G L T P I A R I I	2000	ACGCTGCTGAACGGGATGGCGCGCGCGGCGGCGGCGGCGGCGGCGGATC TGGACGACTTGGCGTACCGCGCGCGCGCGCGCGCGCGCGCGCGCGGTAG T L L N A M A A R G A T R G A A S	2251	2300
2051	CGCTCATGCGACCCATGCGGACCGCTCCCGGCTGTTCGCGACGGCGCCCA GCCAGTACCGCTGCGGTACGGCTGCGACGGCGCGGACAGCGGCTGCGGGCGT G H A T H A D R P G L P P T A P I	2050	CGTCTGCATCGCGGGGCGGCGGACGGGCGGCGCATCGCGCTGGAACGGCTGA GCACGCTAGCGCGCGCGCGCTCGGCTGCGCGGTAGCGGCGGCGCTTGGCGACT V C I G G G E A T A I A L E R L S	2301	2350
2101	TGCGCGGATGCGGACAGCTGCTGGACCGGACGGACACCGCTTGGCGAT AGCGGCTACCGGTTCGACGACCTGGCGTGGCTGTGGCGGCGGACCGCTA G A M R K L L D R T D T R L G D	2100	GCTAATTCATTTCCCGGATCGCGGTTTTTCGTGCACGATGGCGGAACCG CGATTAGTAACCGGCTTAGCGCGCAAGACGCTGCTACCCCTTGGC *	2351	2400

BNSDOCID <EP___0872554A2_1_>

2401	2450	2701	2750
GAAGGGCCACGGCTGTGTGTGGTTCGATCGACTGTCTTTCGGGGCCATGCC -----+-----+-----+-----+-----+-----+-----+ CTTTCCCGGTGGGCAAAACACCAACCGAGCTGGACAGAAAGCCCGGTACGG			GTCTGGCATGCGATGGTTCGATGGCGCCCTCCGGGGTCCGAGATGGTCCATGCC -----+-----+-----+-----+-----+-----+-----+ CAGACGCTACGCTACACGCTACGGGGAGCGGCCAGCGCTCTTACAGGTACG V C D A M V D A A C A V E M V H A
2451	2500	2751	2800
CGTGACGGCATGTGGCAGGGCCATGGGGGCTTCCGATCCGCTGCCATGA -----+-----+-----+-----+-----+-----+-----+ GCACCTGCCTACACCGCTCCGCTACCCCGCAACGGCTACGCCACGCTACT			CCCATCCGTGATCTTCGACGACATGCCCTGCATGGACGATGCCAGACCC -----+-----+-----+-----+-----+-----+-----+ GCCTAGCGCATAGAAAGCTGCTGTACGGGACGCTACTCTCTACGGTCTGGG A S L I F D D M P C M D D A R T R
2501	2550	2801	2850
CTGACGCCAAGAAAGGCAACCATTCACGCCCAACGAGCATTTCCGCCATGCC -----+-----+-----+-----+-----+-----+-----+ CACTGGCTGTCTTCCGTCCGCTACTCCGGGTTCTGCTTAAAGGGGATGCC			GTCCGGCTCAGCCCGCCACCCCATCTCGCCCATTGGCCGAGGGGGCGCGGTG -----+-----+-----+-----+-----+-----+-----+ CAGCGCCAGTCGGCGGCTGGGTACGCGGTACCGCTCCCGCGCGGCCAC R G Q P A T H V A H G E G R A V
2551	2600	2851	2900
GATCTGGTCGAGATCAGGCTGGCGCAGATCTCGGGCCAGTTCCGGCTGGT -----+-----+-----+-----+-----+-----+-----+ CTAGACCAAGCTTAGTCGACCGCGCTTAGACGCCCGGTCAAGCCGCAACA D L V E I R L A Q I S G Q F G V V			CTTGGGGCATTCGCGCTGATTCAGCGAGGCCCATGGCGATTTTGGGGGAGGC -----+-----+-----+-----+-----+-----+-----+ GAACGCGCTTAGCGGGAGCTAGTGGCTCGGTACCGCTAATAACCGCTCGG L A G I A L I T E A M R I L G E A
2601	2650	2901	2950
CTCGGCCCGCTCGGGCGGCCATGAGCGATGCCCGCTGTCCCGGCA -----+-----+-----+-----+-----+-----+-----+ GAGCGGGCGAGCGCGCGCTACTCTGCTACCGCGGCAACAGGGGGCGGT S A P L G A A M S D A A L S P G K			GGCGGGCGCAACCGCGATCAGCGCGCAGGCTGTGCGATCCATGTGCG -----+-----+-----+-----+-----+-----+-----+ CGCGCCCGCTCGCGCTAGTCGGCGGTTCCGACGAGCGTAGGTACACGG R G A T P D Q R A R L V A S M S R
2651	2700	2951	3000
AACGCTTTCGGCGGTGTGATGCTGATGCTCGCGGAAGCTTCGGGGGG -----+-----+-----+-----+-----+-----+-----+ TTCGAAGCGGGCGCAGCTACGACTACCAAGCGGCTTTCGAGCCCGCCC R F R A V L M L M V A E S S G G			GGCGATGGGACCGGTGGGCTGTGGCGAGGGCAGGATCTCGACTGCGAC -----+-----+-----+-----+-----+-----+-----+ CGCGCTACCTGGCGACCGCGACACCGCTCGCTCTCTAGACCTCGACGTG A N G P V G L C A G Q D L D L H

Fig. 7/6

3001	GCCTCCAGGACCGCGCGCGGATCGAACGTCAGACGACCTCAAGACGG CGGGGTTCCTCGCGCGCGCGCTACCTTCACACTTGTCTGAGTTCCTGCGC A P K D A A G I E R E Q D L K T G	3050	3301	AGCGCGCGCACTGGAACGAGCTGATCGGCAACCGGCTGTTCGCGGGGG TGGCGCGCTTGACCTGCTCGACTGCGGTGGCGCGACAGGCGCGCGC S R A Q L D E L M R T R L F R G G	3350
3051	CCTCTGTTCTCGCGCGCGCTCGAGATGCTGTCATTATTAAGGCTCTGG GCACGACAGCGCGCGCGGCTCTACGACAGGTATTAATTCGAGACC V L F V A G L E M L S I I K G L D	3100	3351	GCAGATCGCGGACCTGTGCGCGCGCTGCTGCGCGATGATCGCGCGCA CGTCTAGCGGCTGACGACGCGCGCGCGCTACTGTAGCGCGGT Q I A D L L A R V L P H D I R R S	3400
3101	ACAGGCGGAGACCGAGCAGCTCATGCGCTTCGGCGGTCAAGCTTGTCGG TGTTCGCGCTCTGCTGCTGCGAGTACCGGAGCGCGCGCTCGAACCGCC K A E T E Q L M A F G R Q L G R	3150	3401	CGGCTTAGCGCGCGGTGCGGTCCAGGCGGTCCGCGCTGATTTGCGCG CGCGATCCGCGCGCGCGCGCGGTGTCGCGACGCGCGCGCTAAGCGCGC A * A R P R T W L G D R S I E G	3450
3151	GTCCTCAGTCTATGACGACCTGCTGGAAGTGTGCGCGACAGGCGCG CAGAGGTCAGGATACCTGCGACGACCTGCACCTAGCGCGCTGTTCGCTC V F Q S Y D D L L D V I G D K A S	3200	3451	CCGCGCAGCGCGCATGCGCGCGCTCCAGGCTCCGCGCGCGCGCGCGCGC GGCGGTCCGCGCGCTACGCGCGCGCGGTTCGGAAGCGCGCGGTCTTCGGG G R L R S A A A D L G G R A L L G	3500
3201	CACCGCGAGATACGGCGCGGACCGCGCGCGCGCGCGCGCGCGCGCGCG GTGGCGTTCTATGCGCGCGCTGTGCGCGCGCGCGCGCGCGGTTCGCGC T G K D T A R D T A A P G P K G G	3250	3501	GATCTTGGCAGCTTCGACGCTGCTGATCCGCTGCGGATAGGCGCTCGGGC CTAGAACCGTCCGAGCTGCGACCTAGGCGCGCTATCCGGAAGCGCGC I K A A K S T S I R Q R Y A E P	3550
3251	GCTGATGGCGGTGCGACAGATGGCGCGCGGTGGCGCGCGCATTAACCGCGC CGGACTACCGCGCGCTGTCTACCGCGCTGCAACCGCGGTGATTAAGCGCGG L M A V G Q M G D V A Q H Y R A	3300	3551	CACCTGCGGATGCGCGCTCCGATTCGCGATAGATACGACGCGCGCGC GTGGACCGCGCTACGCGCGCGCTACGCGCTATCTATCGCTCGCGCGCGC G G Q R I R T G I A R Y I R L A A	3600

Fig. 7/7

```

3601  GCGATCGACCA CGCGCAGCGCGCGGCGCAGATCGCGAAGCCCTCGCGGCG
      +-----+-----+-----+-----+-----+-----+
      3650  CGTAGCTGTGCGGCTCGCGCGCGCGCTCTACGCCCTTCGGGAGCGCGCGG
      +-----+-----+-----+-----+-----+-----+
      A I S W A C R P P L H P L G Q R A
      +-----+-----+-----+-----+-----+-----+
3651  CGAGCATTAATAGGCTCGCGCGGCTCAAGCAGCGCGGATCATGACGGAAAT
      +-----+-----+-----+-----+-----+-----+
      3700  CCTCGTATTATCCGAGCGCGCGCGAGTTCTGTCGGCTACTACTGCTTA
      +-----+-----+-----+-----+-----+-----+
      S A Y Y P E A A D L L R I I V S
      +-----+-----+-----+-----+-----+-----+
3701  AGAGCGCGTCCGAAGGCACCGGACCCCTCAACGGTCGCCCGCGCTCGGCG
      +-----+-----+-----+-----+-----+-----+
      TCTCGCGCAGGCTTCGTGCGCTCGGAGTTGGCAGCGCGGCGCGAGCCGCG
      +-----+-----+-----+-----+-----+-----+
      Y L A D S P V P G E V T A G A E A
      +-----+-----+-----+-----+-----+-----+
3751  AGCCAGTCGGCAGGCAGATAGCAGCGCGCGGATCGCGGCGATCGTGCATCAC
      +-----+-----+-----+-----+-----+-----+
      3800  TCGGTACGCGTCCGTCTATCGTCCGGGCTACCGCGGTAGCAGCTAGTG
      +-----+-----+-----+-----+-----+-----+
      L W D A P L Y C R G I A A D D I V
      +-----+-----+-----+-----+-----+-----+
3801  GTCCGAGCGGATGTTGTCAGCTGGAACCCAGGCCCGCAGATCGCAGGCGC
      +-----+-----+-----+-----+-----+-----+
      CAGCGCTCGCTACAGCAGTCGACCTTGGCTTCGGGTCTAGCGTCCCGG
      +-----+-----+-----+-----+-----+-----+
      D R A I N T L Q F A L G L D C A
      +-----+-----+-----+-----+-----+-----+
3851  CATCCAGCAGCGGATGTCCTGCAGCGCCCATCACCGCGCGCATCATCAGG
      +-----+-----+-----+-----+-----+-----+
      3900  CTAGGTGTTGGGTAGCAGGACCTCGCGGTAGTGGCGCGGTAGTAGTGC
      +-----+-----+-----+-----+-----+-----+
      R D L V A D D Q V G M V R A M M V
      +-----+-----+-----+-----+-----+-----+
      3901  CCGACGACCCCGCGGAGCTGTGTAAGAAATTTCCAGCAGCTCATCCAGGCT
      +-----+-----+-----+-----+-----+-----+
      3950  GGGTCTCGGGGCGGCTCCACCATCTTAAAGTCTGTGCACTAGCTCCGA
      +-----+-----+-----+-----+-----+-----+
      G V V G A V R Y S Y E L V D D L S
      +-----+-----+-----+-----+-----+-----+
      3951  GCGTATTGCGGATCGCGGACATCCATCGGAAACCCCTCGATCAGTCCA
      +-----+-----+-----+-----+-----+-----+
      4000  CGGCATACGGCTAGCGGCTCTAGGTAGCGCTTTGGCAGCTAGTCCAGGT
      +-----+-----+-----+-----+-----+-----+
      R Y E R D A V D M A F G E I L D
      +-----+-----+-----+-----+-----+-----+
      4001  TCGGCAAGGTCGGGAAATCATGCCCGCGGCGGACCTGGGCGAGCGGC
      +-----+-----+-----+-----+-----+-----+
      4050  AGCGGTTTCCAGGCGCTTTAGTACGGGCGCGCGCTCGACCGGCTCGGG
      +-----+-----+-----+-----+-----+-----+
      M P W L D P F D H R R A V Q R L A
      +-----+-----+-----+-----+-----+-----+
      4051  GCGAAGGCGCGGACATCGGCGCGCTCTGTGCAGCGCGGCGCAGGCTGTC
      +-----+-----+-----+-----+-----+-----+
      4100  CGCTTCCCGCGCTGTAGCGCGGCGGACGACGCTCGCGCGCTCGCACAG
      +-----+-----+-----+-----+-----+-----+
      A F P P S M P G D E H L A A L T D
      +-----+-----+-----+-----+-----+-----+
      4101  GCGCGCAGCGCGCGCGCAGCGCGCGCTGTGGTCCCGCGCGCTCGGGG
      +-----+-----+-----+-----+-----+-----+
      4150  CCGCGCTCCCGGGGTGCGCGCGGACACCCAGCGCGCGGCGGAGCCCGC
      +-----+-----+-----+-----+-----+-----+
      A R L A G L R A Q P D G G A E P
      +-----+-----+-----+-----+-----+-----+
      4151  CAGAACCCATCACCTGCGCGTGCATCATTCGCCATGCTCGACCCAG
      +-----+-----+-----+-----+-----+-----+
      4200  GTCTTGGGTAGTGCACCGGCGAGCTAGTGCAGTAGGCTAGCGAGCTGTGTC
      +-----+-----+-----+-----+-----+-----+
      A S G M V Q G D I V D D A H R C W
      +-----+-----+-----+-----+-----+-----+

```

BNSDOCID: <EP__0872554A2_I_>

4201	GCATACGACATGACCGGTATCCCTCCGGATGCGGGGGGCAATCAGCTTGGC -----+-----+-----+-----+-----+-----+-----+ CGTATCTGTAAGGAGCGGCTACCGGCCCGCGTATGTCGAAACG	4250	4501	CGTATGCGCGCACGCTTCGGTGCCTGCAAAATCGCGGGGCTCGAAGATCCGG -----+-----+-----+-----+-----+-----+-----+ GCCTACCGCGGCTGTCAAGCACGACGCTTTAGCGCGCCGCACTTCTACGCC	4550
	A Y L M V T D E R I G P P M L K A			G H A S L E T S F D A P S F I R	
4251	CGCTCCGCGAAGCTTTCCGAACCTTCGGCATGCGCGCTTCGGAAGTCG -----+-----+-----+-----+-----+-----+-----+ CGGACCGCGCTTCGAAGCGCTTGGACCGCTACCGGGGAAGCCTTCAGC	4300	4551	CTGACGGTCAGTGCTTGGCAGGTCCGGCATCGCGCGGCGCTCCAGTTTC -----+-----+-----+-----+-----+-----+-----+ GACTGCCAGTCCACGAACGGGTCCAGCCCTACCGCGCGCGGAGGTCACG	4600
	A Q A F S Q S G Q A I A A E S T			S V T L H K R L D P I A R R E L E	
4301	CGTCAAGTCGGTCAATCGACCGCGCAGGTCCGACAGCATGACCTGGCGCG -----+-----+-----+-----+-----+-----+-----+ GGCAGTCAACCATGATACCTGCCGGTCCAGGCTGTGTACTGACCGCGCG	4350	4601	CTCGAAGATCGCCTCGGCATAGCCCGGGGCTTCGGCTTCCCAATCGACAT -----+-----+-----+-----+-----+-----+-----+ GAGCTTCTACGGAGCGGTATCGGCGCGCGAGCCGGAAGGCTTAGCTGTA	4650
	A T L D T M * A V A L D S L M V Q A <-- crtB			E F I R E A Y G P A E A E W D V	
4351	TGCGCTTGGCGCTGCCAAGCAACCGGGATGCCCGCACCGGATCCGCTG -----+-----+-----+-----+-----+-----+-----+ ACCGAACCAGCGGACGCTGCTGTGGCCCTACCGGGCTGGCGCTACGCAC	4400	4651	CGCGCGCGCCGACGATCCGGAAACGGGGCGCAAGCAGCTAATCGCTGGACATC -----+-----+-----+-----+-----+-----+-----+ GCGCGCGGGGTCTAGCGCTTGCCTGCTTCCTGCTATTAACACCTGTAG	4700
	T A K A S G V V G P I G A G P H T			D A R G L H P V P A L V Y H T S M	
4401	CCGCCCCACAGATGTACAGTTCCGGATCGCGCGGTCCGCGTTATCCGG -----+-----+-----+-----+-----+-----+-----+ CGCGGGGTGTACATCTTCAAGCCCTAGCGCCGCAACGCCCATACGCC	4450	4701	CCCTCGGGGGCCAGGCTGGATCCGTCACGCGAGCGGCGGAATTCACATACAT -----+-----+-----+-----+-----+-----+-----+ GGAGCGCCCGGTCCGACCGCTAGCCAGTGGCGTCCCGCTTACGCTATGTA	4750
	G A G V I Y F N P I A R D R N H P			G E P A L S P D T V C P S H L Y M	
4451	CGGAAACGAGGGGATTCGTCAGGATCGCTCCGACCGAAGAGCGCGCTGC -----+-----+-----+-----+-----+-----+-----+ CGCCTTGGTCCGCTACCGCATGCTTACGCGAGCTGGCTCTTCGGGACG	4500	4751	CGAAGAAATCGTCCGCGACGGGTGCGCGCTTGAAATCTCGTTCCACACGCC -----+-----+-----+-----+-----+-----+-----+ GCTCTTAGCAAGCGCTTCGCGACCGCGCACTTCTAGACCAAGTGTGGG	4800
	R F W A S Q T L I P E V S F A S			S F D D P L R P G N F I E N V L	

Fig. 7/9

4801	CCTGTAGCGCGCGCGAAGATGACCGCTGTGTTGGGCCACGTTCTCGGGG CGAATCGCGCGCGCTTCTACTGCGACACACCGCGGTCCAGAGCCCG G K Y R P G F I V S H H A L N E P	4850	GCTCGAACGGCGGACCATGCCCGCGACCGACTGTTGGTCCGCCCTTG CGACTTGTCCCGCTGTTAGCGCGCGCTGTCGACCCACCGCGCGGAC R E F L A V M G A V L Q N T G G K	5101	5150
4851	CGCTTGGACGCGCGAATCCAGCCAGACGACATCGACCGCGCTG CGAACCCTGTCGGCGTTTACTGCTGCTGTGCTGTAGCTGTGCGGAC R K S L G F H L V F L S M S W R Q	4900	GCGAACGACGCGCGCGCGCGCTTCCAGCGCATGCAACGCCATAGAT CGCTTGGTCTCGCGCGCGCGCGCAAGTCCGTACTAGTCCGTATCTA A F W V G G R R E L A H I L A Y I	5151	5200
4901	CGGTTCAAGATCGCGCGCTTGTGCGCCCGCGCGGTATGCGCCAGCA GCCAAGTCTAGCGCGCGCAACACCGCGCGCGCGCCCATACCGGTCT R N L I A A K T R G R R T H G L	4950	CGAGCTGTCGAAACGGGTTCCCGCGCACCGACGCGGTGTGGAACGAGA GCTCGACAGCTTTTGGCCAAAGCGCGCGCTGCTGTCGACACACCTTGGCTCT S S T S F P N G G V L L T H F S	5201	5250
4951	GGTCCGATAGCTGTGCATCAAGTCGCGTGTGCTGGCCACCGTATCCCGG CCAGCGCTATCGACAGTGTGCGCGCGCAACGACCGGTGGCATAGCGCG L D R Y S H M V D G N S A V T D A	5000	AGCCCTCGCGCGCATGCGCGTCCCTGCAACGCGCGCGCACCATGCTGGG TCCGACGCGGTCTAGCGCGCGCGCTTCTTCCGCGCGGTGCTACGACAC F A Q R L H P D Q I F R A V M S H	5251	5300
5001	CGCACTCGCGCGCGTCCAGCGCGTCAACCGCGTGGCGCGATCGCCCTC CGCTTGACCGCGCGCGAGTGTGTCGACTGCGCGCGCACCGCGTACGCGGAG R L Q R G D L L T V G T A R D G E	5050	ACCGACGGGTATGCTCGACGGCGCATCAGCGCGCGCGCGGTTCAGCAT TGGCTCGCATACGACGCTCCCGTGTGCGCGCGCGCGCGCGCGCGCGCTA V S R Y A Q L R M L A P A A N L M	5301	5350
5051	GGTGTGATCCGCGTACGCGCGCATTCAGCAGCAGCGGTGCGCGCAAGC CCACAGCTAGGCGCATGCGCGCGGTAACTGCTGTCGTCGACCGCGGTCTG T D I R T V R A N L L L T G G L	5100	CTGCGCGAGCTTCAGAGCGCGGTGTCCCGAGCTTCAGATACCCCTCGC GACCGGTGCAAGTCTTCCCGCACCGCGGTGCAAGTCTATGGCGGCG Q G L K L F P T T G L K L Y G E	5351	5400

Fig. 7/10

5401	GATAGACTCTCTGGCGTAAATGCTGGAGCGCGCATAGCCATCGCATTCG	5450	GGCCCTCGACCATGCTGTGCGCATCCCGCCGATTCGAGCGCGCATCGCA	5701	CCCGAGCTGCTACACACCGCCCTACCGCGGCTACGCTCCGCTACCGT	5750	RAEVITTAIGASQLRIA
	CTATCTGCGAGCGCCATTAACACCTTCGCGCTATCGTAGCTGACG						
	RYVZEAYDHFRRRYGDVD						
5451	GGGGATTGAAGAGCGGACCTGCGCGATCACTGCTGCTGCTGCTTCAC	5500	AGCCGAAGCCGCCCGCAAGCTCGCCCGATGACGATGGCGGAGCTCATGCT	5751	TGCGTTCCGGCGGCTTTCGACCGGCTACTGCTACCGCTTCAGTAGCA	5800	LALGGFGAGIVIASM ^a ctII
	CGCCTAATCTCTCTGCGCTGGACCGGCTAGTCGACGACGACGAGGAGTG						
	APNFSAVQRILEDDDNV						
5501	GTATTGCAAGCTCGCGCGCTCGCGCCATGTCAAGCGGTTAGAGGGGAGCA	5550	CTCTCTCTGCAAGCGGGCGGTTTCGGCGACGCGACGCGCTGCGACAG	5801	GAGACGACGTCTCCCGCGCAAGCCGCTCGCTCGCGCGACGCTGTC	5850	REQLLPREPLCRVASL
	CATAAGCTTCAGCGCGCGCGGCTAGTACAGTCGCGCATCTTCCCGCTCT						
	YEF SRGDAMTTLRYFPS						
5551	CGCGCAGCAGCTCAGTCAGCTCGATCGCTTGGCGCGCTGAGCGCGCAC	5600	CGGAATGGGGGGGCTCGGTCACGATGGGACGCGCTCGCGCAATGTCA	5851	GCCTTACCCCGCGCAGGCCACTGCTACGCTTCGGCGACGCGGTTACGT	5900	
	GGCGGTGTCGACGTGCGAGTGGAGGTAGCCACCGCGGACTCCCGGCTG						
	VP LLTVDREMPQGS LAH						
5601	AGCTCTCCGAGGCTGTCGGGTCGGTCACGACCTCGGGCTGCAATCGAA	5650	GGCGCGCGCATAGAGCGCTGATCAGCGGCTCGCGCAGCGCGTAGAAC	5901	CGCGGGCGGTATCTTCGCGACCTAGTCGCGGACGCGCTCGCGCATCTTG	5950	
	TCCAGAGCTCCGACAGCCCGAGCGAGTCTGCGCAGCGCGGACGTAGCTT						
	LERLSDDPTVTVP GADF						
5651	GACGTGGCCCTGATGTTCCAGACATAGCGCGCGCGCGGCTTCTCC	5700	CGCTGACGAGGCGCATAGCGCGGTCGGCGCGGACGCGCGGACGACAT	5951	GGACGCTGTCGCTATGCTGCGCGCGCGCGCGCGCTGCTGCTGTA	6000	
	CTCCACCGGAGCTAGCAAGCTCTGATCCGCGCGCGCGCGCGCGCGCG						
	VHGQDNNWVYARGGPKD						

Fig. 7/11

6001	CGCGTTCAGCAAGCCGCAAGAAAGCGGTCCGATCCCGCGCATCAATGCGCC	6050	CAGCCAGCCCTGCGCCAGCGCGCCATCGTCCAGATCCCGCCGCGTCTCT	6350	GTCCGTCCGGAAGCGCGGTCCCGCGGTAGCAGGTCTAGCGCGCGCAGCGACA
	GGCCAGTCTGCGCGCTCTTCCGCAAGCGCTAGCGCCGCTACCTACCGGG		L S A Q A L A G D D L D G G D S		
	R N L L P L F R D R D A R D I A				
6051	AGCGCGCAAGCGCGCAAGCGCGGGAAGCGGTCTGTCAGTCCGCGCGCGCG	6100	AGCGGTATCTCTCATCAAGATCGCGGTGCGGACTGAAGCGCGCAGATAG	6400	TCCGCGATAGAGCTAGTCTCTACGCCACCGCTTCCCGTCTCTATC
	TGCGCGGTGCGCGCTTCCCGCGCTTCCGCGCAAGCGTCAAGCGCGCGCG		Y R T D E I L I R T P S F P L L Y		
	W G R V A R R A S A T T L D R A A				
6101	ATGCCATCCGCAAGCTGCGCGGATAGCGCAGCGAATATCCGCTGACGGG	6150	ATGAAGCGGTACCGGTCCATCTTCGCGAAGCGTCCGTCCTGATCATCGG	6450	TACTTCGCGCATGGCAGGTAGACGCTTCCAGCGCAGGTACTAGTAGCC
	TACCGTAGCGGTGCAAGCGCGCTATCCCGTCCGCTTAGCGCCACTGCC		I F R Y G D M Q P V T A D M I M P		
	I A D A V Q A A Y P L S Y G T V P				
6151	GTGCAACAGCCCTGCCCCAGCCCAAGCGGCAAGCGCCGCTGCGCGCTGCT	6200	CGGCTGCAAGCCCATTCGCGGCGGTGCGTCTCGATCTCGACGCCACGATTT	6500	CGCGAGCTGCGGTACCGCGTACCGCGCAGCGCAGAGCTAGAGCTGCGGCTTAA
	CACCTTGTCCGGAAGCGGGTCCGCTTGGCGTCCCGTGGCGGGGACCGGCACCA		R E V G H P A D T E I E V G V F		
	H F L G A G L G V P V A G Q A H				
6201	CGCCCAAGACCTATGCGGTCTATGCGCAAGCGCGCATGGCGAGATGCC	6250	TCTGGAACCCAGGTCTAGGTCCGGGTCTCGACGGCAGCAGCGCGGTGCG	6550	AGACCTTGGGTGCGAGTCAAGCGCGCAGAGCTCCGCTGCTGCGCGCAGC
	GCGCGTCTTCGATACCGCATACCGGTCCCGGTACCGGTCTCTAGCGG		K Q F G V T L H P T E V A G R A D		
	D R W F G I A D H A L A I P L I G				
6251	CTTTCGCGCGCATCTCTGCGCGGTCAAGCCCGCGCTGGCGCATATGTC	6300	ATCACGACGACAGCTCGATCCGCGAGCGGTCCGTCAGCGTCCGCGCGGT	6600	TAGTGGTTCGCTCGAGCTAGCGCTCGCGAGCGCATGTCGCGAGCGCGGCA
	GAAGCGCGGTAGAGCAAGCGCGCGGTTCGCGCGGAGCGCGGTATCAG		I V C A A E I R S G D T L T A G T		
	R E R R M E Q G T W G R R A A Y D				

60

6601	ATGTCGACAGCTCCGACATCGGTATTTCACCGGACGATCGACACCTCGCA +-----+-----+-----+-----+-----+-----+ TAGCAGCTCGACCGCTCTACCCATTAAGTGGCGCTCTAGCTCTCGACGCT	6650	6901	AOCGGACAGCCCGCCCGCCCGCCCGATCAGCAGATATCGCTCATGTATTGCG +-----+-----+-----+-----+-----+-----+ TGGCTCTCGCGCGCGCGCGCGCTAGTCTCTAGTACCGAGTACATTAACGC	6950
	D D L T A V H T N W R L D V G Q			G S L G A G A I L L D H S M +-----+-----+-----+-----+-----+-----+ * T N R <--- CRY	
6651	GCAGCCGATCAGCGCGCCCGCTCGATCGATCGCATAGCTCTCGTCAGG +-----+-----+-----+-----+-----+-----+ CGTCGGGCTAGTCGCGCGCGCGAGCTAGCTCGGTATCGGACGAGTCC	6700	6951	ATCCGCCCTTTCGGCGTCTTTCAGCAGCGCGCGCGCGCTTTCAGCTCTG +-----+-----+-----+-----+-----+-----+ TAGCGGGGAAAGCGCAGGAGTCTGTCGCGCGCGCTCGCAAGTCGAGAC	7000
	L L G I L A G A E I S G Y G T T L			D A G E R D K L L A G S R K L E	
6701	CGCGCGAATGCTCGGAAACCGACCTCTGATCGCTCCATTCGCGCG +-----+-----+-----+-----+-----+-----+ GCGCGCTTACAGCCCTTTCGCTGGAGGATAGGCAAGTAAACGGCGC	6750	7001	CCTTGAAGCTCTCGACCGACGGCGCCCGACATCGAAACCGAGCTGACGCG +-----+-----+-----+-----+-----+-----+ CGAATCGACAGCTGGCTCCCGCGCTACTTTGGCTTCGACTGCTGC	7050
	R R S H D P F A V E Q D T W E G R			A K L S D V S P A W I F G F S V C	
6751	ACGAATGGCGGACAGCGCGCGACGACATTCGGCGGAAATCCGTCTGT +-----+-----+-----+-----+-----+-----+ TGCTTACCGCTCTCGCGCGCTCGTAAAGCGCGCTTCTAGGCAACGCA	6800	7051	TTCTCGCGCATCGACCGCTGATCGCATCTGTGTCTGCTGCTAGACGCG +-----+-----+-----+-----+-----+-----+ AAGAGCGCGTACTCTGCGCGCTAGCTAGACACACGAGCCATCTCGCG	7100
	R I P S L R A L W E P S L D T D			N E R G H V A H H M R H A Q Y V R	
6801	GCAGGACAGAGTGTCTGTCCGAGGGCGCGACCGCGCTCGACATC +-----+-----+-----+-----+-----+-----+ CGTCTGTCTCACACGACGAGCTCCCGCGCTGCGCGCGAGCTCTG	6850	7101	ACGAATATACCGCGCTTGGGACATAGCGGAAACCGGCGACCGCCATGCA +-----+-----+-----+-----+-----+-----+ TGCTTCTATCGCGCGAAACCTGTATCGCTTGGCGTTCGCGGTCGCGGTCGT	7150
	H C S W T H Q D S P G S R A D L M			R L Y G R K P V Y R P P W R G H	
6851	ACGATGCGGCTATCCGCTCTCGGCTCGGAAACCGGAAACCGGATCAGCGC +-----+-----+-----+-----+-----+-----+ TGCTACGCGCTAGGCGACGCGCGCTCGCTTCCGCTTCCGCTAGTCCGG	6900	7151	CCAGCGCTCATCGGAAATAGTATCATAGCCCGCTAGCCCGTGCACCCC +-----+-----+-----+-----+-----+-----+ GCTTCGCGCTAGCTCTTATCATCTAGTTCGGGCTGCTCCACTGCGGG	7200
	V I R A D P R R D R V A I T			V L G D H L F Y I L G Y C T V G	

Fig. 7/13

7201	A G C G C A G C C A C C A G G C C A G A T C C G A C C C A T C G C C G C G A T G C G G A A C A G T G C C G C T C G G T C C G C T A G G C T G G G T A G C G G C T A G C C G C T T G C V A L W A L D S G M A G I A F L	7250	A T G A C C A G C C C A T C G G G T G C G A C C A A A G G C A T C G C T G A C A T C T G C G T T A C T G T G C G G T A G C C C A C G C T G T T T C C G T A G C G A C T G T A G A C C A	7501	7550
7251	C A C G A T C G A G A T T A C C G C A A G A T C A G C C A T A G A G T C G T T C T C A G T C T A G C T A A T G C C G C T T C T A C T G C G G T A T C T C A G C A A G A G A C T V I S I V A F I V G Y L D N K E	7300	T C A G G C T C A T A G C G G A T C A T C G T G A C A T T C G C C C G A C G C G C A G A G T C C C A G T A T C C G C T A G T A G C A C T G T A A G C G C G C T T C G C C G T C	7551	7600
7301	G G C G T G T C G T C A T C C T C G T G T G C G A T T T A T C C A G C C C A G C C C C G C A C C A G C A C T A G C A G C A C C A C C T A A T A C G T C G G G T C G G L A H D H D E D H S K H W G G	7350	G C C A T C A C G C G T T C C G T C C T C G A A T A T T A T G T T T C C C G A G A T G G C G C T A C T G C C A G C C A G C A C C A C C T T T A T A T A C A A A G C G C T C T A C C	7601	7650
7351	A G G G C C A T C A T G A T C C A C C G A T G C A C G G A G T A G C C G T C A G T C C A T T C C C C G T A C G T A G T G G C T A C T G C C T A C T C A T C C G C A G T C G A G T A L P G H M I W R H V S Y A T L E M	7400	T C G G G C G A G A G G A T T C G A C C T C C G A C C T A C G G T A C C C A A A C C G T C C C A G C C C G C T C T C T A G C T T G A G G C T G G A T G C C A T G G G T T T T G C A G C G	7651	7700
7401	C C G C G C A C G T C A G A T G C G T C A G C A T T C C G C C A A G T C T C A T G C G C G C G T C C A G T C C T A C T C C A G T C C T A C G C G G G T T C A C A G T A C G A A V T L I V T L I A A W T S M ←- GFEZ	7450	G C T A C C A G G C T G C G C T A C C C C C G A C T G C C A A G C T T T A G C G A T T G T T C G A T G T C C A C G C A T G C G G G C T G A C G C T T C C G A A T C G C T A A C A A	7701	7750
7451	C G G C C C T T G C T T G A T A T G A C A G G A C A G G C T A C C T G C C G C C G G T G C G C C G G A A C G A C T A C T G C C T T G T C C A T C C G A T C C A C C G C G C A C G * D C A L V A N D G M	7500	C G G C A A G G A A C A C T A G T C C A C C C A G A C C G A T T G T C G C C A T G G C C G T T C C C T T T C T G A T C A C C T G C G G C T C T G C G T A A C A G C G G T A C * D C A L V A N D G M	7751	7800

Fig. 7/14

7801	CCCGGATCGCCATCGGCTGACCGGCTTCAGGCCAAGGCGGATCGCGCTC -----+-----+-----+-----+-----+ GGGCTACGGCGGTAGCGGATCGGCCGGAAGTCCGGTTCCGCTAGCGCGAG	7850	8101	CGCGGCTCTTCGGGGCTGTCCGGCAGCTCGAOCGGAACCCGAGCGTTTC -----+-----+-----+-----+-----+ CGCGGAGAGACCCCGGACAGCGGCTGGAGCTGGCTTTGGGCTCGGAAAG	8150
7901	G P H A M P Q G P K L G L R D A E -----+-----+-----+-----+-----+ TCCGCCCGGATTTCGAGGACGACAGCGGTCGGGTCGGGATCGCGGA AGCGGGCGGCTAAGCTCTCTGTCGGCCAGCCCGGAGGCTAGCGGCT	7900	8151	CCGACCGGTATCGACGACAGACTGCCGGGGCGGCAATCCACCGCGCGCG -----+-----+-----+-----+-----+ GGTGGCCATAGCTGCTGTCTGACGGCCCGCGGTAAGGTGGCGGCGGC	8200
7951	G G A I E L V F L R D P D G -----+-----+-----+-----+-----+ CGCCCGCGCGGATGGGGTCTGTCAGCGGGCGGCGCATTCGGGTGG GGCGCGCGGCGCTTACCCGCGAGAGAGGTGCGCGCGCGGTAACGCGACC	7950	8201	CGCGCGCGGCGCATCAGGACGCGGAGAGAGCGCTCGGGCTTACTCGGCCAC -----+-----+-----+-----+-----+ GCGCGCGCGGCTTACTCTGCGGCTTCTGCGGAGCGCGGATGAGCGGCTG	8250
8001	V A A G P I P T E D L P R A N R H -----+-----+-----+-----+-----+ ATGTGCGCGATGACCGCGGTTTCATCCGCAAGACCGATGTCAGCGCGGAT TACACCGCTTACTCGCGCGGAGTAGGGGTTTCTGTTACAGGTGCGGCTA	8000	8251	ATGCGGAGATGAGGACTGCTCGGGCGGAGATCTCTGCTGACCTCGCGCAT -----+-----+-----+-----+-----+ TACCGTTCTATCTCTGACGAGCGCGGCTCTAGGACGACTGGGACCGGTA	8300
8051	I H R I V G T E D A F V M D L P I -----+-----+-----+-----+-----+ CAGTGTGTTGCGCATCCAGAGGACACCGGCTCGGGCGATTCTGATGTA GTCACACACCGGTAGGTCTTCTGTCGCGGACCGCGCTAAGCATCTACT	8050	8301	CCTCGTTCCGGTCAATCGAGCGGCGGAGTCCCATGCGCGGATCTCGCGGnnc -----+-----+-----+-----+-----+ GGAGCAAGCGGCGGATAGTCTGCGGCTCCAGGCTAGCGGCGCTAGACCGGnng	8350
8101	L T N R M W F S V P Q P S E Y I -----+-----+-----+-----+-----+ ACAGCATTCGGTGCOCGAGGCGAGCTCTCTCGGGAACATAGCGCGCTGC TTGCTAAGGCGACCGGGGTCGCTCGAGGAAACCGCTTGTAGTCCGGGACG	8100	8351	ATACGCGCGGCGGACCCCTCGAGGACGCGGAGGCGCATCGCTCGCGCAT -----+-----+-----+-----+-----+ TAGTCGGCGCGGCTGGAGGCTCTCTGCGGCTCGCTTACGCGGAGCGGCTA F L M G T G A P L E K R F M L G Q	8400

R T G T M <-- orf-16

Fig. 7/15

8401	CACGAGGTCGAGAACCCGGATGACGACGACCTCGATATGGATGACCA -----+-----+-----+-----+-----+ GTGCTOCAGGCTCTTCGGCCTTACTGCTGTCGAGGCTATACCTACTGT	8450
8451	CGTCCTCGGCTGCCGAGATGTTGGGAAACCGGGAAGGCCCTTGGC -----+-----+-----+-----+-----+ GCAGGAGCCGCCACCGGCTTCTACAAACGCTTGGGCTTTTCGGGAACG	8500
8501	CTTGTGMAACCACTTGACGGGGCCGGACGCGGCGCnncGTCCAGATG -----+-----+-----+-----+-----+ GAACAGCTTGGTGAACCTGGCCCGGCGCTGGTCGCGTnngCAGGCTTAC	8550
8551	CTCGATCACCCTGGCATCCAGATCGCGATnGGGGGGTGCnGTCGCTTT -----+-----+-----+-----+-----+ GACCTAGTCGAGCCGTAGGTCTAGCCGCTAnCCCCCAGCnGnCAGCGAAA	8600
8601	CnnCGGTTCCATCCACAGGACCTC -----+-----+-----+-----+-----+ GnnGCCAAGCTAGCTGTCTGGAG	8625

Fig. 8

1 MTPKQQFPLR DLVEIRLAQI SGQFGVVSAP LGAAMSDAAL SPGKRFR AVL
51 MLMVAESSGG VCDAMVDAAC AVEMVHAASL IFDDMPCMDD ARTRRGQPAT
101 HVAHGEGRAV LAGIALITEA MRILGEARGA TPDQRARLVA SMSRAMGPVG
151 LCAGQDLDLH APKDAAGIER EQDLKTGVLF VAGLEMLSII KGLDKAETEQ
201 LMAFGRQLGR VFQSYDOLLD VIGDKASTGK DTARDTAAPG PKGGLMAVGQ
251 MGDVAQHYRA SRAQLDELMR TRLFRGGQIA DLLARVLP HD IRRSA

Fig. 9

1 MTDLTATSEA AIAQGSQSFA QAAKLMPPGI REDTVMLYAW CRHADDVIDG
 51 QVMGSAPEAG GDPQARLGAL RADTLAALHE DGPMSPFFAA LRQVARRHDF
 101 PDLWFMDLIE GFAMDVADRE YRSLDDVLEY SYHVAGVVG V MMARVMGVQD
 151 DAVLDRACDL GLAFQLTNIA RDVIDDAAIG RCYLPADWLA EAGATVEGPV
 201 PSDALYSVII RLLDAAEPYY ASARQGLPHL PPRCAWSIAA ALRIYRAIGT
 251 RIRQGGPEAY RQRISTSKAA KIGLLARGGL DAAASRLRGG EISRDGLWTR
 301 PRA

Fig. 10

1 MSSAIVIGAG FGGLALAIRL QSAGIATTIV EARDKPGGRA YVWNDQGHVF
51 DAGPTVVTD P DSLRELWALS GQPMERDVTL LPVSPFYRLT WADGRSFEYV
101 NDDDELIRQV ASFNPADV DG YRRFHDYAE VYREGYLKLG TTPFLKLGQM
151 LNAAPALMRL QAYRSVHSMV ARFIQDPHLR QAFSFHTLLV GGNPFSTSSI
201 YALIHALLERR GGVWFAKGGT NQLVAGMVAL FERLGGTLLL NARVTRIDTE
251 GDRATGV TLL DGRQLRADTV ASNGDVMHSY RDLLGHTRRG RTKAAILNRQ
301 RWSMSLFVLH FGLSKRPENL AHHSVIFGPR YKGLVNEIFN GPRLPDDFSM
351 YLHSPCV TDP SLAPEGMSTH YVLAPVPHLG RADVDWEAEA PGYAERIFEE
401 LERRAIPDLR KHLTVSRIFS PADFSTELSA HHGSAFSVEP ILTQSAWFRP
451 HNRDRAIPNF YIVGAGTHPG AGIPGVVGS A KATAQVMLSD LAVA


Fig. 11

1 MSHDLLIAGA GLSGALIALA VRDRRPDARI VMLDARSGPS DQHTWSCHDT
51 DLSPEWLARL SPIRRGEWTD QEVAFPDHSR RLTTGYGSIE AGALIGLLQG
101 VDLRWNTHTVA TLDDTGATLT DGSRIEAACV IDARGAVETP HLTVGFGQKFV
151 GVEIETDAPH GVERPMIMDA TVPQMDGYRF IYLLPFSPTR ILIEDTRYSD
201 GGDLLDDGALA QASLDYAARR GWTGQEMRRE RGILPIALAH DAIGFWRDHA
251 QGAVPVGLGA GLFHPVTGYS LPYAAQVADA IAARDLTAS ARRAVRGWAI
301 DRADRDRLR LLNRMLFRGC PPDRRYRLQ RFYRLPOPLI ERFYAGRLTL
351 ADRLRIVTGR PPIPLSQAVR CLPERPLLQE RA

Fig. 12


1 MSTWAAILTV ILTVAAMELT AYSVHRWIMH GPLGWGWHKS HHDEDHDLAL
51 EKNDLYGVIF AVISIVLFAI GAMGSDLAWW LAVGVTCYGL IYYFLHDGLV
101 HGRWPFRYVP KRGYLRRVYQ AHRMHHAVHG RENCVSFGFI WAPSVDSLKA
151 ELKRSGALLK DREGADRNT

Fig. 13



construct	crtE	crtB	crtI	crtY	crtZ	carotenoid
pLyc	+	+	+	-	-	LYCOPENE
p59-2	+	+	+	+	-	β -CAROTENE
pZea 4	+	+	+	+	+	ZEAXANTHIN

Fig. 14



	HindIII	AflII	XbaI	EcoRI	
CS1: 5'	AGCTTGGATCCCTTAAGTACTCTAGAGTTTAAACG	3'			
CS2: 3'	ACCTAGGAATTTCATGAGATCTCAAATTTGCCTAA	5'	PmeI		
	ScaI				
MUT7: 5'	TCGACCCCTAGGCACAGTGACGCGTCAATTGGATCCGCATGCCAAGCTT	3'	BamHI	HindIII	
MUT8: 3'	GGGATCCGTGGACATGGCGCAGTTAACCTAGGCGTACGTTCGAAGTAG	5'	MunI	SphI	
	PmlI				
	SalI	AvrII	MluI		
MUT9: 5'	gtgctccctctttcaccgatattggcatccgccccccttcgcgggtcccttcagcagcgccccgagcgttttcagctcttgcccttgaggctg	3'		SalI	
MUT10: 3'	cacaggaggaaagtgcataaacgctagggcggaagcgccaggaaagtcgtcgcgggggctcgcaaatcgagacggaaactccgcacagct	5'			
	RBS	← crtZ			
MUT11: 5'	TAAGAAACcctcccttA	3'	SpeI		
MUT12: 3'	TCTTTGggaggaaaatgATC	5'			
	RBS				

Fig. 16





Fig. 17






Fig. 18




Fig. 20/1




Fig. 20/2






Fig. 20/4





Fig. 21/1



chromosome of
BS1012::ZYIB-
EINV4

Fig. 21/2




Fig. 22




Fig. 23




Fig. 24/1

```

CTAAATTGTAAGCGTTAAATATTTTGTAAATTCGGCTTAAATTTTGTAAATCAGCTC
1 -----+ 60
GATTTAACATTGCAATTATAAAACAATTTTAAAGCGCAATTTAAAAACAATTTAGTCGAG
ATTTTTTAACCAATAGGCGGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCGA
61 -----+ 120
TAAAAAATTGGTTATCGGGCTTTAGCCGTTTATAGGGAATATTTAGTTTTCTTATCTGGCT
GATAGGGTTGAGTGTGTTCCAGTTTGGAAACAAGAGTCCACTATTAAAGAACGTGGACTC
121 -----+ 180
CTATCCCAACTCACAACAAGGTCAAACCTTGTCTCAGGTGATAATTCTTGCACCTGAG
CAACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACC
181 -----+ 240
GTTGCAGTTTCCCGCTTTTGGCAGATAGTCCCGCTACCGGGTGATGCACCTTGGTAGTGG
CTAATCAAGTTTTTTGGGGTCGAGGTGCCGTAAAGCACTAAATCGGAACCTTAAAGGGAG
241 -----+ 300
GATTAGTTCAAAAAACCCAGCTCCACGGCATTTCGTGATTTAGCCTTGGGATTTCCCTC
CCCCCGATTAGAGCTTGACGGGGAAGCGGGCGAACGTGGCGAGAAAGGAAGGGAAGAA
301 -----+ 360
GGGGGCTAAATCTCGAACTGCCCTTTTCGGCGGCTTGCACCGCTCTTTCCTTCCCTTCTT
AGCGAAAGGAGCGGGCGCTAGGGCGCTGGCAAGTGTAGCGGTCACGCTGCGCGTAACCAC
361 -----+ 420
TCGCTTTCCTCGCCCGGATCCCGCGACCGTTCACATCGCCAGTCCGACCGGCATTGGTG
CACACCCCGCGCGCTTAATGCCCGGCTACAGGGCGCGTCCCATTCGCCATTGAGGCTGCG
421 -----+ 480
GTGTGGGCGGCGGAATTACGGCGCGATGTCCCGCGCAGGTAAGCGGTAAGTCCGACGC
CAACTGTTGGGAAGGGCGATCGGTGCGGGCTCTTCGCTATTACGCCAGGTGGCGAAAGG
481 -----+ 540
GTTGACAACCTTCCCGCTAGCCACGCCCGGAGAAGCGATAATGCGGTGACCGCTTTCC
GGGATGTGCTGCAAGGCGATTAAAGTTGGGTAAAGCCAGGTTTTCCCAAGTCACGACGTTG
541 -----+ 600
CCCTACACGACGTTCCGCTAATTCAACCCATTGCGGTCCCAAAAGGGTCAGTGCTGCAAC
TAAACGACGCCAGTGAGCGCGGTAATACGACTCACTATAGGGCGAATTGGAGCTCCA
601 -----+ 660
ATTTTGCTGCGGTCAGTCCGCGCGATTATGCTGAGTGATATCCCGCTTAACCTCGAGGT
CCGCGGTGGCGGCGGCTCTAGTGGATCCGCGGCTGGCGGTTGCGGATCAGCAGCGCCCT
661 -----+ 720
GGCGCCACCGCGCGGAGATCACTAGGCGCGGACCGGCAAGCGCTAGTCTGTCGGCGGGA
TGCGGATCGGTACGATCATCCCATGAACCGCAGCGCACGACGACGCGCGCGCCGAGA
721 -----+ 780
ACGCCTAGCCAGTCTAGTAGGGGTACTTGGCGTCCGCTGCTGCGTCCGCGCGGGGTCT
TCGGGCGGTCACGACGGCATGCGGCATCATCGGAAGGCCCCCGCGGCATGGGGCGC
781 -----+ 840
AGCCCCGCGCAGGTGCTGCGGTACGCGGTAGTAGCGCTTCGGGGGGCGCGGTACCCCGCG
GTGCCCATTCGGAAGAACTCGCAGCCTGTCCGCTGCGCAAGGTGCGGCCAGATCGCGCGG
841 -----+ 900
CACGGGTAAAGGCTCTTGAGCGTCGGACAGCGGACGCGTTCCAGCGCGGTCTAGCGCGGC
TATTCGATGCAGTGACGGGCGGATGCGCGTGGCGCGGCTGCCCCGCGCGCACCGC
901 -----+ 960
ATAAGGCTACGTCACTGCCCGGGCTACGCGCACCGCGCGGACGCGGCGCGGTGGTGG

```

Fig. 24/2

GCATCGGCGACGAACCCCTCCGAGATGATGTGCTGATCCATGGCCCGTCATTGCAAAACC
 961 ----- 1020
 CGTAGCCGCTGCTTGGGAAGGCTCTACTACACGACTAGGTACCGGGCAGTAACGTTTGG
 GATCACCGATCCTGTGCGGTGATGGCATTGTTTGCATGCCCGAGGGCTAGGATGGCGC
 1021 ----- 1080
 CTAGTGGCTAGGACAGCGCACTACCGTAACAAACGTTACGGGGCTCCCGATCCTACCGCG
 GAAGGATCAAGGGGGGAGAGACATGGAAATCGAGGGACGGGTCTTTGTCTCACGGGGC
 1081 ----- 1140
 CTTCTAGTTCCCCCTCTCTGTACCTTTAGCTCCCTGCCAGAAACAGCAGTGCCCGC
 CCGCATCGGGTCTGGGGGGCGGCTCGGCGCGGATGCTGGCCCAAGGCGGCGCGAAGGTCT
 1141 ----- 1200
 GCGTAGCCAGACCCCGCGCGAGCGCGCCTACGACCGGGTTCCGCGCGCTTCCAGC
 TGCTGGCGGATCTGGCGGAACCGAAGGACGCGCCCGAAGGCGCGGTTACGCGGCGCTGG
 1201 ----- 1260
 ACGACCGGCTAGACCGCTTGGCTTCTGCGCGGGCTTCCGCGCCAAGTGCGCGGACGCG
 ACGTGACCGGACGCGACCGGTGCGCAGACGGCCATCGCGCTGGCGACCGACCGCTTCGGCA
 1261 ----- 1320
 TGCACTGGCTGCGGTGGCGACGCGTCTGCCGGTAGCGCGACCGCTGGCTGGCGAAGCCGT
 GGCTGGACGGCCTTGTGAATGCGCGGGCATCGCGCGCGCGCAACCGATGCTGGGCGCG
 1321 ----- 1380
 CCGACCTGCGGGAACACTTGACGCGCCCGTAGCGCGGCGGCTTGCTACGACCCGCGCG
 ACGGGCGCGATGGACTGGACAGCTTTGCCCGTGCGGTACGATCAACCTGATCGGCAGCT
 1381 ----- 1440
 TGCCCGGCTAGCTGACCTGTGCAACCGGGACGCGCAGTGCTAGTTGGACTAGCCGTGCA
 TCAACATGGCCCGCTTGACGCGGAGGCGATGGCCCGGAACGAGCCCGTCCGGGGCGAGC
 1441 ----- 1500
 AGTTGTACCGGGCGAAGCTCGGCTCCGCTACCGGGCCTTGCTCGGCGAGGCGCGCTCG
 GTGGCGTGATCGTCAACACGGCTCGATCGCGCGCAGGACGGACAGATCGGACAGGTCTG
 1501 ----- 1560
 CACCGCACTAGCAGTTGTGCCGGAGCTAGCGCCCGCTCCTGCCTGTCTAGCCTGTCCAGC
 CCTATCGGGCGAGCAAGGGGGGCTGGCGGGCATGACGCTGCCGATGGCCCGGACCTTG
 1561 ----- 1620
 GGATACGCGGCTCGTTCCGCCCGACCGCCGTAAGTGGACGGCTACCGGGCGCTGGAAC
 CGCGGCACGGCATCCGCGTCATGACCATCGCGCCCGCATCTTCGCGACCCCGATGCTGG
 1621 ----- 1680
 GCGCGGTGCGGTAGGCGCAGTACTGGTAGCGCGGGCGGTAGAAGGCTGGGGCTACGACC
 AGGGGCTGCCGAGGACGTTCAAGACAGCCTGGGCGCGGCGGTGCCCTTCCCTCGCGGC
 1681 ----- 1740
 TCCCGGACGGCGTCTGCAAGTCTGTGCGGACCGCGCGCGCACGGGAAGGGAGCGCGC
 TGGGAGAGCGCTCGGAATACGGCGCGCTGTTGCCACCACATCATCGCGAACCCTATGCTGA
 1741 ----- 1800
 ACCCTCTCGGCAGCCTTATGCGCGCGGACAAACGTGGTGTAGTAGCGCTTGGGGTACGACT
 ACGGAGAGGTCA TCCGCTCGACGGCGCATTCGSCATGGCCCCCAAGTGAAGGAGCGTTT
 1801 ----- 1860
 TGCTCTCCAGTAGGCGGAGCTGCCGCGTAACGCGTACCGGGGTTCACTTCTCGCAA
 CATGGACCCCATCGTCATACCGGGCGGATGCGCACCCCGATGGGGGCATTCCAGGGCGA
 1861 ----- 1920
 GTACCTGGGGTAGCAGTAGTGGCGCGCTACGCGTGGGGCTACCCCGTAAGGTCCCGCT
 TCTTGGCGCGATGGATGCCCGGACCTTGGCGCGGACCGGATCCGCGCGCGCTGAACGG
 1921 ----- 1980
 AGAACGGCGCTACCTACGGGGCTGGGAACCGCGCTGCGCTAGGCGCGCGCGGACTTGCC

Fig. 24/3

```

1981 CCTGTCGCCCGACATGGTGGACGAGGTGCTGATGGGCTGCGTCCTCGCCGCGGGCCAGGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2040 GGACAGCGGGCTGTACCACCTGCTCCACGACTACCCGACGCAGGAGCGGCGCCCGGTCCC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2041 TCAGGCACCGGCACGTGAGGCGGGCTTGGCGCCGACTGCCGCTGTCGACGGGCACGAC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2100 AGTCGGTGGCGGTGCAGTCCGCCGCGAACCGCGGCCTGACGGCGACAGCTGCCCGTGCTG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2101 CACCATCAACGAGATGTCCGGATCGGGCATGAAGGCCGCGATGCTGGGCCATGACCTGAT
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2160 GTGGTAGTTGCTCTACAGCCTAGCCCGTACTTCCGGCGCTACGACCCGGTACTGGACTA
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2161 CGCCGCGGGATCGGCGGGCATCGTCGTGCGCGCGGGATGGAGAGCATGTGAAACGCCCC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2220 GCGGCGCCCTAGCCGCGCGTAGCAGCAGCGCGCGCCCTACCTCTCGTACAGCTTGCGGGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2221 CTACCTGCTGCCCAAGGCGCGGTGCGGGATGCGCATGGGCCATGACCGTGTGCTGGATCA
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2280 GATGGACGACGGGTTCCGCGCCAGCCCTACGCGTACCCGGTACTGGCACACGACCTAGT
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2281 CATGTTCTCGACGGGTTGGAGGACGCCATGACAAGGCCGCGCTGATGGGCACCTTCGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2340 GTACAAGGAGCTGCCCAACCTCCTGCGGATACTGTTCCCGCGGACTACCCGTGGAAGCG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2341 CGAGGATTGCGCGCGCATCACGGTTTCACCCGCGAGGCGCAGGACGACTATGCGGTGAC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2400 GCTCCTAACCGCGCGCGCTAGTGCCAAAGTGGGCGCTCCGCGTCTGCTGATACGCGACTG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2401 CAGCCTGGCCCGCGCGCAGGACGCCATCGCCAGCGGTGCCTTCGCCGCGGAGATCGCGCC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2460 GTCGGACCGGGCGCGCGTCTGCGGTAGCGGTGCGCACGGAAGCGGCGGCTCTAGCGCGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2461 CGTGACCGTCACGGCACGCAAGGTGCAGACCACCGTCGATACCGACGAGATGCCCGGCAA
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2520 GCACTGGCAGTGCCGTGCGTTCACGTCTGGTGGCAGCTATGGCTGCTCTACGGGCGGTT
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2521 GGCCCGCCCCGAGAAGATCCCCATCTGAAGCCCGCCTTCGCTGACGGTGGCACGGTCAC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2580 CCGGCGCGGGCTCTTCTAGGGGTAGACTTCGGGCGGAAGGCACTGCCACCGTGCCAGTG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2581 GCGGCGGAACAGCTCGTCGATCTCGACGGGGCGCGCGGCTGGTGATGATGCGCCAGTC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2640 CCGCGGCTTGTGAGCAGCTAGAGCCTGCCCGCGCGCGGACCACTACTACGCGGTGACG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2641 GCAGGCCGAGAAGCTGGGCTGACGCCGATCGCGCGGATCATCGGTGATGCGACCCATGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2700 CGTCCGGCTCTTCGACCCGACTGCGGCTAGCGCGCCTAGTAGCCAGTACGCTGGGTACG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2701 CGACCGTCCCGGCTGTTCCCGACGGCCCCCATCGGCGGATGCGCAAGCTGCTGGACCG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2760 GCTGGCAGGGCGGACAAGGGCTGCCGGGGTAGCCGCGCTACGCGTTCGACGACCTGGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2761 CACGGACACCCGCTTGGCGATTACGACCTGTTGAGGTGAACGAGGCATTGCCCGTCTGT
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2820 GTGCCTGTGGGCGGAACCGCTAATGCTGGACAAGCTCCACTTGCTCCGTAAGCGGCAGCA
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2821 CGCCATGATCGCGATGAAGGAGCTTGGCCTGCCACACGATGCCACGAACATCAACGCGGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2880 GCGGTAAGTACGCGTACTTCTCGAACCGGACGGTGTGCTACGGTGCTTGTAGTTGCCGCC
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2881 GGCTGCGCGCTTGGGCATCCCATCGCGCGCTCGGGGGCGCGGATCATGGTCACGGTGCT
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2940 CCGGACCGCGGAACCGTAGGGTAGCGCGCAGCCCCGCGCCTAGTACCAGTGGCAGCA
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2941 GAACCGGATGGCGGGCGGGGGCGGACCGCGCGGGCGGCATCCGTCTGCATCGGCGGGGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
3000 CTTGCGCTACCGCGCGCGCCCGCGTGGCGCGCCCGCGGTAGGCAGACGTAGCCGCCCCC

```

Fig. 24/4

```

3001 CGAGGGGACGGCCATCGCGCTGGAACGGCTGAGCTAATTCATTTGCGCGAATCCGCGTTT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3060 GCTCCGCTGCGCGTAGCGCGACCTTGCCGACTCGATTAAGTAAACGCGCTTAGGCGCAAA

3061 TTCGTGCACGATGGGGGAACCGGAAACGGCCACGCGCTGTTGTGGTTGCGTCGACCTGTCT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3120 AAGCACGTGTACCCCTTGGCCTTTGCCGGTGCGGACAACACCAACGCAGCTGGACAGA

3121 TCGGGCCATGCCCCGTGACCGCATGTGGCAGCGCATGGGGCGTTGCCGATCCGGTCGGAT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3180 AGCCCGGTACGGGCACTGCGCTACACCGTCCGCGTACCCCGCAACGGCTAGGCCAGCGTA

3181 GACTGACGCAACGAAGGCACCGATGACGCGCAAGCAGCAATTCCCGCTACGGGATCTGGT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3240 CTGACTGCGTTGCTTCCSTGGCTACTGCGGGTTCGTGTTAAGGGGGATGCGCTAGACCA

3241 CGAGATCAGGCTGGCGCAGATCTCGGGCCAGTTCGCGCTGGTCTCGGCCCGCTCGGCGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3300 GCTCTAGTCCGACCGCGTCTAGAGCCCGTCAAGCCGCACCAAGCCGGGGCGAGCCCGG

3301 GGCCATGAGCGATGCGGCCCTGTCCCCCGGCAACCGCTTTCGCGCCGTGCTGATGCTGAT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3360 CCGGTACTCGCTACGGCGGGACAGGGGGCGGTTTGCGAAAGCGCGGCACGACTACGACTA

3361 GGTCCGCGAAAGCTCGGGCGGGTCTGCGATGCGATGGTTCGATGCCGCTGCGCGGTCCA
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3420 CCAGCGGCTTTCGAGCCCGCCCCAGACGCTACGCTACCAGCTACGGCGGACGCGCCAGCT

3421 GATGGTCCATGCCGCACTCGTGTCTTCGACGACATGCCCTGCATGGACGATGCCAGGAC
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3480 CTACCAGGTACGGCGTAGCGACTAGAAGCTGCTGTACGGGACGTACCTGCTACGGTCCGTG

3481 CCGTCGCGGTACGCCCGCCACCCATGTGCGCCATGGCGAGGGGCGCGCGGTGCTTGCGGG
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3540 GGCAGCGCCAGTCGGGCGGTGGGTACAGCGGGTACCGCTCCCGCGCGGCCACGAACGCCCC

3541 CATCGCCCTGATCACCGAGGCCATGCGGATTTTGGGCGAGGCGCGCGCGCGGACGCCCGGA
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3600 GTAGCGGGACTAGTGGCTCCGGTACGCGCTAAAACCGCTCCCGCGCGCGCGCTGCGGGCT

3601 TCAGCGCGCAAGGCTGGTCCGATCCATGTTCGCGCGCATGGGACCGGTGGGGCTGTGCGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3660 AGTCGCGCGTTCCGACCAGCGTAGGTACAGCGCGCGCTACCGTGGCCACCCCGACACCGG

3661 AGGGCAGGATCTGGACCTGCAAGCGCGCTAAGGACGCGCGCGCGGATCGAACCTGAACAGGA
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3720 TCCCGTCCTAGACCTGGACGTGCGGGGTTCTGCGGGCGGCCCTAGCTTGCACTTGTCTT

3721 CCTCAAGACCGCGCTGCTGTTCGTCCCGGGCCTCGAGATGCTGTCCATTATTAAGGGTCT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3780 GGAGTTCTGGCGCACGACAAGCAGCGCGCGGAGCTCTACGACAGGTAATAATTCCAGAA

3781 GGACAAGGCGGAGACCGAGCAGCTCATGGCCTTCGGGCGTCAGCTTGGTCGGGTCTTCCA
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3840 CCTGTTCCGGCTCTGGCTCGTCTGACTACCGGAAGCCCGCAGTCGAACCGAGCCAGAGGT

3841 GTCCTATGACGACCTGCTGGACGTGATCGGCGACAAGGCCAGCACCGGCAAGGATACGGC
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3900 CAGGATACTGCTGGACGACCTGCACTAGCCGCTGTTCCGGTCGTGGCGGTTCTATGCCG

3901 GCGCGACACCGCGCGCCCCCGGCCAAAGGGCGGCTGATGGCGGTGCGACAGATGGGCGA
-----+-----+-----+-----+-----+-----+-----+-----+-----+
3960 CGCGCTGTGGCGGCGGGGCGCGGTTTCCCGCGGACTACCGCCAGCTGTCTACCCGCT

3961 CGTGGCGCAGCAATTACCGCGCGAGCGCGGCGCAACTGGACGAGCTGATGCGCACCCGGCT
-----+-----+-----+-----+-----+-----+-----+-----+-----+
4020 GCACCGCGTCTGAATGGCGCGGTGCGCGCGCTTGACCTGCTCGACTACGCGTGGGCGGA

```


Fig. 24/6

5041 GCGCTGCCAACGACACCCGGGATGCCCGCACCCGGATGCGTGCCCGCCCCCAGGATGTAG 5100
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 CCGGACGGTTGCTGTGGGCGCTACGGGCGTGGGCTACGCACGGGCGGGGTGCTACATC
 5101 AAGTTCCGGATCGCGCGGTGCGGTTATGCGGGCGGAACCAGGCGGATTGCGTCAGGATC 5160
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TTCAAGCCCTAGCGCGTCAGCGCAATACGCGCGGCTTGGTCCGCTAACGCAGTCCTAG
 5161 GGCTCGACCGAGAAGGCGGTGCGGTGATGGGCGGACAGTTGCGTGCTGAAATCGGCGGGG 5220
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 CCGAGCTGGCTCTTCCGCGACGCGACTACCGGCTGTCAAGCCACGACTTTAGCGCGCCC
 5221 CTGAAGATGCGGCTGACGGTCAGGTGCTTGCGCAGGTGCGGGATGGCGCGGCGCTCCAGT 5280
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 GACTTCTACGCGACTGCCAGTCCACGAACGCGTCCAGCGCCCTACCGCGCGCGAGGTCA
 5281 TCCTCGAAGATGCGCTCGGCATAGCCCGGGGCTCGGCTTCCCAATCGACATCGGCGGGG 5340
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 AGGAGCTTCTACGCGAGCGGTATCGGGCCCCGAGCGGAAGGGTTAGCTGTAGCGCGCC
 5341 CCCAGATGCGGAACGGGCGCAAGGACGTAAATGCGTGGACATCCCTCGGGGGCCAGGCTG 5400
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 GGGTCTACGCCCTTGCCCGGCTTCTGCATTACGCACCTGTAGGGGAGCCCCCGGTCCGAC
 5401 GGATCGGTCAAGCAGGGCGAATGCAGATACATCGAGAAATCGTCCGCGAGGCGTGGCCCG 5460
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 CCTAGCCAGTGGTCCCGCTTACGTCTATGTAGCTCTTTAGCAGGCGGTCCGCAACGGGC
 5461 TTGAAGATCTCGTTACCGAGCCCTTGTAGCGCGGGCCGAAGATGACGCTGTGGTGGGCC 5520
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 AACTTCTAGAGCAAGTGGTGGGGAACATCGCGCCCCGGCTTCTACTCGGACACCACCGG
 5521 AGGTTCGCGGGCGCTTGGACAGGCGCAAAATGCAGCACGAACAGCGACATCGACCAGCGC 5580
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TCCAAGAGCCCCCGCAACCTGTCCGGCTTACGTGGTGTGTCGGTGTAGCTGGTCCGCG
 5581 TGCCGGTTCAGGATCGCGGCTTGGTGGCGCCGCGCGGGTATGGCCAGCAGGTCCGGA 5640
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 ACGGCCAAGTCTAGCGCGCGAACCACGCGGGCGCGCCCATACCGGGTGGTCCAGCGCT
 5641 TAGCTGTGCATCACGTGCGCGTGGTGGCCACCGTATCCGCGCGCAACTGCCGCCCGTCC 5700
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 ATCGACACGTAGTGCAGCGGCAACGACCGGTGGCATAGCGCGCGGTGACGGCGGGCAGG
 5701 AGCAGCGTGACGCCCGTGGCGGATCGGCCCTCGGTGTGATCCGCGTGACGGGGCATTC 5760
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TCGTCGCACTGCGGGCACCGCGCTAGCGGGAGCCACAGCTAGGCGCACTGCGCCCGTAAG
 5761 AGCAGCAGCGTGCGGCAAGACGCTCGAACAGGGCGACCATGCCCGCGACCACTGGTTG 5820
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TCGTCGTGCACGGCGGTCTGCGAGCTTGTCCCGCTGGTACGGGCGCTGGTCCGCAAC
 5821 GTGCCGCGCTTGGCGAACAGACGCGCGCGCGCGCTTCCAGCGCATGGATCAGCGCATAG 5880
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 CACGGCGGGAACCGCTTGGTCTGCGCGCGCGCGGCAAGGTGCGGTACCTAGTCCGCTATC
 5881 ATCGAGCTGGTGGAAAACGGGTTCGCGCGGACGAGCGGTGTGGAACGAGAAGGCGTGC 5940
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TAGCTCGACCAAGCTTTGCGCAAGGGCGGCTGGTGGTCCGACACCTTGCTCTTCCGGACG
 5941 CGCAGATGCGGGTCTGGATGAAGCGCGCCACCATGCTGTGGACCGAGCGGTATGCCTGC 6000
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 GCGTCTACGCCCAGGACCTACTTCGCGCGGTGGTACGACACCTGGCTCGCCATACGGACG
 6001 AGGCGCATCAGCGCGCGCGCGCGGCTTCAGCATCTGCGCCAGCTTCAGGAAGGGCGTGGTC 6060
 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 TCCGCGTAGTCCGCGCGCGCGCGCAAGTGGTAGACCGGGTCAAGTCCTTCCCGCACCGAG

Fig. 24/7

6061 CCCAGCTTCAGATACCCCTCGGSA TAGACCTCTCGGCTAATCGTGGAAGCGGCGATAG 6120
 GGGTCGAAGTCTATGGGGAGCGCTATCTGGAGGAGCGGCATTAGCACCTTCGCGCGCTATC
 6121 CCATCGACATCGGCGGGATTGAAGGAGCGGACCTGGCGGATCAGCTCGTCTCGTCTGTTT 6180
 GGTAGCTGTAGCGCGCTAAGTTCCTCGGCTGGACCGCTAGTCGAGCAGCAGCAGCAAG
 6181 ACGTATTCGAAGCTCGGCGCGTGGGCGCATGTGAGCGGCTAGAAGGGCGAGACCGGCAGC 6240
 TGCATAAGCTTCGACCGCGCGCAGGCGGGTACAGTGGGCACTCTTCGCGCTCTGGCGCTCG
 6241 AGCGTCACGTACGCTCCATCGGTTGGCGGCTGAGGGCCACAGCTCTCGCAGGCTGTGCG 6300
 TCGCAGTGCAGTGCGAGGTAGGCAACCGCGGACTCCCGGGTGTGAGAGCGTCCGACAGC
 6301 GGGTCGGTCACGACCGTGGGCGCTGCATCGAAGACGTGGCGCTGATCGTTCAGACATAG 6360
 CCCAGCCAGTGCTGGCAGCCCGGACGTAGCTTCTGCACCGGGACTAGCAAGGTCTGTATC
 6361 GCGCGGCGCGCGGCTTGTGCGGGGCTCGACGATGGTGGTCCGATGCCGGCGGATTGCG 6420
 CGCGCGCGCGCGCGAACAGCGCGCGGAGCTGCTACCACAGCGCTACGGCGCGGCTAACG
 6421 AGGGGGATGGCAAGCGCAAGCGCGCGAAACCTGGCGCGATGACGATGGCGGAAGTCATG 6480
 TCGCGCTACCGTTCGCGTTCGGCGCGGCTTGGAGCGCGCTACTGCTACCGCGCTTGAGTAC
 6481 CTCTCTCTGACAGCGGGGGCTTCGGGCGAGCGCGCACGGCTCGGACAGCGGAATGG 6540
 GAGAGAGGACGTCTGCCCCGAAGCGCGTCCGTGGCGTGGCGGACGCTGTGCGCTTACC
 6541 GCGGGCGTCCGGTGACGATGCGAAGCGGCTCGGCGCAATGTCAGGCGCGCGCATAGAAGC 6600
 CGCGCGCAGGCGCACTGCTACGCTTCGGCGAGCGGTTACAGTCCGCGGGCGTATCTTCG
 6601 GCTCGATCAGCGGCTGCGGCGCGCGGTAGAACCGCTGCAGCAGCGGATAGCGACGGTCCG 6660
 CGAGCTAGTCCGCGAGCGCGTCCGCGCATCTGGCGAGCTCGTCCGCTATCGCTGCCAGCC
 6661 GCGGGCAGCGCGGGAACAGCATCGGTTTACGAGCGCGCAGGAAGCGGTCCGGATCCGCGC 6720
 CGCCCGTCCGCGCGCTTGTCTAGGCCAAGTCTGCGGCGTCTTCGCCAGCGCTAGGCGCG
 6721 GATCGATGGCGCAGCGCGGACCGCGCGGACGGCGGACGGGTCTGTCAGGTCCGCGCGCG 6780
 CTAGCTACCGGTCCGCGCGTGGCGCGCTGCCCGCTGCGCGCAGCAGTCCAGCGCGCGCG
 6781 CGATGGCATCCGCGACCTGCGCGGCA TAGGGCAGCGAATA TCCGGTGACGGGGTGAACA 6840
 GGTACCGTAGGCGGTGGACCGCGGTA TCCCGTCCCTTATAGGCCACTGCCCGACCTTGT
 6841 GCGCTGCCCGCAGCGCAAGCGGCGCGCGCGCTGCGCGTGGTCCGCGCAGAAGCCTATGG 6900
 CGGGACGGGGTCCGGTTGGCGGTGGCGGGGACGGCGACCGCGGTCTTCGGATACC
 6901 CGTCATGGCGCAGCGCGATGGCGAGGATGCCCGTTTCGCGCGCATCTCTGCGCGGTCC 6960
 GCAGTACCGGTCCGCGTACCGGTCTACGGGGAAGCGCGCGGTAGAGGACGGCGCAGG
 6961 AGCCCCGCGCTGGCGGATAGTCAGCGACCGCTGCGCGCAGCGCGCATCGTCCAGATCGC 7020
 TCGGGCGGACCGCGCTATCAAGTCCCTGCGGACCGGTCGCGCGGTAGCAGGTCTAGCG

Fig. 24/8

```

CGCCGTCGCTGTAGCGCGTATCGTCGATCAGGATGCGGGTGGGACTGAAGGGCAGCAGAT
7021 ----- 7080
CGCGCAGCGACATCGCGCATAGGAGCTAGTCTACGCGCCACCGTGACTTCCCGTCGTCTA

AGATGAAGCGGTACCCGTCCATCTGCGGAACGGTCCGCTCCATGATCATCGGGCGCTCGA
7081 ----- 7140
TCTACTTCGCCATGGGCAGGTAGACGGCTTCCAGCGCAGGTACTAGTAGCCCGCGAGCT

CGCCATGGGGGGCGTCGGTCTCGATCTCGACGCCACGAAATTTCTGGAACCCACGGTCA
7141 ----- 7200
GCGGTACCCCCCGCAGCCAGAGCTAGAGCTGCGGGTGCTTAAAGACCTTTGGGTGCCAGT

GGTGGGGGTCTCGACGGCACCACGGGGCTCGATCAGCGAGGCAGCCTCGATCCGCGAGC
7201 ----- 7260
CCACGCCCGCAGAGCTGCGGTGGTCCCCCGCAGCTAGTCCGTCCGTCCGAGCTAGGCGCTCG

CGTCCGTACGGCTCGCGCCCGGTATCGTCCAGCGTCGCGACATGGGTATTCCACCGCAGAT
7261 ----- 7320
GCAGGCAGTCCGAGCGCGGCCATAGCAGGTCCGACGGCTGTACGCATAAGGTGGCGTCTA

CGACACCTTCAGCAGCCCGATCAGCGCGCCCGCTCGATCGAGCCATAGCCTGTCTGTC
7321 ----- 7380
GCTGTGGGACGTCTGTCGGGCTAGTCCGCGGGCGGAGCTAGCTCGGTATCGGACAGCAGT

GGCGCGCGGAATGGTCCGGAAACGGGACCTCTGATCCGTCCATTGCGCGGACGAATGG
7381 ----- 7440
CGCGCGCGCTTACCAGCCCTTTGCGCTGGAGGACTAGGCAGGTAAGCGGCGCTGCTTACC

GGGACAGCGCGCGCAGCCATTGCGGGGAAAGATCCGTGTCTGTCGCGAGGACCAGGTGTGCT
7441 ----- 7500
CGCTGTCCCGCGGTCCGTAAAGCCCGCTTTCTAGGCACAGCACCGTCTCTGGTCCACAGCA

GGTCCGAGGGGGCGGACCGCGCGTCCAGCATCAGCATGCGCGCATCCGGTCTGCGGTCCG
7501 ----- 7560
CCAGGCTCCCCGGCTGGCGCGCAGCTCGTAGTGCTACGCGCGTAGGCCAGACGCCAGCG

GAACGGCAAGCGCGATCAGCGCACCGGACAGCCCCCGCGCCCGATCAGCAGATCATGGC
7561 ----- 7620
CTTGCCGTTCGGGCTAGTCCGCTGGCCTGTGCGGGCGCGGGCGCTAGTCTCTAGTACCG

TCATGTATTGCGATCCGCCCCCTTCGCGGTCTTCAGCAGCGCGCCGAGCGTTTCAGGTC
7621 ----- 7680
AGTACATAACGCTAGGCGGGGAAGCGCCAGGAAGTCCGTCCGCGGGGCTCGCAAAGTCGAG

TGCCCTTGAGGCTGTGACCGAGGGCGCCAGATGAAACCGAAGCTGACGCAGTTCTCGCG
7681 ----- 7740
ACGGAACTCCGACAGCTGGCTCCCGCGGGTCTACTTTGGCTTCGACTGCGTCAAGAGCGC

GCCATGGACCGCGTGATGCATCTCTGTGTGCTGGTAGACGCGACGAAGATAGCCGCGCTT
7741 ----- 7800
CGGTACCTGGCGCACTACGTAGGACACACGACCATCTGCGGTGCTTCTATCGGCGCGAA

GGGGACATAGCGGAACCGCCAGCGCCCATGCACCAAGCCGTCATGCAGGAAATAGTAGAT
7801 ----- 7860
CCCCGTATACGCTTCCCGGTCCCGGGTACGTGGTTCCGACGTACGTCTTTATCATCTA

CAGCCCGTACGAGGTGACCCCGACCGCCAGCCACGAGCCAGATCCGACCCCATCGCGCC
7861 ----- 7920
GTGCGGCACTGCTCCACTGGGGGTGGCGGTCCGTGGTCCGGTCTAGGCTGGGGTAGCGCGG

GATCGCGAACAGCAGCATCGAGATTACCGGGAAGATGACGCCATAGAGGTGCTTCTTCTC
7921 ----- 7980
CTAGCGCTTGTGCTGCTAGCTCTAATGGCGCTTCTACTGCGGTATCTCCAGCAAGAAGAG

```

1

[illegible]

Fig. 24/10

ATACCGTCGACCTCGAGGGGGGGGGGGGGTACCCAGCTTTTGGTCCCTTTAGTGAGGGTTTA
9001 ----- 9060
TATGGCAGCTGGAGCTCCCCCCCCGGCCATGGGTGCAAAACAAGGGAAATCACTCCCAAT
ATTGGCGCCTTGGCGTAAATCATGGTGTATAGCTGTTTCCCTGTGTGAAATTGTTATCCGCTC
9061 ----- 9120
TAACGCGCGAACCGCATTAGTACCAGTATCGACAAAGGACACACTTTAAACAATAGGCGAG
ACAATTCCACACACAATACGAGCGCGGAAGCATAAAGTGTAAAGCCTGGGGTGCCTAATGA
9121 ----- 9180
TGTTAAGGTGTGTTGTATGGCTCGGCCTTCGTATTTCCACATTTCCGACCCCGAGGATTACT
GTGAGCTAACTCAGATTAATTGCGTTTGGCTCACTGCCCGCTTTCAGTCCGGAAACCTG
9181 ----- 9240
CACTCGATTGAGTGTAAATTAACGCAACGCGAGTGACGGCGGAAAGGTCAGCCCTTTGGAC
TCGTGCCAGCTGCATTAAATGAATCGGGCAACCGCGGGGAGAGGCGGTTTGGTATTGGG
9241 ----- 9300
AGCACGGTCGACGTAATTACTTAGCGGTTTGGCGCCCCCTCTCCGCCAAACGCATAACCC
CGCTCTTCCGCTTCCCTCGCTCACTGACTCGCTGCGCTCGGTGCTTCCGCTGCGGCGAGCG
9301 ----- 9360
GCGAGAAGGCGAAGGAGCGAGTGACTGAGCGACGCGAGCCAGCAAGCCGACGCCGCTCGC
GTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAGAAATCAGGGGATAACGCAGGA
9361 ----- 9420
CATAGTCGAGTGAGTTTCCGCCATTATGCCAATAGGTGTCTTAGTCCCTATTGCGTCTCT
AAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCTTGGTG
9421 ----- 9480
TTCTGTACTACTCGTTTCCGGTCGTTTTCGGTCCTTGGCATTTTCCGGCGCAACGAC
GCGTTTTTCCATAGGCTCCGCCCGCTGACGAGCATCACAAAAATCGACGCTCAAGTCAG
9481 ----- 9540
CGCAAAAAGGTATCCGAGGCGGGGGGACTGCTCGTAGTGTTTTAGCTGCGAGTTCAGTC
AGGTGGCGAAACCCGACAGGACTATAAAGATACCAGCGGTTTCCCCCTGGAAGCTCCCTC
9541 ----- 9600
TCCACCGCTTTGGGCTGTCTGATATTTCTATGGTCCGCAAGGGGGACCTTCGAGGGAG
GTGGCTCTCCTGTTCCGACCTTCCCGTTACCGGATACCTGTCCGCTTTCTCCCTTCG
9601 ----- 9660
CACGCGAGAGGACAAGGCTGGGACGGCGAAATGGCTATGGACAGGCGGAAGAGGGAAGC
GGAAGCGTGGCGCTTTCTCATAGCTCAGCTGTAGGTATCTCAGTTCCGTGTAGGTCGTT
9661 ----- 9720
CCTTCGCACCGCGAAAAGATATCGAGTGCGACATCCATAGAGTCAAGCCACATCCAGCAA
CGCTCCAAGCTGGGCTGTGTGCACGAACCCCCGTTCCAGCCCGACCGCTGCGCCTTATCC
9721 ----- 9780
GCGAGGTTCCGACCGACACACGTGCTTGGGGGGAAGTCGGGCTGGCGACCGGGAATAGG
GGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCC
9781 ----- 9840
CCATTGATAGCAGAACTCAGGTTGGGGCAATCTGTGCTGAATAGCGGTGACCGTCGTGGG
ACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGCGGGTGTACAGAGTTCTTGAAGTGG
9841 ----- 9900
TGACCAATTGCTCTAATCGTCTCGCTCCATACATCCGCCACGATGTCTCAAGAACTTCACC
TGGCCTAACTACGGGTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCA
9901 ----- 9960
ACCGGATTGATGCCGATGTGATCTTCTGTGCATAAACCATAGACCGGAGACGACTTCGGT

Fig. 24/11

9961 GTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGC
 -----+----- 10020
 CAATGGAAGCCTTTTCTCAACCATCGAGAAGTAGGCCGTTTGTGGTGGCGACCATCG
 10021 GGTGGTTTTTTTGTTCGAAGCAGCAGATTACGGCGAGAAAAAAGGATCTCAAGAAGAT
 -----+----- 10080
 CCACCAAAAAAACAACGTTCTGCTCTAATGCGCGTCTTTTTTCTAGAGTTCTTCTA
 10081 CCGTTGATCTTTCTACGGCGTCTGACGCTCAGTGGAAACGAAAACTCACGTTAAGGGATT
 -----+----- 10140
 GGAAACTAGAAAAGATGCCCCAGACTGCSAGTCACCTTGCTTTTGAGTGCAATTCGCTAA
 10141 TTGGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTAAATTAATAATGAAGT
 -----+----- 10200
 AACCAGTACTCTAATAGTTTTTCTAGAAGTGGATCTAGGAAAAATTAATTTTACTTCA
 10201 TTTAAATCAATCTAAAGTATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATC
 -----+----- 10260
 AAATTTAGTTAGATTTCATATATACTCAATTTGAACCAGACTGTCAATGGTTACGAATTAG
 10261 AGTGAGGCACCTATCTCAGCGATCTGTCTATTTCTGTTCCATAGTTGCCTGACTCCCC
 -----+----- 10320
 TCACTCCGTGGATAGAGTCGCTAGACAGATAAAGCAAGTAGGTATCAACGGACTGAGGGG
 10321 GTCGTGTAGATAACTACGATACGGGAGGGCTTACCACTGCGCCCACTGCTGCAATGATA
 -----+----- 10380
 CAGCACATCTATTGATGCTATGCCCTCCGAATGCTAGACCGGGGTCACGACGTTACTAT
 10381 CCGCGAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCCAGCCAGCCGGAAGG
 -----+----- 10440
 GCGGCTCTGGGTGCGAGTGGCCGAGGTCTAAATAGTCGTTATTTGGTGGTCCGCCCTTCC
 10441 GCGGAGCGCAGAAGTGGTCTGCAACTTTATCCGCTCCATCCAGTCTATTAATTGTTGC
 -----+----- 10500
 CGGCTCGCGTCTTCACCAGGACGTTGAAATAGCGGAGGTAGGTGAGTAATTAACAACG
 10501 CGGGAAGCTAGAGTAAGTAGTTGCCAGTTAATAGTTTGGCAACGTTGTTGCCATTGCT
 -----+----- 10560
 GCCCTTCGATCTCATTCAACCGGTCAATTATCAACCGGTTGCAACAACGGTAACGA
 10561 ACAGGCATCGTGGTGTACGCTCGTCTGTTGGTATGGCTTCATTCACTCCGGTTCCCAA
 -----+----- 10620
 TGTCCGTAGCACACAGTCCGAGCAGCAAACCATACCGAAGTAAGTCGAGGCCAAGGGTT
 10621 CGATCAAGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGT
 -----+----- 10680
 GCTAGTTCCGCTCAATGTACTAGGGGGTACAACACGTTTTTTCGCAATCGAGGAAGCCA
 10681 CCTCCGATCGTTGTCAGAAGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCA
 -----+----- 10740
 GGAGGCTAGCAACAGTCTTCATTCAACCGGCTCACAATAGTGAGTACCAATACCGTCGT
 10741 CTGCATAATTCTCTACTGTCTATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTAC
 -----+----- 10800
 GACGTATTAAGAGAATGACAGTACGGTAGGCATTCTACGAAAAGACACTGACCACTCATG
 10801 TCAACCAAGTCAATCTGAGAATAGTGTATCGGGGACCGAGTTGCTCTTGGCCGGCGTCA
 -----+----- 10860
 AGTTGGTTCAGTAAGACTCTTATCACATACGGCGTGGCTCAACGAGAACGGGCGCAGT
 10861 ATACGGGATAATACGGCCACATAGCAGAACTTTAAAAGTGCTCATATTGGAAAACGT
 -----+----- 10920
 TATGCCCTATTATGGCCGGTGTATCGTCTTGAATTTTCACGAGTAGTAACCTTTTGCA
 10921 TCTTCGGGGCGAAAACTCTCAAGGATCTTACCGCTGTGAGATCCAGTTCGATGTAACCC
 -----+----- 10980
 AGAAGCCCCGCTTTTGAGAGTTCCTAGAATGGCGACAACTCTAGGTCAAGCTACATTGGG

Fig. 24/12

10981 ACTCGTGCACCCAACTGATCTTCAGCATCTTTTACTTTCACCAGCGTTTCTGGGTGAGCA 11040
TGAGCACGTGGGTTGACTAGAAGTGCTAGAAAATGAAAGTGGTCGCAAAGACCCACTCGT
11041 AAAACAGGAAGGCCAAAATGCCGCCAAAAAAGGTAATAAGGGCGACACGGAAATGTTGAATA 11100
TTTTGTCTTCCGTTTACGGCGTTTTTTCCGTTATTCCCGCTGTGCCTTTACAACCTAT
11101 CTCATACTCTTCCTTTTTCAATATTATTGAAGCATTATCAGGGTTATTGTCTCATGAGC 11160
GAGTATGAGAAGCAAAAAGTTATAATAACTTCGTAATAGTCCCAATAACAGAGTACTCG
11161 GGATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGGCGCACATTTCCC 11220
CGTATGTATAAACTTACATAAATCTTTTATTGTTTTATCCCAAGGCGCGTGTAAAGGG
CGAAAAGTCCAC
11221 ----- 11233
GCTTTTCACGGTG

14725

96


Fig. 26

Fig. 27




Fig. 28




Fig. 29




Fig. 30/1

```

ACTGTAGTCTGCGCGGATCGCCGGTCCGGGGGACAAGATATGAGCGCACATGCCCTGCC
1  -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 60
TGACATCAGACGCGCCTAGCGGCCAGGCCCTGTTCTATACTCGCGTGTACGGGACGGG

AAGGCAGATCTGACCGCCACCAAGTTTGATCGTCTCGGGCGGCATCATCGCCGCGTGGCTG
61  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 120
TTCGGTCTAGACTGGCGGTGGTCAAAGTAGCAGAGCCCGCGTAGTAGCGGCGCACCGAC

GCCCTGCATGTGCATGCGCTGTGGTTTCTGGACGCGCGGGCGCATCCCATCTGGCGGTC
121  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 180
CGGACGTACAGTACGCGACACCAAGACCTGCGCGCGCGGTAGGGTAGGACCGCCAG

GCGAATTTCTGGGGCTGACCTGGCTGTGGTCTGGTCTGTTCATCATCGCGCATGACGG
181  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 240
CGCTTAAGGACCCCGACTGGACCGACAGCCAGCCAGACAAGTAGTAGCGCGTACTGCGC

ATGCATGGGTCTGGTCTGTCGGGGGCGCCCGCGCGCAATGCGGCGATGGGCCAGCTTGTC
241  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 300
TACGTACCCAGCCAGACGCGCCCGCGGGCGCGGTTACGCGCTACCCGGTCAACAG

CTGTGGCTGTATGCCGGATTTTCTGGCGCAAGATGATCGTCAAGCACATGGCCCATCAT
301  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 360
GACACCGACATACGGCCTAAAAGGACCGCGTTCTACTAGCAGTTCTGTGTACCGGGTAGTA

CGCCATGCCGGAACCGACGACGACCCAGATTTGACCATGGCGGCGCGGTCCGCTGGTAC
361  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 420
GCGGTACCGCCTTGGCTGCTGCTGGGTCTAAAGCTGGTACCGCGGGGCGAGGCGACCATG

GCCCGCTTCATCGGCACCTATTTGGCTGGCGCGAGGGGCTGCTGCTGCCGTTCATCGTG
421  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 480
CGGGCGAAGTAGCCGTGGATAAAGCCGACCGCGCTCCCGACGACGACGGGCAGTAGCAC

ACGGTCTATGCGCTGATGTTGGGGGATCGCTGGATGTACGTGGTCTTCGCGCGTTGCCG
481  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 540
TGCCAGATACGCGACTACAACCCCTAGCGACCTACATGCACCAGAAGACCGGCAACGGC

TCGATCTCGCGTCGATCCAGCTGTTCTGTGTTTCGGCATCTGGCTGCCGACCGCCCCGGC
541  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 600
AGCTAGGACCGCAGCTAGGTGACAAGCACAAGCCGTAGACCGCGCGTGGCGGGGCGG

CACGACGGGTTCGCGACCGCCACAATGCGCGGTCTGCGCGATCAGCGACCCCGTGTGG
601  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 660
GTGCTGCGCAAGGGCCTGGCGGTGTACGCGCCAGCAGCGCTAGTCTGCTGGGGCACAGC

CTGCTGACCTGCTTTCACTTTGGCGGTTATCATCACGAACACCACCTGCACCCGACGGTG
661  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 720
GACGACTGGACGAAAGTGAACCGCCAATAGTAGTCTGTGGTGGACGTGGGCTGCCAC

CCTTGGTGGCGCTGCCAGCACCCGACCAAGGGGACACCGCATGACCAATTTCTCTGA
721  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 780
GGAACCAACCGGACGGGTCTGGCGGTGTTCCCCCTGTGGCGTACTGGTTAAAGGACT

TCGTCGTCGCCACCGTCTGTGTATGGAGCTGACGGCCTATTCCGTCCACCGCTGGATCA
781  -----+-----+-----+-----+-----+-----+-----+-----+-----+ 840
AGCAGCAGCGGTGGCAGCACTACCTCGACTGCCGATTAAGGCAGGTGGCGACCTAGT

```

Fig. 30/2

```

      TGCACGGGCCCCCTGGGGCTGGGGCTGGCACAAGTCCCACCACGAGGAACACGACCACGCGC
841  -----+-----+-----+-----+-----+-----+-----+ 900
      ACGTGCCCGGGGAACCCGACCCCGACCGTGTTCAGGGTGGTGCTCCTTGTGCTGGTGCGCG

      TGGAAAAGAACGACCTGTACGGCCTGGTCTTTGCGGTGATCGCCACGGTGCTGTTACGG
901  -----+-----+-----+-----+-----+-----+-----+ 960
      ACCTTTTCTGTGCTGGACATGCCGGACCCAGAAACGCCACTAGCGGTGCCACGACAAGTGCC

      TGGGCTGGATCTGGGCACCGGTCTCTGTGGTGGATCGCCTTGGGCATGACCGTCTACGGGC
961  -----+-----+-----+-----+-----+-----+-----+ 1020
      ACCCGACCTAGACCCGTGGCCAGGACACCACCTAGCGGAACCCGTACTGGCAGATGCCCG

      TGATCTATTTCGTCTCTGCATGACGGGCTGGTGCATCAGCGCTGGCCGTTCGGCTATATCC
1021 -----+-----+-----+-----+-----+-----+-----+ 1080
      ACTAGATAAAGCAGGACGTACTGCCCGACCACGTAGTCGCGACCGGCAAGGCGATATAGG

      CTCGCAAGGGCTATGCCAGACGCCTGTATCAGGCCACCGCCTGCACCACCGCGTTCGAGG
1081 -----+-----+-----+-----+-----+-----+-----+ 1140
      GAGCGTTCGGATACGGTCTGCGGACATAGTCCGGGTGGCGGACGTGTTGCCCGAGCTCC

      GGCGCGAOCATTGCGTCAGCTTCGGGCTTCATCTATGCGCCGCCGGTCGACAAGCTGAAGC
1141 -----+-----+-----+-----+-----+-----+-----+ 1200
      CCGCGCTGGTAACGCAGTCGAAGCCGAAGTAGATACGCGGCGGCCAGCTGTTGCACTTCG

      AGGACCTGAAGACGTGGGGCTGCTGCGGGCCGAGGCGCAGGAGCGCACGTGACCCATGA
1201 -----+-----+-----+-----+-----+-----+-----+ 1260
      TCCTGGACTTCTGCAGCCCGCACGACGCCCGGCTCCGCGTCTCGCGTGCACTGGGTACT

      C
1261 - 1261
      G

```

Fig. 31

```

1  ATGAGCGCACATGCCCTGCCCAAGGCAGATCTGACCGCCACCAGTTTGATCGTCTCGGGC
   -----+-----+-----+-----+-----+-----+
60  TACTCGCGGTGTACGGGACGGGTTCGGTCTAGACTGGCGGTGGTCAAACCTAGCAGAGCCCG

   GGCATCATCGCCGCGTGGCTGGCCCTGCATGTGCATGCGCTGTGGTTTCTGGACGCGGCG
61  -----+-----+-----+-----+-----+-----+
120  CCGTAGTAGCGGCGCACCGACCGGACGTACACGTACGCGACACCAAAGACCTGCGCCGC

   GCGCATCCCATCCTGGCGGTGCGGAATTTCTGGGGCTGACCTGGCTGTGGTTCGGTCTG
121  -----+-----+-----+-----+-----+-----+
180  CCGTAGGGTAGGACCGCCAGCGCTTAAAGGACCCGACTGGACCGACAGCCAGCCAGAC

   TTCATCATCGCGCATGACCGGATGCATGGGTCTGGTCTGCCGGGCGCCCGCGCCCAAT
181  -----+-----+-----+-----+-----+-----+
240  AAGTAGTAGCGCTACTGCGCTACGTACCCAGCCAGCACGGCCCCGCGGJCGCGCGGTTA

   GCGGCGATGGGCGAGCTTGTCTGTGGCTGTATGCCGGATTTCTGGCGCAAGATGATC
241  -----+-----+-----+-----+-----+-----+
300  CGCCGCTACCCGCTCGAACAGGACACCGACATACGGCCTAAAAGGACCGCGTTCTACTAG

   GTCAAGCACATGGCCCATCATCGCCATGCCGGAACCGACGACGCCAGATTTGACCAT
301  -----+-----+-----+-----+-----+-----+
360  CAGTTCGTGTACCGGGTAGTAGCGGTACGGCCTTGGCTGCTGCTGGGTCTAAAGCTGGTA

   GGCGGCCCCGTCCGCTGGTACGCCGCTTCATCGGCACCTATTTCCGCTGGCGCGAGGGG
361  -----+-----+-----+-----+-----+-----+
420  CCGCCGGGCGCAGCGACCATGCGGGCGAAGTAGCCGTGGATAAAGCCGACCGCGCTCCCC

   CTGCTGCTGCCCGTCATCGTGACGGTCTATGCCCTGATGTTGGGGATCGCTGGATGTAC
421  -----+-----+-----+-----+-----+-----+
480  GACGACGACGGGCAGTAGCACTGCCAGATACGCCACTACAACCCCTAGCGACCTACATG

   GTGGTCTTCTGGCCGTTGCCGTGATCCTGGCGTCGATCCAGCTGTTCGTGTTCGGCATC
481  -----+-----+-----+-----+-----+-----+
540  CACCAGAAGACCGGCAACCGCAGCTAGGACCGCAGCTAGGTCGACAAGCACAAGCCGTAG

   TGGTGC CGCACCGCCCCGGGCCACGACGCGTTCCCGGACCGCCACAATGCCGCGTCTCG
541  -----+-----+-----+-----+-----+-----+
600  ACCGACGGCGTGGCGGGCCGGTGTGCGCAAGGGCCTGGCGGTGTTACGCGCCAGCAGC

   CGGATCAGCGACCCCGTGTGCTGCTGACCTGCTTTCACTTTGGCGGTATCATCAGGAA
601  -----+-----+-----+-----+-----+-----+
660  GCCTAGTCGCTGGGGCACAGCGACGACTGGACGAAAGTGAAACCGCCAATAGTAGTGCTT

   CACCACCTGCACCGACCGGTGCTTGGTGGCGCTGCCCGACCGCCACCAAGGGGGAC
661  -----+-----+-----+-----+-----+-----+
720  GTGGTGGACGTGGGCTGCCACGGAACACCGCGGACGGGTCTGGGGCGTGGTTCCCCCTG

   ACCGCATGA
721  ----- 729
      TGGCGTACT

```

Fig. 32

```

1  MSAHALPKAD LTATSLIVSG GIIAAWLALH VHALWFLDAA AHPILAVANF
51  LGLTWLSVGL FIIAHDAMHG SVVPGRPAN AAMGQLVLWL YAGFSWRKMI
101 VKHMAHHRHA GTDDDPDFDH GGPVRWYARF IGTYFGWREG LLLPVIVTVY
151 ALMLGDRWMY VVFWPLPSIL ASIQLEVFGE WLPHRPGHDA FPDHNRARSS
201 RISDPVSLLT CFHFGGYHHE HHLHPTVPWW RLPSTRTKGD TA*

```


Fig. 33

```

1  ATGACCAATTTCCTGATCGTCGTCGCCACCGTGCTGGTGATGGAGCTGACGGCCTATTCC
   -----+-----+-----+-----+-----+-----+
61  TACTGGTTAAAGGACTAGCAGCAGCGGTGGCACGACCACTACCTCGACTGCCGGATAAGG
   -----+-----+-----+-----+-----+-----+
   GTCCACCGCTGGATCATGCACGGCCCTTGGGCTGGGGCTGGCACAAGTCCCACCACGAG
121 -----+-----+-----+-----+-----+-----+
   CAGGTGGCGACCTAGTACGTGCCGGGAACCCGACCCGACCGTGTTTCAGGGTGGTGCTC
   -----+-----+-----+-----+-----+-----+
   GAACACGACCACCGCGCTGGAAAAGAACGACCTGTACGGCCTGGTCTTTGCGGTGATCGCC
181 -----+-----+-----+-----+-----+-----+
   CTTGTGCTGGTGCGCGACCTTTTCTTGCTGGACATGCCGGACAGAAACGCCACTAGCGG
   -----+-----+-----+-----+-----+-----+
   ACGGTGCTGTTTCACGGTGGGCTGGATCTGGGCACCGGTCTGTGGTGGATCGCCTTGGGC
241 -----+-----+-----+-----+-----+-----+
   TGCCACGACAAGTGCCACCCGACCTAGACCCGTGGCCAGGACACCACCTAGCGGAACCCG
   -----+-----+-----+-----+-----+-----+
   ATGACCGTCTACGGGCTGATCTATTTCGTCTGCATGACGGGCTGGTGATCAGCGCTGG
301 -----+-----+-----+-----+-----+-----+
   TACTGGCAGATGCCCGACTAGATAAAGCAGGACGTACTGCCCGACCACTAGTCGCGACC
   -----+-----+-----+-----+-----+-----+
   CCGTTCGGCTATATCCCTCGCAAGGGCTATGCCAGACGCCTGTATCAGGCCACCGCCTG
361 -----+-----+-----+-----+-----+-----+
   GGCAAGGCGATATAGGGAGCGTTCCCGATACGGTCTGCGGACATAGTCCGGGTGGCGGAC
   -----+-----+-----+-----+-----+-----+
   CACCACGCGGTGAGGGGCGCGACCATTCGCTCAGCTTCGGCTTCATCTATGCGCCGCGG
421 -----+-----+-----+-----+-----+-----+
   GTGGTGCGCCAGCTCCCCGCGCTGGTAACGCAGTCGAAGCCGAAGTAGATACGCGGCGGC
   -----+-----+-----+-----+-----+-----+
   GTCGACAAGCTGAAGCAGGACCTGAAGACGTCGGGCGTGCTGCGGGCCGAGGCGCAGGAG
481 -----+-----+-----+-----+-----+-----+
   CAGCTGTTGACTTCGTCTGGACTTCTGCAGCCCGACGACGCCCGGCTCCGCGTCTC
   -----+-----+-----+-----+-----+-----+
   CGCACG
491 ----- 486
   GCGTGC

```

Fig. 34

1 MTNFLIVVAT VLMELTAYS VHRWIMHGPL GWGWHKSHHE EHDHALEKND
51 LYGLVFAVIA TVLFTVGWIW APVLWWIALG MTVYGLIYFV LHDGLVHQRW
101 PFRYIPRKG Y ARRLYQAHRL HHAVEGRDHC VSFGFIYAPP VDKLKQDLKT
151 SGVLRAEAQE RT

Fig. 35




Fig. 36




Fig. 37




Fig. 38/1

```

CTGCAGGTCTGACACGGCCAGAAGCCGCGCCGCGGGcCGGGGGCCGCcGCATCGCGACC
1 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 60
GACGCTCCAGACTGTGCCGGTCTTCCGGCGCGGCGCCcGCCCCGGCGgCGTAGCGCTGG

GGTATCCTTGCCAAGCGCCCGCTGGTCGCCACaACGTCCAGCAGGTCTCATAGGACTG
61 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 120
CCATAGGAACGGTTCGCGCGGACCAGCGGGTgtTGCAGGTCTGCCAGCAGTATCTTGAC

GAACACCCGGGCCAGCTGACGGCCAAAGTCGATCATCTGaGTCTGCTCTCGGCGTCGAA
121 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 180
CTGTGGGCCGGGTGACTGCCGGTTTCAGCTAGTAGACTcAGACGAGGAGCCGCAGCTT

CTCCTTGATCAGGGCAGCATCTCCAGCCGGCGATGAACAGCAGCGCGGTCTTCAGGTC
181 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 240
GAGGAAGTAGTGCCGGTCTAGAGGTGCGGCGCTACTTGTCTGCGGCCAGAAGTCCAG

CTGTTCCTGTTCGACCCCCGCGCGTCTTGGCCGCGTGCAGGTCCAGGTCTTGGCCGGC
241 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 300
GACAAGGACAAGCTGGGGGCGCGCAAGAACCGGCCACGTCCAGGTCCAGGACCGGCCG

GCACAGGCCCTGCGGCCCGAGGACCGGCAGGATCCgcaccagctgcgcccgcaccgt
301 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 360
CGTGTCCGGGACGCCGGGGTCCCTGGCGCTGTCTAGGcgtggtcgacgcgggctgga

gcccgcagcgccgcgcgcaccgcccagcagggccatcgccctcggtgatcagggcgatgcc
361 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 420
cgggctgcgcggcgcggtggccggtcgtcccggtagcggaqccactagtcccgtcacgg

gcctagcacgycgcggctttcgccatgcgccacatgggtcgcgggctggccgcggcgag
421 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 480
cggatcgtgcgcgcgaaagcggtacgcggtgtaccagcgcccgaccggcgccgcgtc

cccggcatcgtccatgcagggcaggtcgtcgaaagatcagcgatcgccatgcaccatctc
481 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 540
gggcccgtagcaggtacgtcccgtccagcagcttctagtgcgtacgcggtacgtggtagag

gaccgcgcagcgcggtcgacgatcgtgtcgagaccccgcccagggttctgccgcaag
541 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 600
ctggcgcgctccgcgcagctgctagcacagcgtctggggcggggtccgaagacggcgctc

cagcatcagcatgcgcggaacgcttgcccgcagcagcgccatggctcatggccgg
601 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 660
gtcgtagtgtacgcgcctttcgaaacgggtgctgtcgcgcggtaccgagtaccggcc

gccgagcggctgcgacacggcaccgaatccctggcgatctcctcaagtctggtctgcag
661 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 720
cggctcgccgacgtgtgccgtggcttagggaccgctagaggagttcagaccagacgtc

aaggggtggcgtggatcgggttgacgtctcgtctcatcagtgcccttcgcgcttgggtctg
721 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 780
ttcccaccgcacctagcccaactgcagagcagagtgtcacggaagcggaacccaagac

accagcggggaaggtcagggcgggcgcccccgtgaccgctcatccaccgtcaacagt
781 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 840
tggctcgcccttccagtcgggccccgcgtggggcactgggcagtaggtggcagttgtca

ccccatgttggaaggcttcacgcccgatcgagagcttttcgacggcgacgcggggtcgc
841 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 900
ggggtaaaccttccgaagtgcgggctaacgctcggaagctgccgctgcgcccagcg

gcggcaatttntccaaaggtcagtggaacggcgcgccgatggccgcgcgagccaggc
901 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 960
cgccgttaaanaggttgttccagtcacctggcgcgcggtaccggcgcgcggtcggtccg

atccttggccggaaacacccgcgcgcgcacatgatcgccaggtatcgtccggcgcgcggc
961 -----+-----+-----+-----+-----+-----+-----+-----+-----+-----+ 1020

```

Fig. 38/2

```
taggaaccggccttctgggagcgagcgtagtactagccggcctagcaggccgagcgag
gcggcgaggtcgccgagtcacccggattgtcaagcaccagccatcgcgccgagac
1021 -----+-----+-----+-----+-----+-----+-----+ 1080
cgccgagtcagccggcgagtgggcctaacagttcgtgggtccggtagcgaggtcgctg
ctcgtccgagtcgtccatgtcgacgacagggcgttctccatgtcgaggaccagttcgcg
1081 -----+-----+-----+-----+-----+-----+-----+ 1140
gagcaggcgagcaggtacagctgctagtccggcaagaggtacagcgccctggcgaagcgc
caccggggcggtgttcgatcgatcaccaggcatccggtggccatcgccctcggacagggac
1141 -----+-----+-----+-----+-----+-----+-----+ 1200
gtggccccgccacaagctagctagtgggtccgtaggccaccggtagcggagcctgtccctg
caggaggtgacgaagggtcggtgaaatagacatgcgcgtgcgagggcctgcag
1201 -----+-----+-----+-----+-----+-----+-----+ 1253
gtcctccactgcttcccagaccactttatctgtacgcgcacgctccggacgtc
```

Fig. 39

```

1  ATGAGACGAGACGTCAACCCGATCCACGCCACCCTTCTGCAGACCAGACTTGAGGAGATC 60
   -----+-----+-----+-----+-----+-----+-----+
   TACTCTGCTCTGCAGTTGGGCTAGGTGCGGTGGGAAGACGTCTGGTCTGAACCTCTAG

61  GCCCAGGGATTCCGGTGCCGTGTCGCAGCCGCTCGGCCCGCCATGAGCCATGGCGCGCTG 120
   -----+-----+-----+-----+-----+-----+-----+
   CGGGTCCTAAGCCACGGCACAGCGTCGGCGAGCCGGCCGGTACTCGGTACCGCGCGAC

121  TCGTCGGGCAAGCGTTTCCGCGGCATGCTGATGCTGCTTGCGGCAGAACCTCGGGCGGG 180
   -----+-----+-----+-----+-----+-----+-----+
   AGCAGCCCGTTCCGAAAGGCGCCGTACGACTACGACGAACGCCGTCTTCGGAGCCCGCCC

181  GTCTGCGACACGATCGTCGACGCCGCCCTGCGCGGTGAGATGGTGCATGCCGCATCGCTG 240
   -----+-----+-----+-----+-----+-----+-----+
   CAGACGCTGTGCTAGCAGCTGCGGCGGACGCGCCAGCTCTACCACGTACGGCGTAGCGAC

241  ATCTTCGACGACCTGCCCTGCATGGACGATGCCGGGCTGCGCCGCGGCCAGCCCGCGACC 300
   -----+-----+-----+-----+-----+-----+-----+
   TAGAAGCTGCTGGACGGGACGTACCTGCTACGGCCCGACGCGCGCGCGGTTCGGGCGCTGG

301  CATGTGGCGCATGGCGAAAGCCGCGCCGTGCTAGGCGGCATCGCCCTGATCACCGAGGCG 360
   -----+-----+-----+-----+-----+-----+-----+
   GTACACCGCGTACCGGTTTTCGGCGCGGCACGATCCGCCGTAGCGGGACTAGTGGCTCCGC

361  ATGGCCCTGCTGGCCGTGCGCGCGCGCGCTCGGGCACGCTGCGGGCGCAGCTGGTGGCG 420
   -----+-----+-----+-----+-----+-----+-----+
   TACCGGGACGACCGGCCACGCGCGCGCGCAGCCCGTGCCACGCCCGCGTCGACCACGCC

421  ATCTGTGCGGTTCCCTGGGGCCGAGGGCCTGTGCGCCGGCCAGGACCTGGACCTGCAC 480
   -----+-----+-----+-----+-----+-----+-----+
   TAGGACAGCGCCAGGGACCCCGCGTCCCGACACGCGGCCGGTCTTGGACCTGGACGTG

481  GCGGCCAAGAACGGCGCGGGGTGGAACAGGAACAGGACCTGAAGACCGGCGTGTGTTTC 540
   -----+-----+-----+-----+-----+-----+-----+
   CGCCGGTTCTTTCGCGCGCCCCAGCTTGTCTTGTCTTGGACTTCTGGCCGCACGACAAG

541  ATCGCCGGGCTGGAGATGCTGGCCGTGATCAAGGAGTTCGACGCCGAGGAGCAGACTCAG 600
   -----+-----+-----+-----+-----+-----+-----+
   TAGCGGCCCGACCTCTACGACCGGCACTAGTTCTTCAAGCTGCGGGTCTCTCGTCTGAGTC

601  ATGATCGACTTTGGCCGTACGCTGGGCCGGGTGTTCCAGTCTATGACGACCTGCTGGAC 660
   -----+-----+-----+-----+-----+-----+-----+
   TACTAGCTGAAACCGGCAGTCGACCCGGCCACAAGGTCAGGATACTGCTGGACGACCTG

661  GTTGTGGGGACACAGGCGGCGCTTGGCAAGGATACCGGTCGCGATGCGGCGGCCCCCGGC 720
   -----+-----+-----+-----+-----+-----+-----+
   CAACACCCGCTGGTCCGCGCGAACCCTTCCTATGGCCAGCGCTACGCGCGCGGGGCGG

721  CCGCGGCGCGGCTTCTGGCCGTGTCAGACCTGCAGAACGTGTCCCGTCACTATGAGGCC 780
   -----+-----+-----+-----+-----+-----+-----+
   GGCGCGCGCGCGGAAGACCGGCACAGTCTGGACGTCTTGACACAGGCGAGTACTCCGG

781  AGCCGCGCCAGCTGGACGCGATGCTGCGCAGCAAGCGCCTTCAGGCTCCGGAAATCGCG 840
   -----+-----+-----+-----+-----+-----+-----+
   TCGGCGCGGGTGCACCTGCGCTACGACGCGTCTTCGCGGAAGTCCGAGGCCCTTAGCGC

841  GCCCTGCTGGAACGGGTTCGCCCCTACGCCGCGCGCGCCTAG 882
   -----+-----+-----+-----+-----+-----+-----+
   CGGGACGACCTTGCCCAAGACGGGATGCGGCGCGCGCGGATC

```


Fig. 40

1 MRRDVNPIHA TLLQTRLEEI AQGFGAVSQP LGPAMSHGAL SSGKRFRGML
51 MLLAAEASGG VCDTIVDAAC AVEMVHAASL IFDDLPCMDD AGLRRGQPAT
101 HVAHGESRAV LGGIALITEA MALLAGARGA SGTVRAQLVR ILSRSLGPQG
151 LCAGQDLDLH AAKNGAGVEQ EQDLKTGVLF IAGLEMLAVI KEFDAEEQTQ
201 MIDFGRQLGR VFQSYDDLDD VVGDAQALGK DTGRDAAAPG PRRGLLAVSD
251 LQNVSRHYEA SRAQLDAMLR SKRLQAPEIA ALLERVLPYA ARA*

Fig. 41




Fig. 42





Fig. 43



(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 872 554 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
07.06.2000 Bulletin 2000/23

(51) Int. Cl.⁷: **C12N 15/52**, C12P 23/00,
A23K 1/16, A23L 1/275,
C12N 1/21

(43) Date of publication A2:
21.10.1998 Bulletin 1998/43

(21) Application number: **97120324.5**

(22) Date of filing: **20.11.1997**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **02.12.1996 EP 96810839**

(71) Applicant:
**F. HOFFMANN-LA ROCHE AG
4070 Basel (CH)**

(72) Inventors:
• **Pasamontes, Luis
4632 Trimbach (CH)**
• **Tsygankov, Yuri,
State Scient. Cnt. of Russian Fed
Moscow 113545 (RU)**

(74) Representative: **Braun, Axel et al
F.Hoffmann-La Roche AG
Patent Department (PLP),
124 Grenzacherstrasse
4070 Basel (CH)**

(54) **Improved fermentative carotenoid production**

(57) The present invention is directed to processes for the preparation of canthaxanthin, adonixanthin, astaxanthin, a mixture of adonixanthin and astaxanthin and zeaxanthin by a cell which has been transformed by DNA sequences encoding the respective biosynthetic enzymes of Flavobacterium and the gram negative bacterium E-396. Furthermore the present invention is directed to a food or feed composition comprising one or more of the aforementioned carotenoids.

EP 0 872 554 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 97 12 0324

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
D,A	EP 0 735 137 A (KIRIN BREWERY ;MARINE BIOTECH INST CO LTD (JP)) 2 October 1996 (1996-10-02) * page 5, line 55 - page 7, line 32 * * page 10 - page 11 * * page 14 - page 21; examples 7,8,12,13 * ----	1-7	C12N15/52 C12P23/00 A23K1/16 A23L1/275 C12N1/21
A	EP 0 635 576 A (NIPPON OIL CO LTD) 25 January 1995 (1995-01-25) * examples * ----	1-7	
D,A	WO 91 13078 A (AMOCO CORP) 5 September 1991 (1991-09-05) * page 24 - page 43 * * page 55 - page 64 * * page 164 - page 176; examples 21-24 * ----	3,5-7	
P,X	EP 0 747 483 A (HOFFMANN LA ROCHE) 11 December 1996 (1996-12-11) * the whole document * ----	2,3,5-7	
P,X	PASAMONTES L ET AL: "Isolation and characterization of the carotenoid biosynthesis genes of Flavobacterium sp. strain R1534" GENE: AN INTERNATIONAL JOURNAL ON GENES AND GENOMES, vol. 185, no. 1, 31 January 1997 (1997-01-31), pages 35-41, XP004093151 ISSN: 0378-1119 * the whole document * -----	3,6	<div>TECHNICAL FIELDS SEARCHED (Int.Cl.6)</div> <div>C12N C12P</div>
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 19 April 2000	Examiner Andres, S
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document	

EPO FORM 1503 03/82 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 97 12 0324

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

19-04-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0735137 A	02-10-1996	AU 702584 B	25-02-1999
		AU 1281195 A	17-07-1995
		FI 962633 A	23-08-1996
		NO 962689 A	27-08-1996
		US 5811273 A	22-09-1998
		CA 2180024 A	06-07-1995
		WO 9518220 A	06-07-1995
		US 5972690 A	26-10-1999
EP 0635576 A	25-01-1995	CA 2128549 A	23-01-1995
		JP 7079796 A	28-03-1995
		NO 942731 A	23-01-1995
		US 5607839 A	04-03-1997
		US 5858761 A	12-01-1999
WO 9113078 A	05-09-1991	CA 2055447 A	03-09-1991
		EP 0471056 A	19-02-1992
		JP 5504686 T	22-07-1993
		US 5545816 A	13-08-1996
		US 5530188 A	25-06-1996
		US 5530189 A	25-06-1996
		US 5684238 A	04-11-1997
		US 5618988 A	08-04-1997
		US 5656472 A	12-08-1997
EP 0747483 A	11-12-1996	JP 9023888 A	28-01-1997

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

